

AXDSPX-GL1 INTERFACE





DSP Interface With Pre-Wired Harness

Fits Select General Motors Models 2006–2020

Visit <u>AxxessInterfaces.com</u> for more detailed information about the product and up-to-date vehicle specific applications.

APPLICATIONS

Visit axxessinterfaces.com for current application list

INTERFACE COMPONENTS

- AXDSPX-GL1 interface
- AXDSPX-GL1 interface harness
- AXDSPX-GL1 vehicle T-harness
- Bass knob

Download AX-DSP-XL App

Android™ 9 or higher



iOS® 12.1 or higher



INTERFACE FEATURES

- Designed for amplified and non-amplified systems
- Selectable 31-band Graphic EQ or 5-band parametric EQ on each channel with high pass, low pass, and bandpass filters
- 6 inputs and 10 individually assignable outputs
- Selectable slope (12, 24, 36, or 48db per octave)
- Selectable Graphic or Parametric EQ
- Independent equalization on each of the 10 outputs
- Each channel can be delayed independently up to 10 ms
- Chime control for GM vehicles
- Clipping detection and limiting circuits

- Bass knob included
- Retains 0E voice prompts (OnStar®) if vehicle is equipped
- Retains factory chimes, including parking sensor and cross path detection alerts if vehicle is equipped
- Internal header port for adding interface modules
- Settings adjusted wirelessly in the free AX-DSP-XL app available for smartphones and tablets
- Easy behind the radio installation
- Can be used with factory and aftermarket radios
- Read, write, and store configurations for future recall
- Password protect feature available in the app
- Micro "B" USB updatable

SALES 386-257-2956

REV. 6/9/25

