




AXBUCH-TYCAM26V

INSTALLATION INSTRUCTIONS



Back Up Camera Retention Harness

Fits Toyota 2006-2013

INTERFACE FEATURES

- Retains the factory backup camera to an aftermarket radio
- Includes the AXCS-D-6V 12-volt to 6-volt step-down converter

INTERFACE COMPONENTS

- AXBUCH-TYCAM26V harness
- AXCS-D-6V 12-volt to 6-volt step-down converter

APPLICATIONS

Toyota

4-Runner*	2012-2013
4-Runner	2006-2011
Avalon	2011-2012
Camry	2007-2011
Highlander	2008-2012

For **Dash Disassembly Instructions**, refer to [metraonline.com](http://www.metraonline.com). Enter the year, make, and model of the vehicle in the **Vehicle Fit Guide for Radio Install kits**.

www.MetraOnline.com



Prius	2010-2011
Sequoia*	2008-2012
Tundra*	2007-2013
Venza (with NAV)	2009-2012

*With Factory Amp

TABLE OF CONTENTS

Connections: LD-TYCAM2	2
------------------------	---

TOOLS REQUIRED


- Crimping tool and connectors, or solder gun, solder, and heat shrink
- Tape
- Wire cutter

Visit AxxessInterfaces.com for more detailed information about the product and up-to-date vehicle specific applications.

ATTENTION: With the key out of the ignition, disconnect the negative battery terminal before installing this product. Ensure that all installation connections, especially the air bag indicator lights, are plugged in before reconnecting the battery or cycling the ignition to test this product.

NOTE: Refer also to the instructions included with the aftermarket radio.

CONNECTIONS: LD-TYCAM2



[illegible]



AXBUCH-TYCAM26V

INSTALLATION INSTRUCTIONS

Having difficulties? We're here to help.



Contact our Tech Support line at:

386-257-1187



Or via email at:

techsupport@metra-autosound.com

Tech Support Hours (Eastern Standard Time)

Monday - Friday: 9:00 AM - 7:00 PM

Saturday: 10:00 AM - 5:00 PM

Sunday: 10:00 AM - 4:00 PM



**Metra recommends MECP
certified technicians**