




# AXDSPX-GM32

INTERFACE



## DSP Data Interface With Pre-Wired Harness

Fits Select General Motors Models **2021-Up**

Visit [AxnessInterfaces.com](https://www.axnessinterfaces.com) for more detailed information about the product and up-to-date vehicle specific applications.

### APPLICATIONS

Visit [axnessinterfaces.com](https://www.axnessinterfaces.com) for current application list

### INTERFACE COMPONENTS

- AXDSPX-GM32 interface
- AXDSPX-GM32 output harness
- AXDSPX-GM32 vehicle T-harness
- LD-DSP-RPAD2
- Bass knob

Download AX-DSP-XL App

Android™ 9 or higher



iOS® 12.1 or higher



### INTERFACE FEATURES

- Designed for non-amplified systems
- Selectable 31-band Graphic EQ or 5-band parametric EQ on each channel with high pass, low pass, and bandpass filters
- 6 inputs and 10 individually assignable outputs
- Selectable slope (12, 24, 36, or 48db per octave)
- Selectable Graphic or Parametric EQ
- Independent equalization on each of the 10 outputs
- Each channel can be delayed independently up to 10 ms
- Chime control for GM vehicles
- Clipping detection and limiting circuits
- Bass knob included
- Retains OE voice prompts (OnStar®) if vehicle is equipped
- Retains factory chimes, including parking sensor and cross path detection alerts if vehicle is equipped
- Settings adjusted wirelessly in the free AX-DSP-XL app available for smartphones and tablets
- Easy behind the radio installation
- Can be used with factory and after-market radios
- Read, write, and store configurations for future recall
- Password protect feature available in the app
- Micro "B" USB updatable

SALES 386-257-2956

REV. 5/8/25

What Fits My Vehicle? See the Vehicle Fit Guide at [AxnessInterfaces.com](https://www.AxnessInterfaces.com)

© COPYRIGHT 2024 METRA ELECTRONICS CORPORATION