




InstallBay[®]
TheInstallBay.com

***ONE STOP SOURCE FOR
PROFESSIONAL INSTALLERS***

- + *VEHICLE INSTALLATION HARDWARE*
- + *SPECIALTY TOOLS*
- + *ACCESSORIES*

THE INSTALL BAY AT YOUR FINGERTIPS



VISIT US ONLINE

- Catalogs
- Manuals
- Product Sheets

TheInstallBay.com



SOCIAL MEDIA

- Featured Installs
- Q & A

*Share Your Project Photos With Us
Tag @Metraelectronics In Your Posts!*



SUBSCRIBE ON YOUTUBE

- New Products
- Instruction Videos



METRA'S EXCLUSIVE DEALER WEBSITE

MetraDealer.com

- ✓ *Order anytime. Day or Night!*
- ✓ *Always up to date with all of the latest products.*
- ✓ *All of the Metra brands in one location for ordering convenience.*
- ✓ *Register online today!*



**METRA HAS TECH SUPPORT!
AVAILABLE 7 DAYS A WEEK
386.257.1187**



WARNING: This catalog does not advise whether a State of California Proposition 65 warning is required for a particular item of merchandise. To learn whether a particular item of merchandise requires a California Proposition 65 warning, please be sure to look up and read the particular merchandise's listing on Metra's website www.MetraOnline.com, as well as read the particular merchandise's packaging. When a California Proposition 65 warning is present on Metra's website listing for the particular merchandise, or on the particular merchandise's packaging, a compliant California Proposition 65 warning is to be provided to the purchasing California consumer prior to the sale of the particular merchandise.

NEW & IMPROVED!

We are excited to share this new brochure layout for The Install Bay retail program. This brochure includes vital information about each of our products to better assist in your ordering needs. Now shown are physical measurements for a large portion of our products, as well as terminal sizes, wire gauge sizes, mounting hole sizes, and more. Also featured are some products, such as connectors, fuses, and screws, that appear on the page close to the actual size. These products will have a note at the bottom of the feature photo that says, “*Image(s) shown close to actual size.*” Each product listed in this brochure now comes with an organized information chart or description box so that you have the necessary information needed to ensure that what you are ordering is exactly what you need. If you have additional questions about a product or to learn more about what The Install Bay has to offer, please visit us online or give us a call.

READING THE NEW PRODUCT INFORMATION CHARTS

PRODUCT CATEGORY

BUTT CONNECTOR ASSORTMENT PACKS



MEASUREMENT DIAGRAM
(if applicable)



PICTURE OF PRODUCT
(if available)



IBR04



IBR06



IBR07



IBR09

PRODUCT ORDERING #

MULTIPLE PIECES WITHIN A SINGLE PRODUCT # WILL SHOW TOGETHER

PRODUCT ORDERING #	VITAL PRODUCT INFORMATION				MEASUREMENT FOR THE CORRESPONDING LETTER APPEARING IN THE PRODUCT PICTURE				QUANTITY/UNIT BEING SOLD
ITEM #	DESCRIPTION	WIRE RANGE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY	
IBR03	VINYL BUTT CONNECTOR	22/18GA	RED	4	24	1.75	0.5	24 PCS	
IBR04	VINYL BUTT CONNECTOR	16/14GA	BLUE	4.3	24	2.3	0.5	24 PCS	
IBR06	NYLON BUTT CONNECTOR	22/18GA	RED	3.8	25.2	1.75	0.5	24 PCS	
IBR07	NYLON BUTT CONNECTOR	22/18GA	BLUE	4.5	25.5	2.3	0.5	24 PCS	
IBR09	HEAT SHRINK NYLON ASSORTMENT KIT							12 PCS	
THIS PRODUCT IS SHOWING A LISTING OF MULTIPLE PIECES THAT ARE INCLUDED	HEAT SHRINK NYLON	22/18GA	RED	/	38	1.70	0.75	(4 PCS)	
	HEAT SHRINK NYLON	16/14GA	BLUE	/	35	2.3	0.5	(4 PCS)	
	HEAT SHRINK NYLON	12/10GA	YELLOW	/	40.5	3.8	0.5	(4 PCS)	
* ADDITIONAL SPECS OR FEATURES FOR A PRODUCT(S) WILL BE SHOWN HERE *									
= MEASUREMENT/SPEC IS NOT AVAILABLE									

THE FINE PRINT

Although we have utilized every asset available to us to get you the best product representations and information, please use the contents presented throughout this catalog only as a guide. Metra Electronics Corporation® and The Install Bay® are not liable for damage caused by incorrectly ordered or installed products and it is recommended to consult with a professional installer prior to purchasing or installing our products. Sizes, colors, textures, and some features may vary and are subject to change at anytime without notice.

NEW & IMPROVED!

We are excited to share this new brochure layout for The Install Bay retail program. This brochure includes vital information about each of our products to better assist in your ordering needs. Now shown are physical measurements for a large portion of our products, as well as terminal sizes, wire gauge sizes, mounting hole sizes, and more. Also featured are some products, such as connectors, fuses, and screws, that appear on the page close to the actual size. These products will have a note at the bottom of the feature photo that says, “*Image(s) shown close to actual size.*” Each product listed in this brochure now comes with an organized information chart or description box so that you have the necessary information needed to ensure that what you are ordering is exactly what you need. If you have additional questions about a product or to learn more about what The Install Bay has to offer, please visit us online or give us a call.

READING THE NEW PRODUCT INFORMATION CHARTS

PRODUCT CATEGORY

BUTT CONNECTOR ASSORTMENT PACKS



MEASUREMENT DIAGRAM
(if applicable)



PICTURE OF PRODUCT
(if available)



IBR04



IBR06



IBR07



IBR09

PRODUCT ORDERING #

MULTIPLE PIECES WITHIN A SINGLE PRODUCT # WILL SHOW TOGETHER

PRODUCT ORDERING #	VITAL PRODUCT INFORMATION			MEASUREMENT FOR THE CORRESPONDING LETTER APPEARING IN THE PRODUCT PICTURE				QUANTITY/UNIT BEING SOLD
ITEM #	DESCRIPTION	WIRE RANGE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
IBR03	VINYL BUTT CONNECTOR	22/18GA	RED	4	24	1.75	0.5	24 PCS
IBR04	VINYL BUTT CONNECTOR	16/14GA	BLUE	4.3	24	2.3	0.5	24 PCS
IBR06	NYLON BUTT CONNECTOR	22/18GA	RED	3.8	25.2	1.75	0.5	24 PCS
IBR07	NYLON BUTT CONNECTOR	22/18GA	BLUE	4.5	25.5	2.3	0.5	24 PCS
IBR09	HEAT SHRINK NYLON ASSORTMENT KIT							12 PCS
THIS PRODUCT IS SHOWING A LISTING OF MULTIPLE PIECES THAT ARE INCLUDED	HEAT SHRINK NYLON	22/18GA	RED	/	38	1.70	0.75	(4 PCS)
	HEAT SHRINK NYLON	16/14GA	BLUE	/	35	2.3	0.5	(4 PCS)
	HEAT SHRINK NYLON	12/10GA	YELLOW	/	40.5	3.8	0.5	(4 PCS)
* ADDITIONAL SPECS OR FEATURES FOR A PRODUCT(S) WILL BE SHOWN HERE *								
= MEASUREMENT/SPEC IS NOT AVAILABLE								

THE FINE PRINT

Although we have utilized every asset available to us to get you the best product representations and information, please use the contents presented throughout this catalog only as a guide. Metra Electronics Corporation® and The Install Bay® are not liable for damage caused by incorrectly ordered or installed products and it is recommended to consult with a professional installer prior to purchasing or installing our products. Sizes, colors, textures, and some features may vary and are subject to change at anytime without notice.

TABLE OF CONTENTS

CONNECTORS

Connector Measurement Chart	8	Vinyl Bullet Connectors	23
Uninsulated Butt Connectors.....	9	Nylon Bullet Connectors.....	23
Copper Butt Connectors.....	9	3M Nylon Bullet Connectors	24
Vinyl Butt Connectors	10	Heat Shrink Bullet Connectors	24
3M Vinyl Butt Connectors.....	10	Wire Tap & T-TAP.....	25
Nylon Butt Connectors.....	11	Nylon Crimp Caps.....	26
Seamless Nylon Butt Connectors	11	Star Rings	26
Heat Shrink Butt Connectors	12	3-Way Connector	26
Heat Shrink Solder Sleeves	12	Uninsulated Ring Terminals	27-28
Heat Shrink Solder Sleeve Kits.....	13	3M Vinyl Ring Terminals	28
Beannies.....	14	Vinyl Ring Terminals	29-30
Uninsulated Quick Disconnects.....	14	Nylon Ring Terminals.....	31
Vinyl Quick Disconnects	15	Heat Shrink Ring Terminals	32
3M Nylon Quick Disconnects	16	Copper Ring Terminals.....	33-34
Nylon Quick Disconnects.....	16-17	Nickel Ring Terminals	35
Heat Shrink Quick Disconnects	18	Barrier Spade Terminals.....	35
Uninsulated Spade Terminals	19	Ferrule Crimp Tools	35
Vinyl Locking Spade Terminals.....	19	Ferrules	36
Vinyl Spade Terminals.....	20	High Current Grounding Kit	37
Nylon Spade Terminals	21	Grounding Kit Replacement Parts.....	37
3M Vinyl Spade Terminals	22	Anderson Connectors.....	38
Heat Shrink Spade Terminals.....	22	XT Connectors.....	38

TUBING/FASTENERS/SCREWS

Split Loom Tubing	39	Washers & Trim Rings.....	50
Expandable Sleeving	40	Phillips Pan Head Tek Screws.....	50
Heat Shrink Tubing Kit	41-42	Phillips Wafer Head Tek Screws	50
Heat Shrink Tubing.....	43-44	Phillips Pan Head Screw.....	51
Cable Ties	45-46	Phillips Stinger Coarse Wafer Head.....	51
Cable Tie Mounts & Clamps.....	46	Phillips Stinger Fine Wafer Head.....	51
Flush Mount Grommet.....	46	Phillips Oval Head Screws	52
Snap Bushings	47	Phillips Truss Head Screws.....	52
Rubber Grommets	47	Phillips Stinger Coarse Drywall Screws.....	52
Long barrel Grommets	47	Phillips Stinger Fine Drywall Screws.....	53
Firewall Grommets	48	Phillips Stinger Particle Board Screws	53
Shaft Spacers.....	48	Camouflage Screw Tops	53
Clean Wire Clips.....	48	Speed Clips	53
ISO Screw Pack	49	Panel Fasteners.....	54
Stainless Socket Head Button Screws.....	49	Backstraps	54
Stainless Flat Screws	49	ABS Plastic Sheets	54
Stainless Screws & Washers.....	49		

TAPE/ADHESIVES

3M Electrical Tape.....	55	Hook and Loop.....	60
Exterior Harness Wrap	55	Instant Cure Glue - Thick	61
Interior Harness Wrap	56	Kent Automotive Flexseal Silicone	61
Interior Harness Tape	56	Instant Cure Glue	62
Exterior Harness Tape	57	Glue Accelerators	63
Masking Tape.....	57	Instant Set Accelerator	63
3M Cloth Duct Tape	57	3M Duramix & Quick-Cure™.....	64
Template Tape	58	3M Duramix Nozzle	64
3M Foam Tape.....	58	Hot Melt Glue Sticks.....	65
Kent Tape	58	3M Adhesion Promoter & Cleaner	65
Transparent Tape.....	59	Degreaser	66
Butyl Tape	59	Spray Adhesives	66
3M Strip Caulk	59	Sound Buffer Spray	67
Kent Automotive Seal N Caulk.....	60	Electrical Gel & Alcohol Wipes.....	67

FUSE PRODUCTS

Fuse Kits	69-71	Fuse Holders - ATC	82
Fuse Taps & Dual Add-A-Fuse.....	72	Fuse Holders - Mini ANL	82-83
ATC/ATM/ATR with LED Fuses	72	Fuse Holders - Mini ANL/AGU.....	83
ATC/ATM Fuses	73	Fuse Holders - ANL	83
ATM Fuses	74	Standard Fuse Holders.....	83
ATM Low Profile Fuses.....	75	Dual Terminal Studs.....	84
ATL Fuses	75	Marine Rated Battery Fuses.....	84
ATR/AGU Fuses	76	Stackable Fuse Panels	84
Maxi Fuses	77	ATC Fuse Panels & Fuse Blocks	86
ANL Bolt-Down Fuses	77	ATC/ATM with LED Fuse Blocks.....	87
AGC Fuses	78	ATC with LED Fuse Blocks.....	88-89
Mini ANL Fuses.....	78	Mini Line-Voltage Circuit breakers.....	89
Fuse Holders - ANL/FMX/Micro/ATM	79	Mini Manual Reset Circuit Breakers.....	89
Fuse Holders - ATC/Maxi.....	80	Auto Reset Circuit Breakers.....	89
Fuse Holders - In-Line with LED	80	Manual Reset Circuit Breakers.....	90
Fuse Holders - AGU.....	81	Resettable Circuit Breakers	90
Fuse Holders - Maxi Heavy-Duty	81	Smart Battery Isolator	90
Fuse Blocks - Single ATM	81		

WIRE/CABLE/AMP KITS

Amp Kits	91-93	Multi-Conductor Cable	100
Capacitor with Voltmeter	93	Copper-Jacketed Primary Wire	101
Copper RCA Audio Cables	94	CCA Value Line Power Cable.....	101
Nickel-Plated RCA Audio Cables.....	94	CCA Value Line Speaker Wire.....	102
Barrel Connectors.....	95	Battery Post Adapters.....	102
3.5MM to RCA Cables	95	Gauge Reducers.....	102
Copper Primary Wire.....	96-97	Plug-in Connector.....	103
Copper Speaker Wire	97	2-Wire Quick Disconnects	103
Copper US GPT Primary Wire.....	98-99		

TABLE OF CONTENTS

SPEAKER ACCESSORIES

Silicone Speaker Baffles.....	104	Terminal Cups.....	107
Foam Speaker Ring Set.....	104	Speaker Terminal Strips.....	108
Silicone Baffle Display.....	104	Barrier Strips.....	108
Vertek/XTC Acoustic Baffles.....	105	MDF Speaker Rings.....	108
IB Acoustic Baffles.....	105	Rubber Feet.....	108
Waffle/Speaker Grilles.....	106	Flared/Aero Port Tube Kits.....	109
Mesh Snap-on Grilles.....	106	Speaker Gasket Tape.....	109
Neodymium Magnets.....	106	Dual Cone Speakers.....	109

VOLTAGE METERS & SOCKETS

Voltage Meters.....	110-111	USB Right-Angle Adapter.....	115
USB Sockets.....	111-113	Charge & Data Sockets.....	116
HDMI® Cables & Adapters.....	113	Socket Mounts.....	117
USB Extension Sockets.....	114	Cigarette Lighter Plugs.....	117
USB HDMI® Sockets.....	115		

VEHICLE ACCESSORIES

Universal Seat Heaters.....	118	Actuator Kits.....	120
Seat Heater Packs.....	118	Door Lock Bracket.....	120
Power Window Kits.....	119	Linear Actuators.....	121
Power Lock Actuators.....	120		

SWITCHES & ELECTRICAL COMPONENTS

Audio Receivers & Controllers.....	123-124	Pin Switches.....	133
2-Channel Control Knob.....	125	Pin Switch Brackets.....	133
Level Controller with Voltmeter.....	125	Pin Switch Book.....	133
CE Certified Panel Switches.....	125	Tilt Switches.....	133
Latching Switches.....	126-129	Resistors.....	134
Momentary Switches.....	126-129	Electrolytic Capacitors.....	135
Round Rocker Switches.....	130	6DB Bass Blockers.....	135
Toggle Switches.....	131	Noise Filters.....	135
Relays.....	131	Line Output Converters.....	136
Relay Harness Kits.....	132	12V Cooling Fan.....	137
Relay Sockets.....	132	Strobe Flash Controller.....	137
Magnetic Switch.....	132	Sirens.....	137
Van Door Contact Set.....	132	2-Channel Line Driver.....	137
Flashers.....	132		

POWER ACCESSORIES

DC/DC Voltage Converters.....	138	Power Inverters.....	139
Power Supply Components/Supply...	138-139		








TERMINAL STUD SIZE CHART

	U.S.	Metric	Inch/mm
●	#0		0.060" (1.52mm)
●	#1		0.073 (1.85mm)
●	#2	M2	0.086" (2.18mm)
●	#4	M2.5	0.112" (2.84mm)
●	#5	M3	0.125" (3.17mm)
●	#6	M3.5	0.138" (3.5mm)
●	#8	M4	0.164" (4.16mm)
●	#10	M5	0.190" (4.82mm)
●	#12		0.216" (5.5mm)
●	#14		0.242" (6.15mm)
●	1/4	M6	0.250" (6.35mm)
●	5/16	M8	0.3125" (7.94mm)


	U.S.	Metric	Inch/mm
●	3/8	M10	0.375" (9.52mm)
●	7/16	M10	0.4375" (11.11mm)
●	1/2	M12	0.50" (12.7mm)
●	5/8	M16	0.625" (15.87mm)
●	3/4	M18	0.75" (19.05m)
●	7/8	M22	0.875" (22.23mm)

CONNECTOR MEASUREMENTS

THESE WILL ALSO BE FEATURED ALONGSIDE THEIR CORRESPONDING PRODUCT THROUGHOUT THE CATALOG


BUTT CONNECTOR**RING TERMINAL****SPADE TERMINAL****BULLET CONNECTOR****QUICK DISCONNECT
PARTIALLY INSULATED****QUICK DISCONNECT
FULLY INSULATED****COPPER RING
TERMINAL****CLOSED END CAP**

PRE-TINNED BUTT CONNECTORS

										
	URBC		UBBC		UYBC		UBC8		UBC4	
ITEM #	DESCRIPTION		WIRE RANGE	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY		
URBC	BUTT CONNECTOR		22/18GA	2.9	15	1.9	0.5	100 PCS		
UBBC	BUTT CONNECTOR		16/14GA	3.5	15	2.5	0.5	100 PCS		
UYBC	BUTT CONNECTOR		12/10GA	4.8	15	3.6	0.6	100 PCS		
UBC8	BUTT CONNECTOR		8GA	9.5	30	4.5	0.85	25 PCS		
UBC4	BUTT CONNECTOR		4GA	10.3	30	7.5	1	25 PCS		


* Images shown close to size & actual colors may vary

UNINSULATED COPPER BUTT CONNECTORS

								
	CUR8	CUR6	CUR4	CUR2	CUR1-0	CUR2-0		
ITEM #	DESCRIPTION		WIRE RANGE	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
CUR8	BUTT CONNECTOR		8GA	6.2	30	4.5	0.85	25 PCS
CUR6	BUTT CONNECTOR		6GA	7.8	30	5.8	1	25 PCS
CUR4	BUTT CONNECTOR		4GA	9.5	30	7.5	1	25 PCS
CUR2	BUTT CONNECTOR		2GA	12.6	33.5	9.6	1.5	10 PCS
CUR1-0	BUTT CONNECTOR		1/0GA	15	36	11.5	1.75	10 PCS
CUR2-0	BUTT CONNECTOR		2/0GA	17.4	37	13.5	1.95	10 PCS


* Images shown close to size & actual colors may vary

CONNECTORS BUTT CONNECTORS**VINYL BUTT CONNECTORS**

								
								
	RVBC	BVBC	YVBC	RVBC8	RVBC825	YVBC4		
ITEM #	DESCRIPTION	WIRE RANGE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
RVBC	BUTT CONNECTOR	22/18GA	RED	4	24	1.75	0.5	100 PCS
BVBC	BUTT CONNECTOR	16/14GA	BLUE	4.3	24	2.3	0.5	100 PCS
YVBC	BUTT CONNECTOR	12/10GA	YELLOW	6.3	25.5	3.8	0.5	100 PCS
RVBC8	BUTT CONNECTOR	8GA	RED	6.8	41	4.5	0.8	100 PCS
RVBC825	BUTT CONNECTOR	8GA	RED	6.8	41	4.5	0.8	25 PCS
YVBC4	BUTT CONNECTOR	4GA	YELLOW	10.9	40.5	7.5	1	25 PCS

* Images shown close to size & actual colors may vary

3M VINYL BUTT CONNECTORS

								
								
	3MRVBC	3MBVBC	3MYVBC					
ITEM #	DESCRIPTION	WIRE RANGE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
3MRVBC	BUTT CONNECTOR	22/18GA	RED	3.1	25.9	1.5	0.78	100 PCS
3MBVBC	BUTT CONNECTOR	16/14GA	BLUE	3.9	25.9	2.4	0.78	100 PCS
3MYVBC	BUTT CONNECTOR	12/10GA	YELLOW	5.5	34	3.6	0.96	100 PCS

* Images shown close to size & actual colors may vary



RNBM



RNBC



BNBC



YNBC

** Images shown close to size & actual colors may vary*



3MRNB



3MRNBC




3MBNB



3MYNB

** Images shown close to size & actual colors may vary*

HEAT SHRINK BUTT CONNECTORS 2.5:1 SHRINK RATIO


											
		HSYBCM		HSRBC		HSBBC		HSYBC		HSRBC8	
ITEM #	DESCRIPTION	WIRE RANGE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY			
HSYBCM	HEAT SHRINK BUTT CONNECTOR	24/26GA	YELLOW	11.7	24	1	0.40	100 PCS			
HSRBC	HEAT SHRINK BUTT CONNECTOR	22/18GA	RED	15	38	1.7	0.75	100 PCS			
HSBBC	HEAT SHRINK BUTT CONNECTOR	16/14GA	BLUE	15	35	2.4	0.80	100 PCS			
HSYBC	HEAT SHRINK BUTT CONNECTOR	12/10GA	YELLOW	15	40.5	3.4	1	50 PCS			
HSRBC8	HEAT SHRINK BUTT CONNECTOR	8GA	RED	19	46	2.6	1.8	25 PCS			

* Images shown close to size & actual colors may vary

HEAT SHRINK SOLDER SLEEVES


									
		SHSWBC		SHSRBC		SHSBBC		SHSYBC	
ITEM #	DESCRIPTION			WIRE RANGE	COLOR	A (mm)	B (mm)	BAG QTY	
SHSWBC	HEAT SHRINK SOLDER SLEEVE			24/26GA	WHITE	1.7	26	10 PCS	
SHSWBC-50	SHSWBC BULK PACK							50 PCS	
SHSRBC	HEAT SHRINK SOLDER SLEEVE			22/18GA	RED	2.7	40	10 PCS	
SHSRBC-50	SHSRBC BULK PACK							50 PCS	
SHSBBC	HEAT SHRINK SOLDER SLEEVE			16/14GA	BLUE	4.5	40	10 PCS	
SHSBBC-50	SHSBBC BULK PACK							50 PCS	
SHSYBC	HEAT SHRINK SOLDER SLEEVE			12/10GA	YELLOW	6	40	10 PCS	
SHSYBC-50	SHSYBC BULK PACK							50 PCS	

* Images shown close to size & actual colors may vary

60-PIECE HEAT SHRINK SOLDER SLEEVES KIT SELF SOLDERING

ITEM #	DESCRIPTION	WIRE RANGE	COLOR	A (mm)	B (mm)	QTY IN KIT
IBK-SHSKITS	60-PIECE HEAT SHRINK SOLDER SLEEVES KIT					60 PCS
	HEAT SHRINK SOLDER SLEEVE	26/24GA	WHITE	1.7	26	(10 PCS)
	HEAT SHRINK SOLDER SLEEVE	22/18GA	RED	2.7	40	(25 PCS)
	HEAT SHRINK SOLDER SLEEVE	16/14GA	BLUE	4.5	40	(20 PCS)
	HEAT SHRINK SOLDER SLEEVE	12/10GA	YELLOW	6	40	(5 PCS)

* Main images shown close to size & actual colors may vary

120-PIECE HEAT SHRINK SOLDER SLEEVES KIT SELF SOLDERING

ITEM #	DESCRIPTION	WIRE RANGE	COLOR	A (mm)	B (mm)	QTY IN KIT
IBK-SHSKITL	120-PIECE HEAT SHRINK SOLDER SLEEVE KIT					120 PCS
	HEAT SHRINK SOLDER SLEEVE	26/24GA	WHITE	1.7	26	(25 PCS)
	HEAT SHRINK SOLDER SLEEVE	22/18GA	RED	2.7	40	(45 PCS)
	HEAT SHRINK SOLDER SLEEVE	16/14GA	BLUE	4.5	40	(40 PCS)
	HEAT SHRINK SOLDER SLEEVE	12/10GA	YELLOW	6	40	(10 PCS)

* Main images shown close to size & actual colors may vary

BEANNIES WITH GEL

ITEM #	DESCRIPTION	QTY
IBBCWC	BLUE BEANNIES WITH GEL	100 PCS
	<i>FILLED WITH MOISTURE RESISTANT COMPOUND TO PROVIDE MOISTURE PROOF CONNECTIONS. WORKING RANGE OF -22°F TO 158°F (-30°C TO 70°C) AND HUMIDITY RANGE OF 0% TO 95%</i>	

UNINSULATED QUICK DISCONNECTS

		URFD250	UBFD187	UBFD250	UBMD250	UYMD250

ITEM #	DESCRIPTION	WIRE RANGE	SIZE	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
UNINSULATED FEMALE QUICK DISCONNECTS								
URFD250	QUICK DISCONNECT	22/18GA	0.250	2.7	16	7.6	0.40	100 PCS
UBFD187	QUICK DISCONNECT	16/14GA	0.187	3.3	14	6	0.40	100 PCS
UBFD250	QUICK DISCONNECT	16/14GA	0.250	3.3	16	7.6	0.40	100 PCS
UNINSULATED MALE QUICK DISCONNECTS								
UBMD250	QUICK DISCONNECT	16/14GA	0.250	2.5	16.3	6.4	0.80	100 PCS
UYMD250	QUICK DISCONNECT	12/10GA	0.250	3.6	16.3	6.4	0.80	100 PCS


* Images shown close to size & actual colors may vary

VINYL QUICK DISCONNECTS

		RVFD110	RVFD187	RVFD205	RVFD250	BVFD110			
BVFD187	BVFD205	BVFD250	YVFD250	RVMD250	BVMD250	YVMD250			
ITEM #	DESCRIPTION	WIRE RANGE	SIZE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
VINYL FEMALE QUICK DISCONNECTS									
RVFD110	QUICK DISCONNECT	22/18GA	0.110	RED	3.6	18.5	3.2	0.25	100 PCS
RVFD187	QUICK DISCONNECT	22/18GA	0.187	RED	3.6	19	5	0.40	100 PCS
RVFD205	QUICK DISCONNECT	22/18GA	0.205	RED	3.6	20	5.6	0.40	100 PCS
RVFD250	QUICK DISCONNECT	22/18GA	0.250	RED	3.6	21	6.7	0.40	100 PCS
BVFD110	QUICK DISCONNECT	16/14GA	0.110	BLUE	4.4	18.5	3.2	0.25	100 PCS
BVFD187	QUICK DISCONNECT	16/14GA	0.187	BLUE	4.4	21	5.6	0.40	100 PCS
BVFD205	QUICK DISCONNECT	16/14GA	0.205	BLUE	4.4	19	5.6	0.40	100 PCS
BVFD250	QUICK DISCONNECT	16/14GA	0.250	BLUE	4.4	21	6.7	0.40	100 PCS
YVFD250	QUICK DISCONNECT	12/10GA	0.250	YELLOW	5.4	25	6.7	0.40	100 PCS
VINYL MALE QUICK DISCONNECTS									
RVMD250	QUICK DISCONNECT	22/18GA	0.250	RED	3.6	21.5	6.4	0.40	100 PCS
BVMD250	QUICK DISCONNECT	16/14GA	0.250	BLUE	4.4	22	6.4	0.40	100 PCS
YVMD250	QUICK DISCONNECT	12/10GA	0.250	YELLOW	5.4	23.5	6.4	0.40	100 PCS

* Images shown close to size & actual colors may vary

NYLON QUICK DISCONNECTS



RNFD250

BNFD250

YNFD250

RNMD250

BNMD250

YNMD250

ITEM #	DESCRIPTION	WIRE RANGE	SIZE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
--------	-------------	------------	------	-------	--------	--------	--------	--------	---------

NYLON FEMALE QUICK DISCONNECTS


RNFD250	QUICK DISCONNECT	22/18GA	0.250	RED	4.4	22.5	6.7	0.40	100 PCS
BNFD250	QUICK DISCONNECT	16/14GA	0.250	BLUE	4.4	22.5	6.7	0.40	100 PCS
YNFD250	QUICK DISCONNECT	12/10GA	0.250	YELLOW	6.6	26	6.7	0.40	100 PCS

NYLON MALE QUICK DISCONNECTS

RNMD250	QUICK DISCONNECT	22/18GA	0.250	RED	3.9	25	6.4	0.80	100 PCS
BNMD250	QUICK DISCONNECT	16/14GA	0.250	BLUE	4.4	25	6.4	0.80	100 PCS
YNMD250	QUICK DISCONNECT	12/10GA	0.250	YELLOW	6.7	28.8	6.4	0.80	100 PCS

* Images shown close to size & actual colors may vary

3M FULLY INSULATED NYLON QUICK DISCONNECTS



3MRNFD250F

3MBNFD250F

3MBNFD250FG

3MYNFD250F

3MRNMD250F

3MYNMD250F

ITEM #	DESCRIPTION	WIRE RNG	SIZE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
--------	-------------	----------	------	-------	--------	--------	--------	--------	---------

NYLON FEMALE QUICK DISCONNECTS

3MRNFD250F	QUICK DISCONNECT	22/18GA	0.250	RED	3.6	22	9.3	0.81	100 PCS
3MBNFD250F	QUICK DISCONNECT	16/14GA	0.250	BLUE	3.6	22	9.3	0.81	100 PCS
3MBNFD250FG	QUICK DISCON INSUL GRIP	16/14GA	0.250	BLUE	3.6	22	9.3	0.81	100 PCS
3MYNFD250F	QUICK DISCONNECT	12/10GA	0.250	YELLOW	6.6	26	9.3	0.81	100 PCS

NYLON MALE QUICK DISCONNECTS

3MRNMD250F	QUICK DISCONNECT	22/18GA	0.250	RED	3.6	24	11.1	0.81	100 PCS
3MYNMD250F	QUICK DISCONNECT	12/10GA	0.250	YELLOW	6.3	26.6	11.9	0.81	100 PCS


* Images shown close to size & actual colors may vary

FULLY INSULATED NYLON QUICK DISCONNECTS

		RNFD110F		RNFD187F		RNFD250F		BNFD110F	
								BNFD187F	
BNFD250F		YNFD250F		RNMD250F		BNMD187F		BNMD250F	
								YNMD250F	
ITEM #	DESCRIPTION	WIRE RANGE	SIZE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
NYLON FEMALE QUICK DISCONNECTS									
RNFD110F	QUICK DISCONNECT	22/18GA	0.110	RED	4.3	19	3.2	0.25	100 PCS
RNFD187F	QUICK DISCONNECT	22/18GA	0.187	RED	4.3	19.5	5	0.40	100 PCS
RNFD250F	QUICK DISCONNECT	22/18GA	0.250	RED	4.4	22.5	6.7	0.40	100 PCS
BNFD110F	QUICK DISCONNECT	16/14GA	0.110	BLUE	4.4	19	3.2	0.40	100 PCS
BNFD187F	QUICK DISCONNECT	16/14GA	0.187	BLUE	5	20	5	0.40	100 PCS
BNFD250F	QUICK DISCONNECT	16/14GA	0.250	BLUE	4.4	22.5	6.7	0.40	100 PCS
YNFD250F	QUICK DISCONNECT	12/10GA	0.250	YELLOW	6.6	26	6.7	0.40	100 PCS
NYLON MALE QUICK DISCONNECTS									
RNMD250F	QUICK DISCONNECT	22/18GA	0.250	RED	3.9	25	6.4	0.80	100 PCS
BNMD187F	QUICK DISCONNECT	16/14GA	0.187	BLUE	4.8	22	4.8	0.80	100 PCS
BNMD250F	QUICK DISCONNECT	16/14GA	0.250	BLUE	4.4	25	6.4	0.80	100 PCS
YNMD250F	QUICK DISCONNECT	12/10GA	0.250	YELLOW	6.7	28.8	6.4	0.80	100 PCS


* Images shown close to size & actual colors may vary

HEAT SHRINK QUICK DISCONNECTS 2.5:1 SHRINK RATIO

									
			HSFBD		HSRMD		HSMBD		
ITEM #	DESCRIPTION	WIRE RANGE	SIZE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
HEAT SHRINK FEMALE QUICK DISCONNECTS									
HSFBD	QUICK DISCONNECT	16/14GA	0.250	BLUE	4.4	38.5	8.2	2.3	100 PCS
HEAT SHRINK MALE QUICK DISCONNECTS									
HSRMD	QUICK DISCONNECT	22/18GA	0.250	RED	4.4	32	6.4	1	100 PCS
HSMBD	QUICK DISCONNECT	16/14GA	0.250	BLUE	4.4	40	6.4	1.7	100 PCS


* Images shown close to size & actual colors may vary

FULLY INSULATED HEAT SHRINK QUICK DISCONNECTS 2.5:1 SHRINK RATIO

											
		HSRFFI		HSBFFI		HSYFFI		HSBMFI		HSYMFI	
ITEM #	DESCRIPTION	WIRE RNG	SIZE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY		
HEAT SHRINK FEMALE QUICK DISCONNECTS (FI = Fully Insulated)											
HSRFFI	QUICK DISCONNECT	22/18GA	0.250-FI	RED	4.4	38.5	8.2	0.4	100 PCS		
HSBFFI	QUICK DISCONNECT	16/14GA	0.250-FI	BLUE	6.3	38.5	8.2	0.4	100 PCS		
HSYFFI	QUICK DISCONNECT	12/10GA	0.250-FI	YELLOW	8.3	40	8.1	0.6	50 PCS		
HEAT SHRINK MALE QUICK DISCONNECTS											
HSBMFI	QUICK DISCONNECT	16/14GA	0.250-FI	BLUE	6.3	40	6.4	0.4	100 PCS		
HSYMFI	QUICK DISCONNECT	12/10GA	0.250-FI	YELLOW	8.3	42.5	6.4	0.6	50 PCS		

* Images shown close to size & actual colors may vary

		USR6	USR8	USB6	USB8	USY8	USY10	
ITEM #	DESCRIPTION	WIRE RANGE	SIZE	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
USR6	SPADE TERMINAL	22/18GA	#6	5.7	16	3.7	0.75	100 PCS
USR8	SPADE TERMINAL	22/18GA	#8	6.4	16	4.3	0.75	100 PCS
USB6	SPADE TERMINAL	16/14GA	#6	5.7	16	3.7	0.80	100 PCS
USB8	SPADE TERMINAL	16/14GA	#8	6.4	16	4.3	0.80	100 PCS
USY8	SPADE TERMINAL	12/10GA	#8	6.3	19.5	4.3	1	100 PCS
USY10	SPADE TERMINAL	12/10GA	#10	9	19.5	5.3	1	100 PCS

VINYL LOCKING SPADE TERMINAL									
									
		BVLST8			YVLST8				
ITEM #	DESCRIPTION	WIRE RANGE	SIZE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
BVLST8	SPADE TERMINAL	16/14GA	#8	BLUE	7.2	22.5	4.3	0.80	100 PCS
YVLST8	SPADE TERMINAL	12/10GA	#8	YELLOW	8.2	26.7	4.3	1	100 PCS


InstallBay®
INSTALLATION HARDWARE

VINYL SPADE TERMINALS

●
#6

●
#8

●
#10



RVST6



RVST8



RVST10



BVST6



BVST8



BVST10



YVST6



YVST8



YVST10




RVST88

ITEM #	DESCRIPTION	WIRE RANGE	SIZE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
RVST6	SPADE TERMINAL	22/18GA	#6	RED	5.7	22	3.7	0.75	100 PCS
RVST8	SPADE TERMINAL	22/18GA	#8	RED	6.4	22	4.3	0.75	100 PCS
RVST10	SPADE TERMINAL	22/18GA	#10	RED	8	22	5.3	0.75	100 PCS
BVST6	SPADE TERMINAL	16/14GA	#6	BLUE	5.7	22.5	3.7	0.80	100 PCS
BVST8	SPADE TERMINAL	16/14GA	#8	BLUE	6.4	22.5	4.3	0.80	100 PCS
BVST10	SPADE TERMINAL	16/14GA	#10	BLUE	8	22.5	5.3	0.80	100 PCS
YVST6	SPADE TERMINAL	12/10GA	#6	YELLOW	8.2	26.7	4.3	1	100 PCS
YVST8	SPADE TERMINAL	12/10GA	#8	YELLOW	6.3	26.7	4.3	1	100 PCS
YVST10	SPADE TERMINAL	12/10GA	#10	YELLOW	9	26.7	5.3	1	100 PCS
RVST88	SPADE TERMINAL	8GA	#8	RED	8.2	30	4.3	1	25 PCS


* Images shown close to size & actual colors may vary

NYLON SPADE TERMINALS

									
									
RNST6		RNST8		RNST10		BNST6			
									
BNST8		BNST10		YNST6		YNST8		YNST10	
ITEM #	DESCRIPTION	WIRE RANGE	SIZE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
RNST6	SPADE TERMINAL	22/18GA	#6	RED	5.7	22	3.7	0.75	100 PCS
RNST8	SPADE TERMINAL	22/18GA	#8	RED	6.4	22	4.3	0.75	100 PCS
RNST10	SPADE TERMINAL	22/18GA	#10	RED	8	22	5.3	0.75	100 PCS
BNST6	SPADE TERMINAL	16/14GA	#6	BLUE	5.7	22	3.7	0.80	100 PCS
BNST8	SPADE TERMINAL	16/14GA	#8	BLUE	6.4	22	4.3	0.80	100 PCS
BNST10	SPADE TERMINAL	16/14GA	#10	BLUE	8	22	5.3	0.80	100 PCS
YNST6	SPADE TERMINAL	12/10GA	#6	YELLOW	6.3	26.7	3.7	1	100 PCS
YNST8	SPADE TERMINAL	12/10GA	#8	YELLOW	6.3	26.7	4.3	1	100 PCS
YNST10	SPADE TERMINAL	12/10GA	#10	YELLOW	9	26.7	5.3	1	100 PCS


* Images shown close to size & actual colors may vary

3M VINYL SPADE TERMINAL

									
		3MRVST8			3MBVST8				
ITEM #	DESCRIPTION	WIRE RANGE	SIZE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
3MRVST8	SPADE TERMINAL	22/18GA	#8	RED	7.6	21.3	6.3	0.78	100 PCS
3MBVST8	SPADE TERMINAL	16/14GA	#8	BLUE	7.6	21.8	6.3	0.78	100 PCS

* Images shown close to size & actual colors may vary

HEAT SHRINK SPADE TERMINALS 2.5:1 SHRINK RATIO


									
		HSRVST8		HSBVLST6		HSBVST8		HSBVST10	
ITEM #	DESCRIPTION	WIRE RANGE	SIZE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
HSRVST8	SPADE TERMINAL	22/18GA	#8	RED	7.2	26.9	4.3	1.9	100 PCS
HSBVLST6	LOCKING SPADE TERMINAL	16/14GA	#6	BLUE	6.2	26.5	3.7	2.5	100 PCS
HSBVST8	SPADE TERMINAL	16/14GA	#8	BLUE	7.2	26.5	4.3	2.5	100 PCS
HSBVST10	SPADE TERMINAL	16/14GA	#10	BLUE	8	26.5	5.3	2.5	100 PCS

* Images shown close to size & actual colors may vary

** Images shown close to size & actual colors may vary*


* Images shown close to size & actual colors may vary

3M NYLON BULLET CONNECTORS

									
		3MRBNCF			3MBBNCM				
ITEM #	DESCRIPTION	WIRE RANGE	SIZE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
FEMALE BULLET CONNECTORS									
3MRBNCF	FEMALE BULLET CONNECTOR	22/18GA	0.156	RED	3.8	25.1	3.9	0.40	100 PCS
MALE BULLET CONNECTORS									
3MBBNCM	MALE BULLET CONNECTOR	16/14GA	0.156	BLUE	4.8	22	3.9	0.40	100 PCS


* Images shown close to size & actual colors may vary

HEAT SHRINK BULLET CONNECTORS 2.5:1 SHRINK RATIO

									
		HSBFB			HSBMB				
ITEM #	DESCRIPTION	WIRE RANGE	SIZE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
FEMALE BULLET CONNECTORS									
HSBFB	BULLET CONNECTOR	16/14GA	0.157	BLUE	5	24	4.6	0.40	100 PCS
MALE BULLET CONNECTORS									
HSBMB	BULLET CONNECTOR	16/14GA	0.157	BLUE	5	24	4.6	0.40	100 PCS

* Images shown close to size & actual colors may vary

WIRE TAP QUICK DISCONNECTS, WIRE SPLICE & T-TAP CONNECTORS



ITEM #	DESCRIPTION	WIRE RANGE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
WIRE TAP QUICK DISCONNECTS								
BKTT	WIRE TAP QUICK DISCONNECTS	24/26GA	BLACK	37	9.4	0.30	0.52	100 PCS
RTT	WIRE TAP QUICK DISCONNECTS	22/18GA	RED	37	9.4	0.5	0.52	100 PCS
BTT	WIRE TAP QUICK DISCONNECTS	16/14GA	BLUE	37	9.4	0.5	0.70	100 PCS
YTT	WIRE TAP QUICK DISCONNECTS	12/10GA	YELLOW	37	9.4	0.5	1.2	100 PCS
3M T-TAP CONNECTOR								
3MRTT	T-TAP CONNECTOR	22/18GA	RED	31.5	19.7	4	2.5	100 PCS
3MBTT	T-TAP CONNECTOR	18/14GA	BLUE	31.5	19.7	4	2.5	100 PCS
3MYTT	T-TAP CONNECTOR	12/10GA	YELLOW	31.8	20	5.7	3	100 PCS
WIRE SPLICE CONNECTORS								
RSL	WIRE SPLICE CONNECTOR	22/18GA	RED	31.5	19.7	10.6	4	100 PCS
BSL	WIRE SPLICE CONNECTOR	16/14GA	BLUE	31.5	19.7	10.6	4	100 PCS
YSL	WIRE SPLICE CONNECTOR	12/10GA	YELLOW	31.8	20	10.6	4	100 PCS
3M SCOTCHLOK™								
3MRS LD	T-TAP DOUBLE-BLADED	22/18GA	RED	31.5	19.7	4	2.5	100 PCS
3MRS L	T-TAP CONNECTOR	22/18GA	RED	31.5	19.7	4	2.5	100 PCS
3MBS L	T-TAP CONNECTOR	18/14GA	BLUE	31.5	19.7	4	2.5	100 PCS

NYLON CRIMP CAPS

							
		CC2218	CCL1614	CCL1614-1	CCLB1614	CC1210	
ITEM #	DESCRIPTION	WIRE RANGE		A (mm)	B (mm)	C (mm)	BAG QTY
CC2218	CRIMP CAP	22/18GA		6.2	18	2.6	100 PCS
CCL1614	LONG NECK CRIMP CAP	16/14GA		7.9	20	3	100 PCS
CCL1614-1	LONG NECK CRIMP CAP	16/14GA		7.9	20	3	1000 PCS
CCLB1614	BLACK LONG NECK CRIMP CAP	16/14GA		7.9	20	5.2	100 PCS
CC1210	CRIMP CAP	12/10GA		10.5	25	4.3	100 PCS

* Images shown close to size & actual colors may vary

STAR RINGS

#8

#10

D

A

C

B


BVSRT8

BVSRT10


ITEM #	DESCRIPTION	WIRE RANGE	SIZE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
BVSRT8	#8 STAR RING	16/14GA	#8	BLUE	9.5	23	6.1	0.6	100 PCS
BVSRT10	#10 STAR RING	16/14GA	#10	BLUE	9.5	30	7.7	0.6	100 PCS

* Images shown close to size & actual colors may vary

3-WAY CONNECTOR


		ITEM #	WIRE RANGE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
		BVBC3	16/14GA	BLUE	5	30	2.4	0.8	100 PCS

* Image shown close to size & actual colors may vary

UNINSULATED RING TERMINALS									
									
		URR6	URR8	URR10	URR38	URB6	URB8	URB10	
									
URB516	URB38	URB14	URY6	URY8	URY10	URY14	URY516	URY38	
ITEM #	DESCRIPTION	WIRE RANGE	SIZE	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY	
URR6	RING TERMINAL	22/18GA	#6	5.5	11.5	3.7	0.70	100 PCS	
URR8	RING TERMINAL	22/18GA	#8	8	15.8	4.3	0.70	100 PCS	
URR10	RING TERMINAL	22/18GA	#10	8	15.8	5.3	0.70	100 PCS	
URR38	RING TERMINAL	22/18GA	3/8"	13.7	25.5	10.5	0.70	100 PCS	
URB6	RING TERMINAL	16/14GA	#6	6.6	14.4	3.7	0.80	100 PCS	
URB8	RING TERMINAL	16/14GA	#8	8.5	16.8	4.3	0.80	100 PCS	
URB10	RING TERMINAL	16/14GA	#10	9.5	16.8	5.3	0.80	100 PCS	
URB14	RING TERMINAL	16/14GA	1/4"	12	21.2	6.4	0.80	100 PCS	
URB516	RING TERMINAL	16/14GA	5/16"	12	21.2	8.4	0.80	100 PCS	
URB38	RING TERMINAL	16/14GA	3/8"	13.7	25.5	10.5	0.80	100 PCS	
URY6	RING TERMINAL	12/10GA	#6	9.5	19.5	3.7	1	100 PCS	
URY8	RING TERMINAL	12/10GA	#8	9.5	19.5	4.3	1	100 PCS	
URY10	RING TERMINAL	12/10GA	#10	9.5	19.5	5.3	1	100 PCS	
URY14	RING TERMINAL	12/10GA	1/4"	12	25.5	6.4	1	100 PCS	
URY516	RING TERMINAL	12/10GA	5/16"	15	27.7	8.4	1	100 PCS	
URY38	RING TERMINAL	12/10GA	3/8"	15	27.7	10.5	1	100 PCS	


* Images shown close to size & actual colors may vary

UNINSULATED RING TERMINALS CONTINUED

									
	UR810	UR814	UR8516	UR838	UR414	UR4516	UR438		
ITEM #	DESCRIPTION	WIRE RANGE	SIZE	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY	
UR810	RING TERMINAL	8GA	#10	11.1	22.5	4.9	1	25 PCS	
UR814	RING TERMINAL	8GA	1/4"	11.1	22.5	6.4	1	25 PCS	
UR8516	RING TERMINAL	8GA	5/16"	14	27	8.6	1	25 PCS	
UR838	RING TERMINAL	8GA	3/8"	15.5	27	10.5	1	25 PCS	
UR414	RING TERMINAL	4GA	1/4"	12.6	33.2	6.6	1.2	25 PCS	
UR4516	RING TERMINAL	4GA	5/16"	16.5	33.2	8.5	1.2	25 PCS	
UR438	RING TERMINAL	4GA	3/8"	17.5	36	10.7	1.2	25 PCS	


* Images shown close to size & actual colors may vary

3M VINYL RING TERMINALS


									
	3MRVRT10	3MBVRT8	3MBVRT10	3MBVRT14	3MBVRT38				
ITEM #	DESCRIPTION	WIRE RANGE	SIZE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
3MRVRT10	RING TERMINAL	22/18GA	#10	RED	7.8	23.6	8.3	0.76	100 PCS
3MBVRT8	RING TERMINAL	16/14GA	#8	BLUE	8.3	22.8	7.3	0.76	100 PCS
3MBVRT10	RING TERMINAL	16/14GA	#10	BLUE	7.8	23.6	8.3	0.76	100 PCS
3MBVRT14	RING TERMINAL	16/14GA	1/4"	BLUE	11.9	27.4	10.1	1.7	100 PCS
3MBVRT38	RING TERMINAL	16/14GA	3/8"	BLUE	14.2	28.7	10.1	1.7	100 PCS

* Images shown close to size & actual colors may vary

VINYL RING TERMINALS

										
										
		RVRT6	RVRT8	RVRT10	RVRT14	RVRT516	RVRT38	BVRT6	BVRT8	
										
BVRT10	BVRT14	BVRT516	BVRT38	YVRT6	YVRT8	YVRT10	YVRT14	YVRT516	YVRT38	
ITEM #	DESCRIPTION	WIRE RANGE	SIZE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY	
RVRT6	RING TERMINAL	22/18GA	#6	RED	5.5	17	3.7	0.75	100 PCS	
RVRT8	RING TERMINAL	22/18GA	#8	RED	8	21.2	4.3	0.75	100 PCS	
RVRT10	RING TERMINAL	22/18GA	#10	RED	8	21.2	5.3	0.75	100 PCS	
RVRT14	RING TERMINAL	22/18GA	1/4"	RED	11.6	27.1	6.4	0.75	100 PCS	
RVRT516	RING TERMINAL	22/18GA	5/16"	RED	11.6	27.1	8.4	0.75	100 PCS	
RVRT38	RING TERMINAL	22/18GA	3/8"	RED	13.7	31	10.5	0.75	100 PCS	
BVRT6	RING TERMINAL	16/14GA	#6	BLUE	6.6	20.1	3.7	0.80	100 PCS	
BVRT8	RING TERMINAL	16/14GA	#8	BLUE	8.5	22.5	4.3	0.80	100 PCS	
BVRT10	RING TERMINAL	16/14GA	#10	BLUE	9.5	22.5	5.3	0.80	100 PCS	
BVRT14	RING TERMINAL	16/14GA	1/4"	BLUE	12	27.6	6.4	0.80	100 PCS	
BVRT516	RING TERMINAL	16/14GA	5/16"	BLUE	12	27.6	8.4	0.80	100 PCS	
BVRT38	RING TERMINAL	16/14GA	3/8"	BLUE	13.7	31.4	10.5	0.80	100 PCS	
YVRT6	RING TERMINAL	12/10GA	#6	YELLOW	9.5	26.2	3.7	1	100 PCS	
YVRT8	RING TERMINAL	12/10GA	#8	YELLOW	9.5	26.2	4.3	1	100 PCS	
YVRT10	RING TERMINAL	12/10GA	#10	YELLOW	10.7	26.2	5.3	1	100 PCS	
YVRT14	RING TERMINAL	12/10GA	1/4"	YELLOW	12	32.2	6.4	1	100 PCS	
YVRT516	RING TERMINAL	12/10GA	5/16"	YELLOW	15	34.4	8.4	1	100 PCS	
YVRT38	RING TERMINAL	12/10GA	3/8"	YELLOW	15	34.4	10.5	1	100 PCS	


* Images shown close to size & actual colors may vary

VINYL RING TERMINALS CONTINUED

ITEM #	DESCRIPTION	WIRE RANGE	SIZE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
RVRT88	RING TERMINAL	8GA	#8	RED	11.1	30	4.4	1	25 PCS
RVRT810	RING TERMINAL	8GA	#10	RED	11.1	30	5.4	1	25 PCS
RVRT814	RING TERMINAL	8GA	1/4"	RED	11.1	30	6.4	1	25 PCS
RVRT8516	RING TERMINAL	8GA	5/16"	RED	14.1	34	8.4	1	25 PCS
RVRT838	RING TERMINAL	8GA	3/8"	RED	15	37	10.7	1.2	25 PCS
RVRT812	RING TERMINAL	8GA	1/2"	RED	20	41	13.2	1.2	25 PCS
BVRT610	RING TERMINAL	6GA	#10	BLUE	12	39.5	5.4	1.5	25 PCS
BVRT614	RING TERMINAL	6GA	1/4"	BLUE	12	39.5	6.6	1.5	25 PCS
BVRT6516	RING TERMINAL	6GA	5/16"	BLUE	16	42.8	8.6	1.5	25 PCS
BVRT638	RING TERMINAL	6GA	3/8"	BLUE	16	42.8	10.7	1.5	25 PCS
BVRT612	RING TERMINAL	6GA	1/2"	BLUE	20	42.8	13.2	1.5	25 PCS
YVRT4516	RING TERMINAL	4GA	5/16"	YELLOW	16.5	45.5	8.6	1.8	25 PCS
YVRT438	RING TERMINAL	4GA	3/8"	YELLOW	17.5	48.5	10.7	1.8	25 PCS
YVRT412	RING TERMINAL	4GA	1/2"	YELLOW	22	54.5	13.2	1.8	25 PCS

* Images shown close to size & actual colors may vary

NYLON RING TERMINALS

										
		RNRT6	RNRT8	RNRT10	RNRT14	RNRT516	RNRT38	BNRT6	BNRT8	
										
BNRT10	BNRT14	BNRT516	BNRT38	YNRT6	YNRT8	YNRT10	YNRT14	YNRT516	YNRT38	
ITEM #	DESCRIPTION		WIRE RANGE	SIZE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
RNRT6	RING TERMINAL		22/18GA	#6	RED	5.5	17.5	3.7	0.75	100 PCS
RNRT8	RING TERMINAL		22/18GA	#8	RED	8	21.7	4.3	0.75	100 PCS
RNRT10	RING TERMINAL		22/18GA	#10	RED	8	21.7	5.3	0.75	100 PCS
RNRT14	RING TERMINAL		22/18GA	1/4"	RED	11.6	27.6	6.4	0.75	100 PCS
RNRT516	RING TERMINAL		22/18GA	5/16"	RED	11.6	27.6	8.4	0.75	100 PCS
RNRT38	RING TERMINAL		22/18GA	3/8"	RED	13.7	31.5	10.5	0.75	100 PCS
BNRT6	RING TERMINAL		16/14GA	#6	BLUE	6.6	20.6	3.7	0.80	100 PCS
BNRT8	RING TERMINAL		16/14GA	#8	BLUE	8.5	23	4.3	0.80	100 PCS
BNRT10	RING TERMINAL		16/14GA	#10	BLUE	9.5	23	5.3	0.80	100 PCS
BNRT14	RING TERMINAL		16/14GA	1/4"	BLUE	12	28.1	6.4	0.80	100 PCS
BNRT516	RING TERMINAL		16/14GA	5/16"	BLUE	12	28.1	8.4	0.80	100 PCS
BNRT38	RING TERMINAL		16/14GA	3/8"	BLUE	13.7	31.9	10.5	0.80	100 PCS
YNRT6	RING TERMINAL		12/10GA	#6	YELLOW	9.5	26.7	3.7	1	100 PCS
YNRT8	RING TERMINAL		12/10GA	#8	YELLOW	9.5	26.7	4.3	1	100 PCS
YNRT10	RING TERMINAL		12/10GA	#10	YELLOW	9.5	26.7	5.3	1	100 PCS
YNRT14	RING TERMINAL		12/10GA	1/4"	YELLOW	12	32.7	6.4	1	100 PCS
YNRT516	RING TERMINAL		12/10GA	5/16"	YELLOW	15	34.9	8.4	1	100 PCS
YNRT38	RING TERMINAL		12/10GA	3/8"	YELLOW	15	34.9	10.5	1	100 PCS

* Images shown close to size & actual colors may vary

HEAT SHRINK RING TERMINALS 2.5:1 SHRINK RATIO

HSRRT8

HSRRT10

HSRRT14

HSRRT516

HSRRT38

HSBRT8



HSBRT10



HSBRT14



HSBRT516



HSBRT38



HSYRT8



HSYRT10



HSYRT12



HSYRT14

ITEM #	DESCRIPTION	WIRE RANGE	SIZE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
HSRRT8	RING TERMINAL	22/18GA	#8	RED	8	26.5	4.3	1.9	100 PCS
HSRRT10	RING TERMINAL	22/18GA	#10	RED	8	26.5	5.3	1.9	100 PCS
HSRRT14	RING TERMINAL	22/18GA	1/4"	RED	11.6	32.2	6.4	1.9	100 PCS
HSRRT516	RING TERMINAL	22/18GA	5/16"	RED	11.6	32.2	8.4	1.9	100 PCS
HSRRT38	RING TERMINAL	22/18GA	3/8"	RED	13.7	36.2	10.5	1.9	100 PCS
HSBRT8	RING TERMINAL	16/14GA	#8	BLUE	8.5	27.3	4.3	2.5	100 PCS
HSBRT10	RING TERMINAL	16/14GA	#10	BLUE	9.5	27.2	5.3	2.5	100 PCS
HSBRT14	RING TERMINAL	16/14GA	1/4"	BLUE	12	31.7	6.4	2.5	100 PCS
HSBRT516	RING TERMINAL	16/14GA	5/16"	BLUE	12	31.7	8.4	2.5	100 PCS
HSBRT38	RING TERMINAL	16/14GA	3/8"	BLUE	13.7	36	10.5	2.5	100 PCS
HSYRT8	RING TERMINAL	12/10GA	#8	YELLOW	9.5	32.7	4.3	3.6	50 PCS
HSYRT10	RING TERMINAL	12/10GA	#10	YELLOW	9.5	32.7	5.3	3.6	50 PCS
HSYRT12	RING TERMINAL	12/10GA	1/2"	YELLOW	19.2	46	13	3.6	50 PCS
HSYRT14	RING TERMINAL	12/10GA	1/4"	YELLOW	12	39	6.4	3.6	50 PCS
HSYRT38	RING TERMINAL	12/10GA	3/8"	YELLOW	15	41.2	10.5	3.6	50 PCS


* Images shown close to size & actual colors may vary

COPPER RING TERMINALS

ITEM #	DESCRIPTION	WIRE RANGE	SIZE	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
CUR810	RING TERMINAL	8GA	#10	11.2	31	5.3	0.95	25 PCS
CUR814	RING TERMINAL	8GA	1/4"	11.2	31	7.2	0.95	25 PCS
CUR8516	RING TERMINAL	8GA	5/16"	11.2	31	8.7	0.95	25 PCS
CUR838	RING TERMINAL	8GA	3/8"	15	33.3	10.2	0.95	25 PCS
CUR812	RING TERMINAL	8GA	1/2"	11.2	37.4	13.2	0.95	25 PCS
CUR610	RING TERMINAL	6GA	#10	11.2	32.5	5.3	0.95	25 PCS
CUR614	RING TERMINAL	6GA	1/4"	11.2	32.5	7.2	0.95	25 PCS
CUR6516	RING TERMINAL	6GA	5/16"	11.2	32.5	8.7	0.95	25 PCS
CUR638	RING TERMINAL	6GA	3/8"	14	32.5	10.2	0.95	25 PCS
CUR612	RING TERMINAL	6GA	3/8"	18	39.6	13.3	0.95	25 PCS
CUR410	RING TERMINAL	4GA	#10	13.5	38.1	5.3	1	25 PCS
CUR414	RING TERMINAL	4GA	1/4"	13.5	38.1	7.2	1	25 PCS
CUR4516	RING TERMINAL	4GA	5/16"	13.5	38.1	8.7	1	25 PCS
CUR438	RING TERMINAL	4GA	3/8"	13.5	38.1	10.2	1	25 PCS
CUR412	RING TERMINAL	4GA	1/2"	25.5	59.2	13.3	1.7	25 PCS
CUR210	RING TERMINAL	2GA	#10	13.5	38.1	5.3	1	10 PCS
CUR214	RING TERMINAL	2GA	1/4"	15.7	41.7	7.2	1.5	10 PCS


* Images shown close to size & actual colors may vary

CONNECTORS RING TERMINALS**COPPER RING TERMINALS**

													
		CUR2516		CUR238		CUR1516		CUR138		CUR112		CUR1012	
													
CUR1014		CUR10516		CUR1038		CUR2014		CUR20516		CUR2038		CUR2012	
ITEM #	DESCRIPTION			WIRE RANGE	SIZE	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY			
CUR2516	RING TERMINAL			2GA	5/16"	15.7	41.7	8.7	1.5	10 PCS			
CUR238	RING TERMINAL			2GA	3/8"	15.7	41.7	10.2	1.5	10 PCS			
CUR1516	RING TERMINAL			1GA	5/16"	16.7	44	8.7	1.25	10 PCS			
CUR138	RING TERMINAL			1GA	3/8"	16.7	44	10.2	1.25	10 PCS			
CUR112	RING TERMINAL			1GA	1/2"	18	45	13.3	1.25	10 PCS			
CUR1012	RING TERMINAL			1/0GA	1/2"	19.7	46.8	13.3	2	5 PCS			
CUR1014	RING TERMINAL			1/0GA	1/4"	19.7	46.8	7.2	2	5 PCS			
CUR10516	RING TERMINAL			1/0GA	5/16"	19.7	46.8	8.7	2	5 PCS			
CUR1038	RING TERMINAL			1/0GA	3/8"	19.7	46.8	10.2	2	5 PCS			
CUR2014	RING TERMINAL			2/0GA	1/4"	20.6	52.5	7.2	1.4	5 PCS			
CUR20516	RING TERMINAL			2/0GA	5/16"	20.6	52.5	8.7	1.4	5 PCS			
CUR2038	RING TERMINAL			2/0GA	3/8"	20.6	52.5	10.2	1.4	5 PCS			
CUR2012	RING TERMINAL			2/0GA	1/2"	20.6	52.5	13.3	1.4	5 PCS			


* Images shown close to size & actual colors may vary

NICKEL RING TERMINALS

									
		IB8GNRT-20		IB4GNRT-20		IB1GNRT-20			
ITEM #	DESCRIPTION	WIRE RANGE	SIZE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
IB8GNRT-20	RING TERMINAL	8GA	5/16"	RED/BLK	15	43	8.3	1	20 PCS
IB8GNRT-50	IB8GNRT BULK PACK								50 PCS
IB4GNRT-20	RING TERMINAL	4GA	5/16"	RED/BLK	17	51	8.3	1	20 PCS
IB4GNRT-50	IB4GNRT BULK PACK								50 PCS
IB1GNRT-20	RING TERMINAL	1GA	5/16"	RED/BLK	19	63	10.3	1.4	20 PCS
IB1GNRT-50	IB1GNRT BULK PACK								50 PCS

* Images shown close to size & actual colors may vary

BARRIER SPADE TERMINALS

									
		US810 / US810-50		US410 / US410-50					
ITEM #	DESCRIPTION	WIRE RANGE	SIZE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
US810	BARRIER SPADE	8GA	#10	RED/BLK	9	30	6.2	1	5 PAIR
US810-50	US810 BULK PACK								25 PAIR
US410	BARRIER SPADE	4GA	#10	RED/BLK	9	41	6.2	1	5 PAIR
US410-50	US410 BULK PACK								25 PAIR

* Images shown close to size & actual colors may vary

FERRULE CRIMP TOOLS

			
IBLUGT		IBFCRIMPER	
ITEM	DESCRIPTION	QTY	
IBLUGT	LUG CRIMP KIT	1 PC	
	9 DIE SETS, 8 TO 0 GAUGE WITH YELLOW PLASTIC CARRYING CASE		
IBFCRIMPER	FERRULE CRIMP TOOL	1 PC	
	7 TO 23 GAUGE. SELF ADJUSTS TO THE DESIRED FERRULE SIZE		

FERRULES

								
FVYL18	FVWT16	FVGY14	FVOR12	FVGN10	FRL8RD	FRL8BK		
FRL4RD	FVBR8	FVBK4	FVBL1	FRL4BK	FRL10RD	FRL10BK		
ITEM #	DESCRIPTION	WIRE RANGE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
FVYL18	FERRULE	18GA	YELLOW	3	1.4	14	8	100 PCS
FVWT16	FERRULE	16GA	BLACK	3.5	1.7	14	8	100 PCS
FVGY14	FERRULE	14GA	GRAY	4.2	22	14	8	100 PCS
FVOR12	FERRULE	12GA	ORANGE	4.8	2.8	17	10	100 PCS
FVGN10	FERRULE	10GA	GREEN	6.3	3.5	20	12	100 PCS
FRL8RD	FERRULE	8GA	RED	7.6	4.5	21	12	50 PCS
FRL8BK	FERRULE	8GA	BLACK	7.6	4.5	21	12	50 PCS
FRL4RD	FERRULE	4GA	RED	11.2	7.3	28	16	50 PCS
FVBR8	FERRULE	8GA	BROWN	7.6	4.5	22	12	100 PCS
FVBK4	FERRULE	4GA	BLACK	11.2	7.3	28	16	100 PCS
FVBL1	FERRULE	1/0GA	BLUE	15	10.3	36	20	100 PCS
FRL4BK	FERRULE	4GA	BLACK	11.2	7.3	28	16	50 PCS
FRL10RD	FERRULE	1/0GA	RED	15	13.2	41	20	50 PCS
FRL10BK	FERRULE	1/0GA	BLACK	15	13.2	41	20	50 PCS
TERMINATE STRANDED WIRE FOR INSERTION INTO TERMINAL BLOCKS AND PROVIDE SUPERIOR PERFORMANCE								

* Images shown close to size & actual colors may vary

PROFESSIONAL HIGH CURRENT GROUNDING KIT



ITEM #	DESCRIPTION	QTY
PZGGRKT	HIGH CURRENT GROUNDING KIT	1 KIT
	<i>CONTAINS ENOUGH PARTS FOR 50 GROUNDS.</i>	



REPLACEMENT PARTS FOR PZGGRKT GROUNDING KIT

ELECTRICAL GEL


				
PZGGEL	PZGDRILL	PZGBOLT	PZGLWS	PZGLNUT

ITEM #	DESCRIPTION	QTY
PZGGEL	ELECTRICAL GEL	1 PC
	<i>ANTI-CORROSION ELECTRICAL CONNECTION GEL</i>	
PZGDRILL	HIGH SPEED BIT	1 PC
	<i>135° SPLIT POINT AND SHOULDER TIP</i>	
PZGBOLT	CUTTING BOLTS	50 PCS
	<i>ZINC ANODIZED THREAD 5/16"</i>	
PZGLWS	LOCK WASHERS	50 PCS
	<i>INTERNAL/EXTERNAL ANODIZED</i>	
PZGLNUT	LOCK NUTS	50 PCS
	<i>ANODIZED FLANGED SERRATED</i>	


ANDERSON LARGE GAUGE CONNECTORS

								
SB50		SB120		SB120G		SB175		
ITEM #	DESCRIPTION	WIRE RANGE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
SB50	ANDERSON CONNECTOR	8GA	RED	35	48	16	5.5	1 PC
SB120	ANDERSON CONNECTOR	4GA	BLUE	44	63	20	7.8	1 PC
SB120	ANDERSON CONNECTOR	4GA	GRAY	44	63	20	7.8	1 PC
SB175	ANDERSON CONNECTOR	1/0GA	YELLOW	54	80	26	11.5	1 PC
• GENDERLESS HOUSINGS • LOW RESISTANCE CONNECTION • SELF SECURING DESIGN • 2 REQUIRED TO COMPLETE CONNECTION								

XT CONNECTORS

							
IBXT30		IBXT60		IBXT90			
ITEM #	DESCRIPTION	WIRE RANGE	COLOR	LOAD RATING	A (mm)	B (mm)	BAG QTY
IBXT30	XT CONNECTOR	16/18GA	YELLOW	30A	10	13	5 PAIR
IBXT60	XT CONNECTOR	12GA	YELLOW	60A	15	16	5 PAIR
IBXT90	XT CONNECTOR	10GA	YELLOW	90A	21	20	5 PAIR
• PLATED XT CONNECTORS • CONTAINS MALE AND FEMALE ENDS							

SPLIT LOOM TUBING POLYETHYLENE 200° LOOM

						
			SLT-08		SLT-15	
ITEM #	DESCRIPTION	LENGTH	INNER DIAMETER	OUTER DIAMETER	COLOR	BAG QTY
SPLIT LOOM TUBING - RETAIL BAG						
SLT18	1/8" SPLIT LOOM TUBING	100 FT	0.196" (5.0MM)	0.287" (7.3MM)	BLACK	1 PC
SLT14	1/4" SPLIT LOOM TUBING	100 FT	0.256" (6.5MM)	0.373" (9.47MM)	BLACK	1 PC
SLT38	3/8" SPLIT LOOM TUBING	100 FT	0.368" (9.35MM)	0.494" (12.56MM)	BLACK	1 PC
SLT12	1/2" SPLIT LOOM TUBING	100 FT	0.471" (11.97MM)	0.645" (16.39MM)	BLACK	1 PC
SLT58	5/8" SPLIT LOOM TUBING	100 FT	0.595" (15.11MM)	0.732" (18.59MM)	BLACK	1 PC
SLT34	3/4" SPLIT LOOM TUBING	100 FT	0.747" (17.96MM)	0.939" (23.86MM)	BLACK	1 PC
SLT-08	INSTALLATION TOOL	FITS 1/4" - 7/16" TUBING			BLACK	1 PC
SLT-15	INSTALLATION TOOL	FITS 1/2" - 5/8" TUBING			BLACK	1 PC

	ITEM #	DESCRIPTION	LENGTH	INNER DIAMETER	OUTER DIAMETER	COLOR	BOX
	SPLIT LOOM TUBING - DISPENSER BOX						
	SLT145	1/4" SPLIT LOOM TUBING	500 FT	0.256" (6.5MM)	0.373" (9.47MM)	BLACK	1 PC
	SLT385	3/8" SPLIT LOOM TUBING	500 FT	0.368" (9.35MM)	0.494" (12.56MM)	BLACK	1 PC
	SLT122	1/2"SPLIT LOOM TUBING	200 FT	0.471" (11.97MM)	0.645" (16.39MM)	BLACK	1 PC
	SLT1	1" SPLIT LOOM TUBING	100 FT	0.897" (22.78MM)	1.077" (27.36MM)	BLACK	1 PC

SPLIT LOOM TUBING NYLON (D) SLIT HIGH HEAT 300° LOOM

						
ITEM #	DESCRIPTION	LENGTH	INNER DIAMETER	OUTER DIAMETER	COLOR	BAG/BOX
HTSLT14	1/4" SPLIT LOOM TUBING	100 FT	0.256" (6.5MM)	0.373" (9.47MM)	BLACK/GRAY	BAG
HTSLT38	3/8" SPLIT LOOM TUBING	100 FT	0.368" (9.35MM)	0.494" (12.56MM)	BLACK/GRAY	BAG
HTSLT12	1/2" SPLIT LOOM TUBING	100 FT	0.471" (11.97MM)	0.645" (16.39MM)	BLACK/GRAY	BAG
HTSLT34	3/4" SPLIT LOOM TUBING	100 FT	0.747" (17.96MM)	0.939" (23.86MM)	BLACK/GRAY	BAG

EXPANDABLE SLEEVING EXPANDS UP TO 150%

The FLEXO® Original is braided from 10 mil polyethylene terephthalate (PET) monofilament yarns. The material has a wide operating temperature range, is resistant to chemical degradation, UV radiation and abrasion. Used in electronics, automotive, marine and industrial wire harnessing applications where cost efficiency and durability are critical.


- Resists gasoline, engine chemicals and cleaning solvents • Cut and abrasion resistant • FMVSS 302 approval



ITEM #	DIAMETER + DESCRIPTION	LENGTH	EXPANSION	COLOR	PACKAGING
FLX1BLK	1" EXPANDABLE SLEEVING	65 FT	150%	BLACK	REEL
FLX12BLK	1/2" EXPANDABLE SLEEVING	100 FT	150%	BLACK	REEL
FLX38BLK	3/8" EXPANDABLE SLEEVING	125 FT	150%	BLACK	REEL
FLX14BLK	1/4" EXPANDABLE SLEEVING	200 FT	150%	BLACK	REEL

SELF-WRAPPING SPLIT BRAID SLEEVING EXPANDS UP TO 150%

The FLEXO® F6's unique split, semi-rigid braided construction makes it the ideal solution for situations where ease of installation is of primary importance. The 10 mil PET braid is lightweight, quiet, and flexible. The 25% edge overlap allows for coverage around inline plugs, connectors, and splices. This flexible sleeving will bend to a tight radius without distorting or splitting open, and unlike full rigid tubing, will not impair or affect the flexibility of harnesses.





ITEM #	DIAMETER + DESCRIPTION	LENGTH	EXPANSION	COLOR	PACKAGING
F6NO25BK	1/4" SPLIT BRAID SLEEVING	100 FT	150%	BLACK	DISPENSER BOX
F6NO50BK	1/2" SPLIT BRAID SLEEVING	75 FT	150%	BLACK	DISPENSER BOX
F6NO75BK	3/4" SPLIT BRAID SLEEVING	50 FT	150%	BLACK	DISPENSER BOX
F6N150BK	1-1/2" SPLIT BRAID SLEEVING	25 FT	150%	BLACK	DISPENSER BOX
F6N200BK	2" SPLIT BRAID SLEEVING	25 FT	150%	BLACK	DISPENSER BOX




Thermosleeve-USA tubing is halogen-free, flexible, flame retardant, heat-shrinkable made from a special blend of cross-linked polyolefin. This tubing is free of Pb,Cd, Hg, Cr+6, PBB and PBDE. CB-HFT and can be used in any enclosed area where a flame-retardant, halogen-free environment is required.

- Typical applications include strain relief of wire connectors
- Identifiers or color codes wire and terminals
- Electrically insulates components, terminals, and wire splices
- Resistant to common fluids and solvents
- Shrink temperature rating of 90°C (194°F)
- UL, cUL, and ROHS compliant

160-PIECE HEAT SHRINK TUBING KIT POLYOLEFIN UP TO 50% SHRINK




ITEM #	DESCRIPTION	LENGTH	DIAMETER	COLOR	QTY IN KIT
IBHST160C	160-PIECE HEAT SHRINK TUBING KIT				160 PCS
	1/16" HEAT SHRINK TUBING	4"	1/16"	ASSORTED	(60 PCS)
	3/32" HEAT SHRINK TUBING	4"	3/32"	ASSORTED	(35 PCS)
	1/8" HEAT SHRINK TUBING	4"	1/8"	ASSORTED	(25 PCS)
	3/16" HEAT SHRINK TUBING	4"	3/16"	ASSORTED	(20 PCS)
	1/4" HEAT SHRINK TUBING	4"	1/4"	ASSORTED	(10 PCS)
	3/8" HEAT SHRINK TUBING	4"	3/8"	ASSORTED	(10 PCS)



160-PIECE HEAT SHRINK TUBING KIT UP TO 50% SHRINK




ITEM #	DESCRIPTION	LENGTH	DIAMETER	COLOR	QTY IN KIT
IBHST160B	160-PIECE HEAT SHRINK TUBING KIT				160 PCS
	1/16" HEAT SHRINK TUBING	4"	1/16"	BLACK	(60 PCS)
	3/32" HEAT SHRINK TUBING	4"	3/32"	BLACK	(35 PCS)
	1/8" HEAT SHRINK TUBING	4"	1/8"	BLACK	(25 PCS)
	3/16" HEAT SHRINK TUBING	4"	3/16"	BLACK	(20 PCS)
	1/4" HEAT SHRINK TUBING	4"	1/4"	BLACK	(10 PCS)
	3/8" HEAT SHRINK TUBING	4"	3/8"	BLACK	(10 PCS)



62-PIECE HEAT SHRINK TUBING KIT DUAL-WALL ADHESIVE LINED 3:1 SHRINK RATIO



ITEM #	DESCRIPTION	LENGTH	MATERIAL	A (mm)	QTY IN KIT
IBHST62AB	62-PIECE HEAT SHRINK TUBING KIT				62 PCS
	1/16" HEAT SHRINK TUBING	4"	1/16"	BLACK	(20 PCS)
	3/16" HEAT SHRINK TUBING	4"	3/16"	BLACK	(20 PCS)
	1/4" HEAT SHRINK TUBING	4"	1/4"	BLACK	(10 PCS)
	3/8" HEAT SHRINK TUBING	4"	3/8"	BLACK	(5 PCS)
	1/2" HEAT SHRINK TUBING	4"	1/2"	BLACK	(5 PCS)
	3/4" HEAT SHRINK TUBING	4"	3/4"	BLACK	(2 PCS)



HEAT SHRINK TUBING POLYOLEFIN UP TO 50% SHRINK

ITEM #	DESCRIPTION	LENGTH	DIAMETER	COLOR	BAG QTY
IBHST18-1	1/8" HEAT SHRINK TUBING	100 FT	1/8"	BLACK	1 PC
IBHST316-1	3/16" HEAT SHRINK TUBING	100 FT	3/16"	BLACK	1 PC
IBHST14-1	1/4" HEAT SHRINK TUBING	100 FT	1/4"	BLACK	1 PC
IBHST38-1	3/8" HEAT SHRINK TUBING	100 FT	3/8"	BLACK	1 PC
IBHST12-1	1/2" HEAT SHRINK TUBING	100 FT	1/2"	BLACK	1 PC
IBHST34-1	3/4" HEAT SHRINK TUBING	100 FT	3/4"	BLACK	1 PC

3M **HEAT SHRINK TUBING** POLYOLEFIN UP TO 50% SHRINK

ITEM #	DESCRIPTION	LENGTH	DIAMETER	COLOR	ROLL QTY
3MHST18	1/8" HEAT SHRINK TUBING	4'	1/8"	BLACK	1 PC
3MHST316	3/16" HEAT SHRINK TUBING	4'	3/16"	BLACK	1 PC
3MHST14	1/4" HEAT SHRINK TUBING	4'	1/4"	BLACK	1 PC
3MHST38	3/8" HEAT SHRINK TUBING	4'	3/8"	BLACK	1 PC
3MHST12	1/2" HEAT SHRINK TUBING	4'	1/2"	BLACK	1 PC
3MHST34	3/4" HEAT SHRINK TUBING	4'	3/4"	BLACK	1 PC
3MHST1	1" HEAT SHRINK TUBING	4'	1"	BLACK	1 PC
3MHST332-1	3/32" HEAT SHRINK TUBING	100 FT	3/32"	BLACK	1 PC
3MHST18-1	1/8" HEAT SHRINK TUBING	100 FT	1/8"	BLACK	1 PC
3MHST316-1	3/16" HEAT SHRINK TUBING	100 FT	3/16"	BLACK	1 PC
3MHST14-1	1/4" HEAT SHRINK TUBING	100 FT	1/4"	BLACK	1 PC
3MHST38-1	3/8" HEAT SHRINK TUBING	100 FT	3/8"	BLACK	1 PC
3MHST12-1	1/2" HEAT SHRINK TUBING	100 FT	1/2"	BLACK	1 PC
3MHST34-1	3/4" HEAT SHRINK TUBING	50 FT	3/4"	BLACK	1 PC
3MHST1-1	1" HEAT SHRINK TUBING	50 FT	1"	BLACK	1 PC


TUBING/FASTENERS/SCREWS LOOM + SLEEVING + HEAT SHRINK

HEAT SHRINK TUBING DUAL-WALL ADHESIVE LINED POLYOLEFIN UP TO 33% SHRINK




ITEM #	DESCRIPTION	LENGTH	DIAMETER	COLOR	BAG QTY
IBDWHST14	1/4" HEAT SHRINK TUBING	4"	1/4"	BLACK	10 PCS

3M 102-PIECE HEAT SHRINK TUBING KIT POLYOLEFIN UP TO 50% SHRINK



ITEM #	DESCRIPTION	LENGTH	DIAMETER	COLOR	QTY IN KIT
3MHSKIT	102-PIECE HEAT SHRINK TUBING KIT				102 PCS
	3/16" HEAT SHRINK TUBING	6"	3/16"	BLACK	30 PCS
	1/4" HEAT SHRINK TUBING	6"	1/4"	BLACK	28 PCS
	3/8" HEAT SHRINK TUBING	6"	3/8"	BLACK	20 PCS
	1/2" HEAT SHRINK TUBING	6"	1/2"	BLACK	14 PCS
	3/4" HEAT SHRINK TUBING	6"	3/4"	BLACK	6 PCS
	1" HEAT SHRINK TUBING	6"	1"	BLACK	4 PCS



3M HEAT SHRINK TUBING REFILLS POLYOLEFIN UP TO 50% SHRINK



ITEM #	DESCRIPTION	LENGTH	DIAMETER	COLOR	BAG QTY
3MHS14	1/4" HEAT SHRINK TUBING	6"	1/4"	BLACK	10 PCS

CABLE TIES


ITEM #	DESCRIPTION	LENGTH	WEIGHT	COLOR	BAG QTY
ASSORTED CABLE TIES NYLON SOURCED FROM ASCEND AND DUPONT, US PRODUCED NYLON 6/6					
BCT4	4" CABLE TIE	4"	18 LB.	BLACK	100 PCS
BCT4-1	BCT4 BULK PACK				1000 PCS
BCT6	6" CABLE TIE	6"	30 LB.	BLACK	100 PCS
BCT6-1	BCT6 BULK PACK				1000 PCS
BCT7	7" CABLE TIE	7"	50 LB.	BLACK	100 PCS
BCT8	8" CABLE TIE	8"	40 LB.	BLACK	100 PCS
BCT8-1	BCT8 BULK PACK				1000 PCS
BCT8S	8" CABLE TIE	8"	18 LB.	BLACK	100 PCS
BCT11	11" CABLE TIE	11"	50 LB.	BLACK	100 PCS
BCT14	14" CABLE TIE	14"	50 LB.	BLACK	100 PCS
BCT14HD	14" CABLE TIE	14"	120 LB.	HD BLACK	100 PCS
BCT18	18" CABLE TIE	18"	50 LB.	BLACK	100 PCS
BCT24	24" CABLE TIE	24"	175 LB.	BLACK	100 PCS
BCT36	36" CABLE TIE	36"	175 LB.	BLACK	50 PCS
ASSORTED CABLE TIES MADE FROM IMPORT PRODUCED NYLON 6/6					
CTB11	11" UV CABLE TIE	11"	50 LB.	BLACK	100 PCS
CTB14	14" UV CABLE TIE	14"	50 LB.	BLACK	100 PCS
CTB18	18" UV CABLE TIE	18"	50 LB.	BLACK	100 PCS
CTB24	24" UV CABLE TIE	24"	174 LB.	BLACK	50 PCS
CTB4	4" UV CABLE TIE	4"	18 LB.	BLACK	100 PCS
CTB4-1	CTB4 BULK PACK				1000 PCS
CTB6	6" UV CABLE TIE	6"	30 LB.	BLACK	100 PCS
CTB6-1	CTB6 BULK PACK				1000 PCS
CTB7	7" UV CABLE TIE	7"	50 LB.	BLACK	100 PCS
CTB8	8" UV CABLE TIE	8"	40 LB.	BLACK	100 PCS
CTB8-1	CTB8 BULK PACK				1000 PCS
CTB8S	8" UV CABLE TIE	8"	18 LB.	BLACK	100 PCS

NATURAL CABLE TIES


ITEM #	DESCRIPTION	LENGTH	WEIGHT	COLOR	BAG QTY
NCT8-1	8" NATURAL CABLE TIE	8"	40 LB	BLACK	1000 PCS

MOUNTING HOLE CABLE TIES

ITEM #	DESCRIPTION	LENGTH	WEIGHT	COLOR	BAG QTY
BMCT6	6" MOUNTING HOLE CABLE TIE	6"	40 LB	BLACK	100 PCS
BMCT7	7" MOUNTING HOLE CABLE TIE	7"	50 LB	BLACK	100 PCS
BMCT11	11" MOUNTING HOLE CABLE TIE	11"	50 LB	BLACK	100 PCS

CABLE TIE MOUNTS ADHESIVE BACKED

CTM34



CTM1




IBCTKIT75



IBCTKIT100

ITEM #	DESCRIPTION	SIZE	COLOR	BAG QTY
CTM34	3/4" X 3/4" CABLE TIE MOUNT	3/4" X 3/4"	BLACK	100 PCS
CTM1	1" X 1" CABLE TIE MOUNT	1" X 1"	BLACK	100 PCS
IBCTKIT75	3/4" MODULAR CABLE CLAMP SET -8GA TO 4GA	3/4" X 3/4"	BLACK	25 PCS
IBCTKIT100	1" MODULAR CABLE CLAMP SET -4GA TO 1/0GA	1" X 1"	BLACK	25 PCS


CABLE CLAMPS

1/8"




3/4"

ITEM #	DESCRIPTION	SIZE	COLOR	BAG QTY
BCC18	1/8" CABLE CLAMP	1/8"	BLACK	100 PCS
BCC316	3/16" CABLE CLAMP	3/16"	BLACK	100 PCS
BCC14	1/4" CABLE CLAMP	1/4"	BLACK	100 PCS
BCC516	5/16" CABLE CLAMP	5/16"	BLACK	100 PCS
BCC38	3/8" CABLE CLAMP	3/8"	BLACK	100 PCS
BCC12	1/2" CABLE CLAMP	1/2"	BLACK	100 PCS
BCC34	3/4" CABLE CLAMP	3/4"	BLACK	100 PCS
BCC1	1" CABLE CLAMP	1"	BLACK	100 PCS

FLUSH MOUNT GROMMET


ITEM #	DESCRIPTION	OD	ID	COLOR	BAG QTY
IBHPLUG34	3/4" GROMMET	1"	3/4"	BLACK	100 PCS

SNAP BUSHINGS




ITEM #	DESCRIPTION	INNER DIAMETER	OUTER DIAMETER	COLOR	BAG QTY
SB10	10GA SNAP BUSHING	0.225" (5.7MM)	0.315" (8MM)	BLACK	100 PCS
SB8	8GA SNAP BUSHING	0.315" (8MM)	0.391" (9.9MM)	BLACK	100 PCS
SB4	4GA SNAP BUSHING	0.445" (11.3MM)	0.595" (15.1MM)	BLACK	100 PCS
SB1	1GA SNAP BUSHING	0.605" (15.3MM)	0.745" (18.9MM)	BLACK	100 PCS
SB0	0GA SNAP BUSHING	0.735" (18.6MM)	0.825" (20.9MM)	BLACK	100 PCS
ITEM #	DESCRIPTION	INNER DIAMETER	OUTER DIAMETER	COLOR	BAG QTY

SNAP BUSHINGS - HEYCO




SB16US	16GA SNAP BUSHING	0.125" (3.1MM)	0.312" (7.9MM)	BLACK	100 PCS
SB10US	10GA SNAP BUSHING USA	0.187" (4.7MM)	0.375" (9.5MM)	BLACK	100 PCS
SB8US	8GA SNAP BUSHING	0.281" (7.1MM)	0.375" (9.5MM)	BLACK	100 PCS
SB4US	4GA SNAP BUSHING USA	0.437" (11MM)	0.562" (14.2MM)	BLACK	100 PCS
SB1US	1GA SNAP BUSHING	0.609" (15.4MM)	0.750" (19MM)	BLACK	100 PCS
SBOUS	0GA SNAP BUSHING USA	0.766" (19.4MM)	1.125" (28.5MM)	BLACK	100 PCS

RUBBER GROMMETS



ITEM #	DESCRIPTION	INNER DIAMETER	OUTER DIAMETER	COLOR	BAG QTY
RG316	3/16" RUBBER GROMMET	3/16"	9/16"	BLACK	100 PCS
RG14	1/4" RUBBER GROMMET	1/4"	7/16"	BLACK	100 PCS
RG516	5/16" RUBBER GROMMET	5/16"	9/16"	BLACK	100 PCS
RG38	3/8" RUBBER GROMMET	3/8"	5/8"	BLACK	100 PCS
RG12	1/2" RUBBER GROMMET	1/2"	3/4"	BLACK	100 PCS


LONG BARREL GROMMETS



ITEM #	DESCRIPTION	INNER DIAMETER	OUTER DIAMETER	HEIGHT	COLOR	BAG QTY
LSB8	8GA BARREL GROMMET	0.26"	0.64"	0.54"	BLACK	25 PCS
LSB4	4GA BARREL GROMMET	0.40"	0.85"	0.65"	BLACK	25 PCS
LSB1	1/0GA BARREL GROMMET	0.63"	1"	0.85"	BLACK	25 PCS

FIREWALL GROMMETS INCLUDES SEALING WASHERS

ITEM #	DESCRIPTION	AWG	SIZE	MOUNTING HOLE	LENGTH	BAG QTY
IBFG0	FIREWALL GROMMET AND NUT	0	1.09" (27.8MM)	1.125" (28.5MM)	1.69" (42.8MM)	1 PC
IBFG4	FIREWALL GROMMET AND NUT	4	0.875" (22.2MM)	0.8125" (20.6MM)	1.38" (35MM)	1 PC
IBFG8	FIREWALL GROMMET AND NUT	8	0.625" (15.8MM)	0.75" (19MM)	1.23" (31.3MM)	1 PC

SHAFT SPACERS

ITEM #	DESCRIPTION	HEIGHT	INNER DIAMETER	OUTER DIAMETER	COLOR	BAG QTY
SST	(1) 10-PIECE SHAFT SPACER TREE					1 PC
	SHAFT SPACER (A)	0.71" (18MM)	0.433" (11MM)	0.610" (15.5MM)	BLACK	(2 PCS)
	SHAFT SPACER (B)	0.69" (15MM)	0.433" (11MM)	0.610" (15.5MM)	BLACK	(2 PCS)
	SHAFT SPACER (C)	0.0788" (2MM)	0.433" (11MM)	0.610" (15.5MM)	BLACK	(2 PCS)
	SHAFT SPACER (D)	0.315" (8MM)	0.433" (11MM)	0.610" (15.5MM)	BLACK	(2 PCS)
	SHAFT SPACER (E)	0.807" (20.5MM)	0.433" (11MM)	0.610" (15.5MM)	BLACK	(2 PCS)
SST516	SHAFT SPACER	0.3125" (8MM)	0.437" (11.1MM)	0.610" (15.5MM)	BLACK	100 PCS
SST12	SHAFT SPACER	0.5" (13)	0.437" (11.1MM)	0.610" (15.5MM)	BLACK	100 PCS
SST916	SHAFT SPACER	0.56" (14MM)	0.437" (11.1MM)	0.610" (15.5MM)	BLACK	100 PCS
SST34	SHAFT SPACER	0.75" (19MM)	0.437" (11.1MM)	0.610" (15.5MM)	BLACK	100 PCS

CLEAN WIRE CLIPS

IBCLIP1



IBCLIP4



IBCLIP8



IBCLIP10

ITEM #	DESCRIPTION	AWG	COLOR	BAG QTY
IBCLIP1	CLEAN WIRE CLIP	1/0	BLACK	4 PCS
IBCLIP4	CLEAN WIRE CLIP	4	BLACK	4 PCS
IBCLIP8	CLEAN WIRE CLIP	8	BLACK	4 PCS
IBCLIP10	CLEAN WIRE CLIP	10	BLACK	4 PCS

ISO SCREW PACK

					
ISOPK		ISOPK-1		ISOPK-2	
ITEM #	DESCRIPTION	SIZE	TYPE	BAG QTY	
ISOPK	FLAT HEAD SCREW PACK			8 PCS	
	SCREW TYPE 1	10-24 X 3/8"	FLAT HEAD	(4 PCS)	
	SCREW TYPE 2	10 X 3/8"	FLAT HEAD	(4 PCS)	
ISOPK-1	TRUSS HEAD SCREW PACK			8 PCS	
	SCREW TYPE 1	10 X 3/8"	TRUSS HEAD	(4 PCS)	
	SCREW TYPE 2	M5 X 00.8 X 10MM	TRUSS HEAD	(4 PCS)	
ISOPK-2	FLAT HEAD SCREW PACK			8 PCS	
	SCREW TYPE 1	M5 X 00.8 X 10MM	FLAT HEAD	(4 PCS)	
	SCREW TYPE 2	10 X 7/16"	FLAT HEAD	(4 PCS)	


* Images shown close to size

STAINLESS SOCKET HEAD BUTTON/FLAT SCREWS INCLUDES WASHER AND NUT

				
BH141		BH101		
ITEM #	DESCRIPTION	SIZE	TYPE	BOX QTY
BH141	18/8 STAINLESS BUTTON SCREW	1/4-20 X 1"	SOCKET	25 PCS
BH101	18/8 STAINLESS FLAT SCREW	10-24 X 1"	SOCKET	25 PCS

* Images shown close to size

STAINLESS SCREWS & WASHERS

							
FW316SC		FW188		PTHSS838		PPHSS812	
							
PPHSS81		POHSC834		PPHSS101			
ITEM #	DESCRIPTION			SIZE	TYPE	BAG QTY	
FW316SC	18/8 316 FLAT WASHER			#10	WASHER	10 PCS	
FW188	18/8 FLAT WASHER			#10	WASHER	10 PCS	
PTHSS838	18/8 #8 PHILLIPS TRUSS SCREW			3/8"	SCREW	100 PCS	
PPHSS812	18/8 #8 PHILLIPS PAN SCREW			1/2"	SCREW	100 PCS	
PPHSS81	18/8 #8 PHILLIPS PAN SCREW			1"	SCREW	100 PCS	
POHSC834	18/8 #8 PHILLIPS OVAL SCREW			3/4"	SCREW	100 PCS	
PPHSS101	18/8 #10 PHILLIPS PAN SCREW			1"	SCREW	100 PCS	

* Images shown close to size

WASHERS & TRIM RINGS

								
MW	FW	FW14	FW38	TR8	ELW8	ELW8P	IELW10	IELW10Z
ITEM #	DESCRIPTION	INNER DIAMETER		OUTER DIAMETER		TYPE		BAG QTY
MW	MINI WASHER	3/16"		7/16"		WASHER		100 PCS
FW	FENDER WASHER	1/4"		1"		WASHER		100 PCS
FW14	FLAT WASHER	1/4"		5/8"		WASHER		100 PCS
FW38	FLAT WASHER	3/8"		7/8"		WASHER		100 PCS
TR8	#8 TRIM RING	13/64"		17/32"		WASHER		100 PCS
ELW8	#8 EXTERNAL LOCK WASHER	3/16"		11/32"		LOCK WASH		100 PCS
ELW8P	#8 EXTERNAL ZINC LOCK WASHER	3/16"		11/32"		LOCK WASH		100 PCS
IELW10	#10 INT/EXT LOCK WASHER	15/64"		13/32"		LOCK WASH		100 PCS
IELW10Z	#10 INT/EXT ZINC LOCK WASHER	15/64"		13/32"		LOCK WASH		100 PCS

* Images shown close to size

PHILLIPS PAN HEAD TEK SCREW

				
PPHT812		PPHT81		
				
PPHT834		PPHT8112		
ITEM #	DESCRIPTION	SIZE	TYPE	BOX QTY
PPHT812	PHILLIPS TEK SCREW	#8 X 1/2"	PAN HEAD	500 PCS
PPHT834	PHILLIPS TEK SCREW	#8 X 3/4"	PAN HEAD	500 PCS
PPHT81	PHILLIPS TEK SCREW	#8 X 1"	PAN HEAD	500 PCS
PPHT8112	PHILLIPS TEK SCREW	#8 X 1-1/2"	PAN HEAD	500 PCS

* Images shown close to size

PHILLIPS WAFER HEAD TEK SCREW

				
PWHT812Z	PWHT812	PWHT834Z	PWHT834	PWHT81
ITEM #	DESCRIPTION	SIZE	TYPE	BOX QTY
PWHT812Z	PHILLIPS TEK ZINC SCREW	#8 X 1/2"	WAFER HEAD	500 PCS
PWHT812	PHILLIPS TEK SCREW	#8 X 1/2"	WAFER HEAD	500 PCS
PWHT834Z	PHILLIPS TEK ZINC SCREW	#8 X 3/4"	WAFER HEAD	500 PCS
PWHT834	PHILLIPS TEK SCREW	#8 X 3/4"	WAFER HEAD	500 PCS
PWHT81	PHILLIPS TEK SCREW	#8 X 1"	WAFER HEAD	500 PCS

* Images shown close to size

PHILLIPS PAN HEAD SCREW

				
PPH814	PPH834	PPH8112		
				
PPH812	PPH81	PPH82		
ITEM #	DESCRIPTION	SIZE	TYPE	BOX QTY
PPH814	PHILLIPS SCREW	#8 X 1/4"	PAN HEAD	500 PCS
PPH812	PHILLIPS SCREW	#8 X 1/2"	PAN HEAD	500 PCS
PPH834	PHILLIPS SCREW	#8 X 3/4"	PAN HEAD	500 PCS
PPH81	PHILLIPS SCREW	#8 X 1"	PAN HEAD	500 PCS
PPH8112	PHILLIPS SCREW	#8 X 1-1/2"	PAN HEAD	500 PCS
PPH82	PHILLIPS SCREW	#8 X 2"	PAN HEAD	500 PCS
PPHPL81	PHILLIPS SCREW FOR PLASTIC	#8 X 1"	PAN HEAD	500 PCS

* Images shown close to size

PHILLIPS STINGER COARSE WAFER HEAD SCREW

				
PWHS812	PWHS812Z	PWHS834	PWHS81	
ITEM #	DESCRIPTION	SIZE	TYPE	BOX QTY
PWHS812	PHILLIPS SCREW	#8 X 1/2"	WAFER HEAD	500 PCS
PWHS812Z	PHILLIPS ZINC SCREW	#8 X 1/2"	WAFER HEAD	500 PCS
PWHS834	PHILLIPS SCREW	#8 X 3/4"	WAFER HEAD	500 PCS
PWHS81	PHILLIPS SCREW	#8 X 1"	WAFER HEAD	500 PCS

* Images shown close to size

PHILLIPS STINGER FINE WAFER HEAD SCREW

				
PWHS812M	PWHS834M	PWHS81M		
ITEM #	DESCRIPTION	SIZE	TYPE	BOX QTY
PWHS812M	PHILLIPS SCREW	#8 X 1/2"	WAFER HEAD	500 PCS
PWHS834M	PHILLIPS SCREW	#8 X 3/4"	WAFER HEAD	500 PCS
PWHS81M	PHILLIPS SCREW	#8 X 1"	WAFER HEAD	500 PCS

* Images shown close to size

PHILLIPS OVAL HEAD SCREW

				
POH812		POH81		
				
POH834		POH8112		
ITEM #	DESCRIPTION	SIZE	TYPE	BOX QTY
POH812	PHILLIPS SCREW	#8 X 1/2"	OVAL HEAD	500 PCS
POH834	PHILLIPS SCREW	#8 X 3/4"	OVAL HEAD	500 PCS
POH81	PHILLIPS SCREW	#8 X 1"	OVAL HEAD	500 PCS
POH8112	PHILLIPS SCREW	#8 X 1-1/2"	OVAL HEAD	500 PCS

* Images shown close to size

PHILLIPS TRUSS HEAD SCREW

				
PTH812		PTH1012		
				
PTH81		PTH101		
ITEM #	DESCRIPTION	SIZE	TYPE	BOX QTY
PTH812	PHILLIPS SCREW	#8 X 1/2"	TRUSS HEAD	500 PCS
PTH81	PHILLIPS SCREW	#8 X 1"	TRUSS HEAD	500 PCS
PTH1012	PHILLIPS SCREW	#10 X 1/2"	TRUSS HEAD	500 PCS
PTH101	PHILLIPS SCREW	#10 X 1"	TRUSS HEAD	500 PCS

* Images shown close to size

PHILLIPS STINGER COARSE DRYWALL SCREW

					
PST61		PST6114		PST62	
					
PST6112		PST83			
ITEM #	DESCRIPTION		SIZE	TYPE	BOX QTY
PST61	PHILLIPS DRYWALL SCREW		#6 X 1"	DRYWALL	500 PCS
PST6114	PHILLIPS DRYWALL SCREW		#6 X 1-1/4"	DRYWALL	500 PCS
PST6112	PHILLIPS DRYWALL SCREW		#6 X 1-1/2"	DRYWALL	500 PCS
PST62	PHILLIPS DRYWALL SCREW		#6 X 2"	DRYWALL	500 PCS
PST83	PHILLIPS DRYWALL SCREW		#8 X 3"	DRYWALL	500 PCS

* Images shown close to size

PHILLIPS STINGER FINE DRYWALL SCREW

				
	PST61M		PST6112M	
				
	PST6114M		PST62M	
ITEM #	DESCRIPTION	SIZE	TYPE	BOX QTY
PST634M	PHILLIPS DRYWALL SCREW	#6 X 3/4"	DRYWALL	500 PCS
PST61M	PHILLIPS DRYWALL SCREW	#6 X 1"	DRYWALL	500 PCS
PST6114M	PHILLIPS DRYWALL SCREW	#6 X 1-1/4"	DRYWALL	500 PCS
PST6112M	PHILLIPS DRYWALL SCREW	#6 X 1-1/2"	DRYWALL	500 PCS
PST62M	PHILLIPS DRYWALL SCREW	#6 X 2"	DRYWALL	500 PCS

* Images shown to size

PHILLIPS STINGER PARTICLE BOARD SCREW

				
PPB8114		PPB8134		
				
PPB8112		PPB82		
ITEM #	DESCRIPTION	SIZE	TYPE	BOX QTY
PPB8114	PHILLIPS PARTICLE BOARD SCREW	#8 X 1-1/4"	PARTICLE BOARD	500 PCS
PPB8112	PHILLIPS PARTICLE BOARD SCREW	#8 X 1-1/2"	PARTICLE BOARD	500 PCS
PPB8134	PHILLIPS PARTICLE BOARD SCREW	#8 X 1-3/4"	PARTICLE BOARD	500 PCS
PPB82	PHILLIPS PARTICLE BOARD SCREW	#8 X 2"	PARTICLE BOARD	500 PCS

* Images shown close to size

CAMOUFLAGE SCREW TOP

	ITEM #	DESCRIPTION	COLOR	BAG QTY
	CSC	SCREW TOP WITH WASHERS	BLACK	100 PCS

SPEED CLIPS

					
SCS8		SCL8		SCF8	
ITEM #	DESCRIPTION	SIZE	TYPE	BOX QTY	
SCS8	SPEED CLIPS	#8	SHORT U TYPE	100 PCS	
SCL8	SPEED CLIPS	#8	LONG U TYPE	100 PCS	
SCF8	SPEED CLIPS	#8	FLAT	100 PCS	

TUBING/TIES/CLAMPS/SCREWS PANEL FASTENERS + BACKSTRAPS

PANEL FASTENERS

									
12389PK	HA90-CRY	HA90-GMFD	IBWC	10469PK	11125PK	2048PK	9067PK	9509PK	IB-PC7503
ITEM #	DESCRIPTION					SIZE		BAG QTY	
12389PK	GM MOLDING FASTENER					1/2" X 5/8"		25 PCS	
HA90-CRY	CHRYSLER					12.5MM HD 19MM STEM		10 PCS	
HA90-GMFD	GM/FORD					1/4" HD 1/4" STEM		10 PCS	
IBWC	WINDOW CRANK CLIPS					0.875" X 0.625"		10 PCS	
10469PK	GM FRONT END RETAINERS					11/32"		25 PCS	
11125PK	HONDA LIFTGATE RETAINERS					8.5MM		15 PCS	
2048PK	FORD INTERIOR TRIM RETAINERS					9/32"		25 PCS	
9067PK	RADIATOR SHROUD BLIND RIVETS					1/4"		25 PCS	
9509PK	FORD INTERIOR TRIM RETAINERS					1/4"		50 PCS	
IB-PC7503	NYLON PANEL CLIP - WHITE					0.75" X 0.5"		50 PCS	

BACKSTRAPS

BS9		BS9HD	
BS18		BS9BK	

ITEM #	DESCRIPTION	THICKNESS	LENGTH	BAG QTY
BS9	BACKSTRAP	2MM	9"	1 PC
BS9-10	BS9 BULK PACK			10 PCS
BS9HD	HEAVY-DUTY BACKSTRAP	2MM	9"	1 PC
BS18	BACKSTRAP	2MM	18"	1 PC
BS9BK	BLACK POWDER-COATED BACKSTRAP	2MM	9"	1 PC

ABS PLASTIC SHEETS

ABS316		89-00-9030		
		SIDE 1		SIDE 2
ITEM #	DESCRIPTION	SIZE		BAG QTY
ABS116	1/16" ABS SHEET	12" X 12"		1 PC
ABS316	3/16" ABS SHEET	12" X 12"		1 PC
89-00-9031	1/8" ABS SHEET	12" X 12"		1 PC
89-00-9025	1/8" ABS SHEET	8" X 12"		1 PC
89-00-9032	1/8" ABS SHEET	17" X 21"		1 PC
89-00-9030	5/32" THICK/SCORED ABS SHEET GRID PLATE	12" X 12"		1 PC

3M ELECTRICAL TAPE

ITEM #	DESCRIPTION	THICKNESS	SIZE	TEMP	QTY
--------	-------------	-----------	------	------	-----

ECONOMY ELECTRICAL TAPE

IBBVT	VINYL ELECTRICAL TAPE	7 MIL	3/4" X 66'		1 PC
3M165	TEMFLEX™ VINYL ELECTRICAL TAPE	6 MIL	3/4" X 60'	32°F - 194°F	1 PC
3M165-10	3M165 SLEEVE				10 PCS

3M™ TEMFLEX™ VINYL ELECTRICAL TAPE 165 HAS GREAT RESISTANCE TO MOISTURE AND VARYING WEATHER CONDITIONS. IT IS A POLYVINYL CHLORIDE (PVC) TAPE THAT IS FLAME-RETARDANT AND CONFORMABLE. 3M TEMFLEX 165 TAPE PROVIDES GREAT MECHANICAL PROTECTION WITH MINIMUM BULK. IT IS A UL LISTED AND CSA CERTIFIED "INSULATING TAPE." NO SOLVENTS ARE USED IN THE MANUFACTURING PROCESS.

3M1776	VINYL ELECTRICAL TAPE	7 MIL	3/4" X 60'	32°F - 176°F	1 PC
3M1776-10	3M1776 SLEEVE				10 PCS
	UL & CSA RATING				


PREMIUM ELECTRICAL TAPE

SUPER33	SUPER 33+ VINYL ELECTRICAL TAPE	7 MIL	3/4" X 52'	0°F - 221°F	1 PC
SUPER33-10	SUPER33 SLEEVE				10 PCS

UL & CSA RATING. HIGHLY CONFORMABLE, FLAME RETARDANT, SUPER STRETCHY IN ALL WEATHER CONDITIONS. RESISTS UV RAYS, ABRASION, CORROSION, ALKALIS, AND ACIDS.

3M3376	SUPER 33+ VINYL ELECTRICAL TAPE	7 MIL	3/4" X 76'	0°F - 221°F	1 PC
3M3376-10	3M3376 SLEEVE				10 PCS

THE COMBINATION OF THE PRESSURE-SENSITIVE, RUBBER-RESIN ADHESIVE AND THE PVC BACKING OFFERS ELECTRICAL AND MECHANICAL PROTECTION. RESISTS UV RAYS, ABRASION, MOISTURE, ALKALIS, SOLVENTS AND ACIDS. FLAME-RETARDANT AND INHIBITS THE CORROSION OF ELECTRICAL CONDUCTORS. MADE OF DURABLE PVC. COMPATIBLE WITH RUBBER AND SYNTHETIC SPLICING COMPOUNDS. WITHSTANDS A TEMPERATURE RANGE OF 0°F TO 221 °F (-18 TO 105 °C). UL LISTED, CSA CERTIFIED AND ROHS 2011/65/EU COMPLIANT

EXTERIOR HARNESS WRAP

ITEM #	DESCRIPTION	SIZE	COLOR	QTY
52879-19	EXTERIOR HARNESS WRAP	3/4" X 82.5"	BLACK	8 PCS
52879-9	EXTERIOR HARNESS WRAP	3/8" X 82.5"	BLACK	16 PCS

HIGH ABRASION PROTECTION. HIGH TEMPERATURE RESISTANCE, UP TO 302°F. MAINLY USED ON EXTERIOR PARTS OF THE VEHICLE, INCLUDING DOOR PANELS, BUMPERS, AND ENGINE BAY.

TAPE/ADHESIVES/SEALANTS HARNESS WRAP/TAPE

INTERIOR HARNESS WRAP



12508-19



12508-9

ITEM #	DESCRIPTION	SIZE	TYPE	COLOR	BAG QTY
12508-19	CLOTH HARNESS WRAP	19MM X 25M	INTERIOR	BLACK	8 PCS
12508-9	CLOTH HARNESS WRAP	9MM X 25M	INTERIOR	BLACK	16 PCS

UNIVERSAL TAPE FOR WIRE HARNESS WRAPPING IN THE INTERIOR COMPARTMENT. NOISE DAMPING WITH ABRASION RESISTANCE AS WELL AS BUNDLING STRENGTH WHILE KEEPING HARNESSES FLEXIBLE.

INTERIOR HARNESS TAPE STANDARD



IB951618



IB51618

ITEM #	DESCRIPTION	SIZE	TYPE	COLOR	BAG QTY
IB951618	STANDARD INTERIOR HARNESS TAPE	3/8" X 82.5'	INTERIOR	BLACK	16 PCS
IB51618	STANDARD INTERIOR HARNESS TAPE	3/4" X 82.5'	INTERIOR	BLACK	16 PCS

UNIVERSAL TAPE FOR WIRE HARNESS BUNDLING IN THE PASSENGER COMPARTMENT. NOISE DAMPING WITH ABRASION RESISTANCE AS WELL AS BUNDLING STRENGTH WHILE KEEPING HARNESSES FLEXIBLE. TEAR-RESISTANT, AGE-RESISTANT, STABLE UNWIND FORCE, AND STRONG ADHESION.

INTERIOR HARNESS TAPE PREMIUM



ITEM #	DESCRIPTION	SIZE	TYPE	COLOR	BAG QTY
IB51608	PREMIUM INTERIOR HARNESS TAPE	3/4" X 82.5'	INTERIOR	BLACK	8 PCS

UNIVERSAL TAPE FOR WIRE HARNESS BUNDLING IN THE PASSENGER COMPARTMENT. NOISE DAMPING WITH ABRASION RESISTANCE AS WELL AS BUNDLING STRENGTH WHILE KEEPING HARNESSES FLEXIBLE. TEAR-RESISTANT, AGE-RESISTANT, STABLE UNWIND FORCE, AND STRONG ADHESION. PET FLEECE HARNESS TAPE WITH A RUBBER BASED ADHESIVE

EXTERIOR HARNESS TAPE

					
IB51026		IB51036			
ITEM #	DESCRIPTION	SIZE	TYPE	COLOR	BAG QTY
IB51026	EXTERIOR HARNESS TAPE	3/8" X 82.5'	EXTERIOR	BLACK	16 PCS
IB51036	EXTERIOR HARNESS TAPE	3/4" X 82.5'	EXTERIOR	BLACK	16 PCS
FOR WRAPPING EXTERIOR HARNESSES. PET CLOTH WIRE HARNESS TAPE WITH AN ACRYLIC BASED ADHESIVE. HIGH TEMPERATURE RESISTANCE 150°C/3000H. HIGH ABRASION RESISTANCE.					

3M MASKING TAPE

					
TAPE34		TAPE2			
ITEM #	DESCRIPTION	SIZE	TYPE	COLOR	BAG QTY
TAPE34	MASKING TAPE	3/4" X 60 YD	MASKING	CREAM	1 PC
TAPE2	MASKING TAPE	2" X 60 YD	MASKING	CREAM	1 PC

CLOTH DUCT TAPE

					
3MBDT		IBBDT			
ITEM #	DESCRIPTION	SIZE	TYPE	COLOR	BAG QTY
3MBDT	CLOTH DUCT TAPE	2" X 60 YD	DUCT	BLACK	1 PC
IBBDT	9 MIL CLOTH DUCT TAPE	2" X 60 YD	DUCT	BLACK	1 PC



TEMPLATE TAPE

					
IBTT2		IBTT1			
ITEM #	DESCRIPTION	SIZE	TYPE	COLOR	BAG QTY
IBTT2	TEMPLATE TAPE	1/2" X 36 YD	TEMPLATE	WHITE	1 PC
IBTT1	TEMPLATE TAPE	1" X 36 YD	TEMPLATE	WHITE	1 PC
DOUBLE-SIDED TAPE FOR TEMPORARY ATTACHMENT OF STOCK TO ROUTER TEMPLATES					


3M FOAM TAPE

					
3MDST20		3MDST22		3M4056	
ITEM #	DESCRIPTION	SIZE	TYPE	COLOR	BAG QTY
3MDST20	DOUBLE-COATED ACRYLIC FOAM TAPE	1/2" X 20 YD	FOAM	GRY/RED	1 PC
0.030" THICK GRAY ACRYLIC FOAM TAPE WITH PROVEN PERFORMANCE ACRYLIC ADHESIVE AND A RED RELEASE LINER					
3MDST22	DOUBLE-COATED ACRYLIC FOAM TAPE	7/8" X 20 YD	FOAM	GRY/RED	1 PC
0.030" THICK GRAY ACRYLIC FOAM TAPE WITH PROVEN PERFORMANCE ACRYLIC ADHESIVE AND A RED RELEASE LINER					
3M4056	DOUBLE-COATED URETHANE FOAM TAPE	1" X 36 YD	FOAM	BLK/GRN	1 PC
BLACK 1/16", HIGH SHEAR STRENGTH, DURABLE ON INTERIOR MOUNTING APPLICATIONS, CLEAN APPEARANCE. USE FOR BONDING, ATTACHING, OR MOUNTING					

KENT TAPE

					
P40519		KT12218		KT12221	
					
P12220					
ITEM #	DESCRIPTION	SIZE	TYPE	COLOR	BAG QTY
P40519	HIGH-STRENGTH DOUBLE-SIDED TAPE	1/2" X 50'	MOLDING	BLUE	1 PC
P12220	0.045" ACRYLIC MOLDING TAPE	1" X 50'	MOLDING	GRAY/RED	1 PC
KT12218	0.045" QUICK STICK DOUBLE-SIDED TAPE	1/2" X 50'	MOLDING	GRAY/RED	1 PC
KT12221	HIGH-STRENGTH DOUBLE-SIDED TAPE	1/2" X 50'	MOLDING	GRAY/RED	1 PC

TRANSPARENT DOUBLE-SIDED TAPE



ITEM #	DESCRIPTION	SIZE	TYPE	COLOR	BAG QTY
IB4965	TRANSPARENT DOUBLE SIDED TAPE	12 MIL X 80'	TRANSPARENT	RED	1 PC
DOUBLE-SIDED TAPE WITH HIGH SHEAR AND TEMPERATURE RESISTANCE. COMPRISED OF A POLYESTER BACKING COATED ON BOTH SIDE WITH A TRANSPARENT MODIFIED ACRYLIC ADHESIVE. RELIABLE BONDING, EVEN TO LOW SURFACE ENERGY SUBSTRATES WITH VERY HIGH BONDING STRENGTH IMMEDIATE RIGHT AFTER ASSEMBLY. GREAT FOR APPLICATIONS INCLUDING HEAVY STRESS, HIGH TEMPERATURES OR CRITICAL SUBSTRATES					

BUTYL TAPE



ITEM #	DESCRIPTION	SIZE	TYPE	COLOR	BAG QTY
P20130	BUTYL TAPE	1/4" X 15'	BUTYL	BLACK	1 PC
INSTANT BONDING AND SEALING. WILL NOT COLLAPSE. SUPERIOR GLASS/PINCH WELD ADHESION. INCREASED STORAGE PROTECTION IN SINGLE PACKS					

3M STRIP CAULK



ITEM #	DESCRIPTION	SIZE	TYPE	COLOR	BOX QTY
3MSTC	STRIP CAULK	1"	CAULK	BLACK	60 PCS
SOFT, NON-HARDENING, CAULKING MATERIAL FOR USE IN ALL TYPES OF SEAMS, JOINTS, AND OPENINGS. PRODUCT IS EASILY THUMBED INTO PLACE AND SMOOTHED WITH FINGER					

KENT AUTOMOTIVE™ SEAL N CAULK



ITEM #	DESCRIPTION	SIZE	TYPE	COLOR	BAG QTY
P10310	SEAL N CAULK	1/4" X 72'	CAULK	BLACK	1 PC
NON-HARDENING, PLIABLE CAULKING STRIPS FOR GENERAL PURPOSE AUTOMOTIVE SEALING AND CAULKING					

HOOK AND LOOP



BV21



TB3571



3MBVPK



IBHLDOT34

ITEM #	DESCRIPTION	SIZE	LENGTH	COLOR	BAG QTY
BV1	HOOK & LOOP	1"	1 YD	BLACK	1 PC
BV1RL	HOOK & LOOP	1"	5 YDS	BLACK	1 PC
BV1HK	HOOK	1"	25 YDS	BLACK	1 PC
BV1LP	LOOP	1"	25 YDS	BLACK	1 PC
BV21	HOOK & LOOP	2"	1 YD	BLACK	1 PC
BV2LP	LOOP	2"	25 YDS	BLACK	1 PC
BV2HK	HOOK	2"	25 YDS	BLACK	1 PC
BV34LP	LOOP	3/4"	25 YDS	BLACK	1 PC
TB3571	3M PREMIUM HOOK & LOOP	1"	10'	BLACK	1 PC
3MBVPK	HOOK & LOOP WITH DISPLAY BOX	1"	4.9 YDS	BLACK	1 PC
3MDLYD	3M DUAL LOCK	1"	1 YD	BLACK	1 PC
IBHLWRAP	HOOK & LOOP WRAP	3/4"	35'	BLACK	1 PC
IBHLDOT34	HOOK & LOOP DOTS	3/4"	1 ROLL	BLACK	200 DOTS
IBHLDOT1	HOOK & LOOP DOTS	1"	1 ROLL	BLACK	200 DOTS

INSTANT CURE GLUE EXTRA THICK / FLEXIBLE



ITEM #	DESCRIPTION	OZ.	BAG QTY
MAXI-CURE1	INSTANT CURE GLUE - EXTRA THICK	1 OZ.	1 PC
MAXI-CURE2	INSTANT CURE GLUE - EXTRA THICK	2 OZ.	1 PC
	<i>EXTRA THICK. BEST CA FOR MOST PLASTICS. WORKS BEST ON SOFT AND HARD WOOD, GLASS, METAL, FIBERGLASS, CERAMICS, AND RUBBER</i>		
INSTA-FLEX	INSTANT CURE FLEXIBLE GLUE	1 OZ.	1 PC
	<i>INSTA-FLEX™ FLEXIBLE THIN CA (CYANOACRYLATE) IS IDEAL FOR MANY APPLICATIONS. WHEN CURED INSTA-FLEX™ DOES NOT TURN BRITTLE AND REMAINS CLEAR, EVEN IF ACCELERATED WITH INSTA-SET™. IT HAS SUPERIOR SHOCK RESISTANCE. INSTA-FLEX™ HAS ALSO PROVEN TO BE SUPERIOR WHEN BONDING ANODIZED ALUMINUM.</i>		
INSTA-FLEX+	INSTANT CURE FLEXIBLE CLEAR GLUE	1 OZ.	1 PC
	<i>INSTA-FLEX+™ IS A CLEAR, RUBBER TOUGHENED ADHESIVE THAT HAS SIMILAR QUALITIES TO OUR BLACK IC-2000™ BUT CAN BE USED IN APPLICATIONS WHERE YOU DO NOT WANT THE ADHESIVE TO BE SEEN. THE CARBON COMPONENTS OF IC-2000™ THAT GIVES THE CA (CYANOACRYLATE) ITS BLACK COLOR ALSO CONTRIBUTES TO ITS UNSURPASSED STRENGTH. WHEN AESTHETICS ARE IMPORTANT AND A FLEXIBLE BOND IS REQUIRED, INSTA-FLEX+™ IS YOUR BEST CHOICE. IT FORMS SUPERIOR BONDS TO SOFT URETHANE AND VINYL PLASTICS.</i>		

KENT AUTOMOTIVE™ FLEXSEAL RTV SILICONE SEALANT

ITEM #	DESCRIPTION	SIZE	TYPE	BAG QTY
IB91784	FLEXSEAL RTV SILICONE SEALANT	3 OZ.	CLEAR SOLID FORM	1 PC
	<i>FLEXSEAL RTV SILICONE ADHESIVE/SEALANTS ARE IDEAL FOR SEALING, BONDING, CAULKING, WEATHER-PROOFING, AND INSULATING. THE ONE-PART, NON-SLUMPING PASTE FORMULATIONS CURE AT ROOM TEMPERATURE TO A TOUGH, RUBBERY SOLID WHICH ADHERES TO METAL, GLASS, NON-OILY WOOD, CERAMICS, NATURAL AND SYNTHETIC FIBERS, AND MANY PLASTIC SURFACES.</i> • VERY GOOD RESISTANCE TO MOTOR OIL, ANTI-FREEZE, TRANSMISSION FLUID, AND MOST SOLVENTS • EXCELLENT WEATHER AND UV RESISTANCE - REMAINS FLEXIBLE AND WILL NOT CRACK OR HARDEN • TACK-FREE CURE TIME: 15 TO 20 MINUTES • TYPICAL TENSILE STRENGTH: 350 PSI			



TAPE/ADHESIVES/SEALANTS INSTANT CURE GLUE

INSTANT CURE GLUE



IC-2000



INSTGL2 / INSTGL4 / INSTGL8




YORKER



INSTAUN

ITEM #	DESCRIPTION	OZ.	BAG QTY
IC-2000	INSTANT CURE GLUE <i>IC-2000™ IS A RUBBER-TOUGHENED CA (CYANOACRYLATE) THAT FORMS SUPERIOR SHOCK RESISTANT BONDS ON NON-POROUS SURFACES. THE BLACK COLORED CA HAS ADDED FLEXIBILITY FOR THE BONDING OF METALS, FIBERGLASS, RUBBER, CARBON FIBER, AND OTHER MATERIALS.</i>	1 OZ.	1 PC
INSTGL2	INSTANT CURE GLUE - GAP FILLING CA (CYANOACRYLATE)	2 OZ.	1 PC
INSTGL4	INSTANT CURE GLUE - GAP FILLING CA (CYANOACRYLATE)	4 OZ.	1 PC
INSTGL8	INSTANT CURE GLUE - GAP FILLING CA (CYANOACRYLATE)	8 OZ.	1 PC
YORKER	TOP FOR INSTGL8 <i>A HIGHER VISCOSITY CA (CYANOACRYLATE) FOR LOOSE FITTING JOINTS IN WHICH THE ADHESIVE MUST BRIDGE GAPS. NORMALLY, THE THICKER CA IS APPLIED TO ONE SURFACE AND THEN THE PARTS ARE HELD TIGHTLY TOGETHER FOR ABOUT 5 TO 15 SECONDS.</i>		1 PC
INSTAUN	UN-CURE™ <i>DEBONDER WILL SOFTEN CURED CA (CYANOACRYLATE). IF PARTS ARE BONDED INCORRECTLY OR YOUR FINGERS ARE STUCK TOGETHER, A FEW DROPS OF UN-CURE™ WILL DISSOLVE THE CA IN ABOUT A MINUTE. APPLY ON BONDED SKIN AND ROLL APART FINGERS. ONCE UNSTUCK, USE ACETONE TO CLEAN OFF SOFTENED CA, THEN WASH OFF WITH SOAP AND WATER.</i>	1 OZ.	1 PC

ACCELERATORS FOR GLUE

PT-50



PT-15

ITEM #	DESCRIPTION	OZ.	BAG QTY
PT-50	KICKER CA GLUE ACCELERATOR	5 OZ.	1 PC
PT-15	KICKER CA GLUE ACCELERATOR	2 OZ.	1 PC

ACCELERATES SUPER GLUE CURE TIME. BEST WORKING ACCELERATOR FOR ZAP AND ALL OTHER SUPER GLUES YOU'LL FIND! SETS IN JUST A FEW SECONDS.

INSTANT SET ACCELERATOR

ITEM #	DESCRIPTION	OZ.	BAG QTY
INSTAC	INSTANT SET ACCELERATOR	2 OZ.	1 PC

ACCELERATOR FOR QUICK CURING OF CA (CYANOACRYLATE) RESULTS IN FAST DRYING TIMES AND STRONG BONDS BETWEEN MATERIALS AND SURFACES OF ALL KINDS.

TAPE/ADHESIVES/SEALANTS DURAMIX + QUICK-CURE

3M DURAMIX & QUICK-CURE™



3M04240



QUICK-CURE

ITEM #	DESCRIPTION	OZ.	BAG QTY
3M04240	SEMI-RIGID PLASTIC REPAIR	6.25 OZ.	1 PC
	URETHANE PLASTIC REPAIR MATERIAL FOR REPAIRING DAMAGED BUMPER AND RE-BUILDING TABS. CAN ALSO BE USED TO BOND MANY DISSIMILAR MATERIALS SUCH AS PLASTIC, FIBERGLASS, AND METAL. USED FOR BACKSIDE REINFORCEMENT REPAIR ON A VARIETY OF PLASTICS.		
QUICK-CURE	QUICK-CURE™	9 OZ.	1 PC
	EPOXY CURES TO A SLIGHTLY FLEXIBLE CONSISTENCY. THIS LACK OF BRITTLINESS ALLOWS IT TO FORM A LASTING BOND IN AREAS SUBJECTED TO HIGH VIBRATION OR STRESS. QUIK-CURE™ IS OUR ONLY EPOXY ON WHICH YOU CAN APPLY POLYESTER RESINS. IT CAN BE MIXED WITH MICRO BALLOONS TO FORM A QUICK SETTING PUTTY. ITEMS BONDED WITH QUIK-CURE™ CAN BE HANDLED AFTER 15 MINUTES. FULL STRENGTH IS REACHED IN 1 HOUR.		

3M DURAMIX NOZZLE



ITEM #	DESCRIPTION	BAG QTY
3M08193	DURAMIX NOZZLE	6 PCS
	3M™ STATIC MIXING NOZZLE IS A CASCADE MIX/METER NOZZLE FOR AN EASY SQUEEZE OF ADHESIVE RIGHT ON TARGET. OUR STATIC MIXING NOZZLE IS ENGINEERED FOR USE WITH 3M™ CARTRIDGES AND MANUAL OR PNEUMATIC APPLICATORS. A HIGH PERFORMANCE STATIC MIXING NOZZLE FOR USE WITH MANUAL AND PNEUMATIC APPLICATORS. NOZZLE EFFICIENTLY MIXES A VARIETY OF 3M TWO COMPONENT ADHESIVES, SEALERS AND FOAMS. MIXES TWO-PART COMPONENTS TO THE IDEAL RATIO. DISPOSABLE NOZZLES AND TUBES FOR EASY CLEANUP, NO MIXING AND STIRRING TOOLS TO CLEAN. NOZZLE MAY DOUBLE AS A STORAGE CAP.	

HOT MELT GLUE STICKS

					
HMGS		HMGSC		HMAHS	
ITEM #	DESCRIPTION	SOFTENING POINT	COLOR	BAG QTY	
HMGS	7/16" X 10" HOT MELT STICK	176° F	BLACK	8 PCS	
HMGSC	7/16" X 10" HOT MELT STICK	176° F	CLEAR	8 PCS	
HMAHS	7/16" X 10" HIGH STRENGTH STICK	185° F	AMBER	8 PCS	

3M ADHESION PROMOTER & CLEANER

			3M06396
ITEM #	DESCRIPTION		BOX QTY
3M06396	ADHESION PROMOTER - SPONGE APPLICATOR PACKET 2.5CC		25 PCS

THIS IS A LIQUID PRIMER USED TO IMPROVE THE ADHESION OF AUTOMOTIVE ATTACHMENT TAPES TO MOST LOW SURFACE ENERGY PLASTIC MATERIALS AS WELL AS INJECTION-MOLDED BODY SIDE MOLDINGS AND CLADDINGS USED FOR AUTOMOTIVE EXTERIOR TRIMS. RECOMMENDED FOR SURFACE PREP WHEN USING HEISE LED LIGHT STRIPS.

SPRAY ADHESIVES



APSA



APSAHT

ITEM #	DESCRIPTION	OZ.	BAG QTY
APSA	ALL-PURPOSE SPRAY ADHESIVE	12 OZ.	1 PC
	TEMPORARY OR PERMANENT BONDING, IS IDEAL FOR UNEVEN OR POROUS SURFACES AND WEIGHT MATERIALS. WATERPROOF, FLEXIBLE, TRANSPARENT AND NON-STAINING USE WITH LEATHER, CARDBOARD, MOST PLASTICS, AND CLOTH.		
APSAHT	HIGH HEAT CONTACT CEMENT	16 OZ.	1 PC
	CONTACT CEMENT ADHESIVE FOR HIGH HEAT APPLICATIONS. GREAT FOR VINYL. ADJUSTABLE NOZZLE-WEB SPRAY PATTERN.		

SOUND BUFFER SPRAY



ITEM #	DESCRIPTION	OZ.	BAG QTY
VS101	SOUND BUFFER SPRAY	16 OZ.	1 PC
	HIGH DENSITY, LOW WEIGHT COMPOUNDS. GREATLY REDUCES ROAD NOISE AND PANEL VIBRATION. CLINGS TO WOOD, PLASTIC, METAL, AND FIBERGLASS. WEATHER-RESISTANT, CAN BE USED INSIDE OR OUTSIDE OF THE VEHICLE		


ELECTRICAL GEL / ALCOHOL WIPES

PZGGEL



IBAWIPE

ITEM #	DESCRIPTION	BOX QTY
PZGGEL	ANTI-CORROSION ELECTRICAL CONNECTION GEL	1 PC
IBAWIPE	99.9% ALCOHOL WIPES	50 PCS

INTERIOR PROTECTION TAPE

ITEM #	DESCRIPTION	SIZE	BAG QTY
111055-14	INTERIOR PROTECTION TAPE	14" X 220YD	1 PC

PROTECT DELICATE PAINTED AND INTERIOR SURFACES DURING SERVICE OR INSTALLATIONS WITH THIS PROTECTIVE TAPE. THIS TAPE IS UV-STABLE, SO IT IS EASILY REMOVED AFTER EXTENDED PERIODS OF TIME WITHOUT LEAVING BEHIND ANY RESIDUE OR DAMAGING PAINT.

FUSES

BLADE SIZE	BLADE GROUP	DIMENSIONS L x W x H	COMMON RATINGS MAXIMUM CURRENT
Micro2	APT, ATR	9.1 x 3.8 x 15.3 mm	5, 7.5, 10, 15, 20, 25, 30
Micro3	ATL	14.4 x 4.2 x 18.1 mm	5, 7.5, 10, 15
Low Profile Mini	APS, ATT	10.9 x 3.81 x 8.73 mm	2, 3, 4, 5, 7.5, 10, 15, 20, 25, 30
Mini	APM, ATM	10.9 x 3.6 x 16.3 mm	2, 3, 4, 5, 7.5, 10, 15, 20, 25, 30
Regular	APR, ATC, ATO, ATS	19.1 x 5.1 x 18.5 mm	0.5, 1, 2, 3, 4, 5, 7.5, 10, 15, 20, 25, 30, 35, 40
Maxi	APX	29.2 x 8.5 x 34.3 mm	20, 25, 30, 35, 40, 50, 60, 70, 80, 100, 120

COLOR	CURRENT RATING	Micro2	Micro3	LP-Mini	Mini	Reg	Maxi
DRK BLUE	0.5A	×	×	×	×	✓	×
BLACK	1A	×	×	×	×	✓	×
GRAY	2A	×	×	✓	✓	✓	×
VIOLET	3A	×	×	✓	✓	✓	×
PINK	4A	×	×	✓	✓	✓	×
TAN/AMBER	5A	✓	✓	✓	✓	✓	×
BROWN	7.5A	✓	✓	✓	✓	✓	×
RED	10A	✓	✓	✓	✓	✓	×
BLUE	15A	✓	✓	✓	✓	✓	✓
YELLOW	20A	✓	×	✓	✓	✓	✓
WHITE	25A	✓	×	✓	✓	✓	GRAY
GREEN	30A	✓	×	✓	✓	✓	✓
TEAL US COOPER BUSSMAN	35A	×	×	✓	✓	✓	BROWN
LT. PURPLE IMPORT	40A	×	×	✓	✓	✓	✓
ORANGE US COOPER BUSSMAN	50A	×	×	×	×	×	✓
WINE IMPORT	60A	×	×	×	×	×	✓
RED	70A	×	×	×	×	×	✓
BLUE	80A	×	×	×	×	×	✓
AMBER	100A	×	×	×	×	×	✓
WHITE	120A	×	×	×	×	×	✓
VIOLET		×	×	×	×	×	✓
PURPLE		×	×	×	×	×	✓

150-PIECE ATC FUSE KIT




ITEM #	DESCRIPTION	AMP	COLOR	A (mm)	B (mm)	C (mm)	QTY IN KIT
IBATCHKIT	150-PIECE ASSORTED ATC FUSE KIT						150 PCS
1	FUSE PULLER		YELLOW	30	4.7		(1 PC)
2	BRASS FUSE TAPS		BRASS	19	6		(20 PCS)
3	ATC FUSE	3A	VIOLET	19.1	5.1	18.5	(15 PCS)
4	ATC FUSE	5A	AMBER	19.1	5.1	18.5	(15 PCS)
5	ATC FUSE	7.5A	BROWN	19.1	5.1	18.5	(15 PCS)
6	ATC FUSE	10A	RED	19.1	5.1	18.5	(15 PCS)
7	ATC FUSE	15A	BLUE	19.1	5.1	18.5	(15 PCS)
8	ATC FUSE	20A	YELLOW	19.1	5.1	18.5	(15 PCS)
9	ATC FUSE	25A	WHITE	19.1	5.1	18.5	(15 PCS)
10	ATC FUSE	30A	GREEN	19.1	5.1	18.5	(15 PCS)
11	ATC FUSE	35A	PURPLE	19.1	5.1	18.5	(15 PCS)
12	ATC FUSE	40A	WINE	19.1	5.1	18.5	(15 PCS)

* Fuse images shown close to size & actual colors may vary

FUSE PRODUCTS ATM FUSE KIT

150-PIECE ATM FUSE KIT



ITEM #	DESCRIPTION	AMP	COLOR	A (mm)	B (mm)	C (mm)	QTY IN KIT
IBATMKIT	150-PIECE ASSORTED ATM FUSE KIT						150 PCS
1	FUSE PULLER		YELLOW	30	4.7		(1 PC)
2	BRASS FUSE TAPS		BRASS	30	6.3		(20 PCS)
3	ATM FUSE	3A	VIOLET	10.9	3.6	16.3	(15 PCS)
4	ATM FUSE	5A	AMBER	10.9	3.6	16.3	(15 PCS)
5	ATM FUSE	7.5A	BROWN	10.9	3.6	16.3	(15 PCS)
6	ATM FUSE	10A	RED	10.9	3.6	16.3	(15 PCS)
7	ATM FUSE	15A	BLUE	10.9	3.6	16.3	(15 PCS)
8	ATM FUSE	20A	YELLOW	10.9	3.6	16.3	(15 PCS)
9	ATM FUSE	25A	WHITE	10.9	3.6	16.3	(15 PCS)
10	ATM FUSE	30A	GREEN	10.9	3.6	16.3	(15 PCS)
11	ATM FUSE	35A	PURPLE	10.9	3.6	16.3	(15 PCS)
12	ATM FUSE	40A	WINE	10.9	3.6	16.3	(15 PCS)

* Fuse images shown close to size & actual colors may vary


150-PIECE ATMLP FUSE KIT



ITEM #	DESCRIPTION	AMP	COLOR	A (mm)	B (mm)	C (mm)	QTY IN KIT
IBATMLPKIT	150-PIECE ASSORTED ATMLP FUSE KIT						150 PCS
1	FUSE PULLER		YELLOW	30	4.7		(1 PC)
2	BRASS FUSE TAPS		BRASS	30	6.3		(20 PCS)
3	ATMLP FUSE	3A	VIOLET	10.9	3.81	8.73	(15 PCS)
4	ATMLP FUSE	5A	AMBER	10.9	3.81	8.73	(15 PCS)
5	ATMLP FUSE	7.5A	BROWN	10.9	3.81	8.73	(15 PCS)
6	ATMLP FUSE	10A	RED	10.9	3.81	8.73	(15 PCS)
7	ATMLP FUSE	15A	BLUE	10.9	3.81	8.73	(15 PCS)
8	ATMLP FUSE	20A	YELLOW	10.9	3.81	8.73	(15 PCS)
9	ATMLP FUSE	25A	WHITE	10.9	3.81	8.73	(15 PCS)
10	ATMLP FUSE	30A	GREEN	10.9	3.81	8.73	(15 PCS)
11	ATMLP FUSE	35A	PURPLE	10.9	3.81	8.73	(15 PCS)
12	ATMLP FUSE	40A	WINE	10.9	3.81	8.73	(15 PCS)

* Fuse images shown close to size & actual colors may vary

FUSE TAPS & DUAL ADD-A-FUSE



ITEM #	DESCRIPTION	BAG QTY
FUSE TAPS & DUAL ADD-A-FUSE		
FTATC	0.250 ATC OVER LEG	100 PCS
FTATM	0.250 ATM OVER LEG	100 PCS
ATMDT	ATM MINI DUAL ADD-A-FUSE	10 PCS
ATCDT	ATC DUAL ADD-A-FUSE	10 PCS
ATLDT	MICRO ATL 3-BLADE DUAL ADD-A-FUSE	10 PCS
ATMLPDT	ATM LOW PROFILE DUAL ADD-A-FUSE	10 PCS
ATRDT	ATR MICRO DUAL ADD-A-FUSE	10 PCS

ATC WITH LED

	ITEM #	DESCRIPTION	AMPS	COLOR	A (mm)	B (mm)	BAG QTY
	ATC WITH LED						
	APR-I-5A	5A AUTO BLADE	5A	AMBER	19.1	18.5	5 PCS
	APR-I-10A	10A AUTO BLADE	10A	RED	19.1	18.5	5 PCS
	APR-I-15A	15A AUTO BLADE	15A	BLUE	19.1	18.5	5 PCS
	APR-I-20A	20A AUTO BLADE	20A	YELLOW	19.1	18.5	5 PCS

* Main image shown close to size & actual colors may vary

ATM WITH LED

	ITEM #	DESCRIPTION	AMPS	COLOR	A (mm)	B (mm)	BAG QTY
	ATM WITH LED						
	APM-I-10A	10A MINI AUTO BLADE	10A	BLUE	10.9	16.3	5 PCS


* Main image shown close to size & actual colors may vary

ATR WITH LED

	ITEM #	DESCRIPTION	AMPS	COLOR	A (mm)	B (mm)	BAG QTY
	ATR WITH LED						
	ANT-I-10A	10A MICRO2 AUTO BLADE	10A	RED	9.1	15.3	5 PCS

* Main image shown close to size & actual colors may vary


ATC FUSES



ITEM #	DESCRIPTION	AMPS	COLOR	A (mm)	B (mm)	C (mm)	BAG QTY
ATC FUSES							
ATC1-25	1A ATC FUSE	1A	BLACK	19.1	5.1	18.5	25 PCS
ATC3-25	3A ATC FUSE	3A	VIOLET	19.1	5.1	18.5	25 PCS
ATC5-25	5A ATC FUSE	5A	TAN	19.1	5.1	18.5	25 PCS
ATC7.5-25	7.5A ATC FUSE	7.5A	BROWN	19.1	5.1	18.5	25 PCS
ATC10-25	10A ATC FUSE	10A	RED	19.1	5.1	18.5	25 PCS
ATC15-25	15A ATC FUSE	15A	BLUE	19.1	5.1	18.5	25 PCS
ATC20-25	20A ATC FUSE	20A	YELLOW	19.1	5.1	18.5	25 PCS
ATC25-25	25A ATC FUSE	25A	WHITE	19.1	5.1	18.5	25 PCS
ATC30-25	30A ATC FUSE	30A	GREEN	19.1	5.1	18.5	25 PCS
ATC40-25	40A ATC FUSE	40A	WINE	19.1	5.1	18.5	25 PCS

* Main image shown close to size & actual colors may vary


ATC FUSES USA COOPER BUSSMANN



ITEM #	DESCRIPTION	AMPS	COLOR	A (mm)	B (mm)	C (mm)	BAG QTY
ATC FUSES							
USATC3-25	3A ATC FUSE	3A	VIOLET	19.1	5.1	18.5	25 PCS
USATC5-25	5A ATC FUSE	5A	TAN	19.1	5.1	18.5	25 PCS
USATC7.5-25	7.5A ATC FUSE	7.5A	BROWN	19.1	5.1	18.5	25 PCS
USATC10-25	10A ATC FUSE	10A	RED	19.1	5.1	18.5	25 PCS
USATC15-25	15A ATC FUSE	15A	BLUE	19.1	5.1	18.5	25 PCS
USATC20-25	20A ATC FUSE	20A	YELLOW	19.1	5.1	18.5	25 PCS
USATC25-25	25A ATC FUSE	25A	WHITE	19.1	5.1	18.5	25 PCS
USATC30-25	30A ATC FUSE	30A	GREEN	19.1	5.1	18.5	25 PCS
USATC40-25	40A ATC FUSE	40A	ORANGE	19.1	5.1	18.5	25 PCS

* Main image shown close to size & actual colors may vary


ATM FUSES



ITEM #	DESCRIPTION	AMPS	COLOR	A (mm)	B (mm)	C (mm)	BAG QTY
ATM FUSES							
ATM2-25	2A ATM FUSE	2A	GRAY	10.9	3.6	16.3	25 PCS
ATM5-25	5A ATM FUSE	5A	TAN	10.9	3.6	16.3	25 PCS
ATM7.5-25	7.5A ATM FUSE	7.5A	BROWN	10.9	3.6	16.3	25 PCS
ATM10-25	10A ATM FUSE	10A	RED	10.9	3.6	16.3	25 PCS
ATM15-25	15A ATM FUSE	15A	BLUE	10.9	3.6	16.3	25 PCS
ATM20-25	20A ATM FUSE	20A	YELLOW	10.9	3.6	16.3	25 PCS
ATM25-25	25A ATM FUSE	25A	WHITE	10.9	3.6	16.3	25 PCS
ATM30-25	30A ATM FUSE	30A	GREEN	10.9	3.6	16.3	25 PCS
ATM40-25	40A ATM FUSE	40A	WINE	10.9	3.6	16.3	25 PCS

* Main image shown close to size & actual colors may vary


ATM FUSES USA COOPER BUSSMANN



ITEM #	DESCRIPTION	AMPS	COLOR	A (mm)	B (mm)	C (mm)	BAG QTY
ATM FUSES							
USATM2-25	2A ATM FUSE	2A	GRAY	10.9	3.6	16.3	25 PCS
USATM3-25	3A ATM FUSE	3A	VIOLET	10.9	3.6	16.3	25 PCS
USATM5-25	5A ATM FUSE	5A	TAN	10.9	3.6	16.3	25 PCS
USATM7.5-25	7.5A ATM FUSE	7.5A	BROWN	10.9	3.6	16.3	25 PCS
USATM10-25	10A ATM FUSE	10A	RED	10.9	3.6	16.3	25 PCS
USATM15-25	15A ATM FUSE	15A	BLUE	10.9	3.6	16.3	25 PCS
USATM20-25	20A ATM FUSE	20A	YELLOW	10.9	3.6	16.3	25 PCS
USATM25-25	25A ATM FUSE	25A	WHITE	10.9	3.6	16.3	25 PCS
USATM30-25	30A ATM FUSE	30A	GREEN	10.9	3.6	16.3	25 PCS

* Main image shown close to size & actual colors may vary


ATM PRE-WIRED WITH FUSE



ITEM #	DESCRIPTION	AMPS	COLOR	A (mm)	B (mm)	BAG QTY
ATM PRE-WIRED WITH FUSE						
PATM10	10A PRE-WIRED ATM FUSE	10A	RED	10	181	5 PCS
PATM15	15A PRE-WIRED ATM FUSE	15A	BLUE	10	181	5 PCS
PATM20	20A PRE-WIRED ATM FUSE	20A	YELLOW	10	181	5 PCS

* Actual colors may vary


ATM LOW-PROFILE FUSES USA COOPER BUSSMANN



ITEM #	DESCRIPTION	AMPS	COLOR	A (mm)	B (mm)	BAG QTY
ATM LOW PROFILE FUSES						
USATMLP2-5	2A ATMLP FUSE	2A	GRAY	10.9	8.73	5 PCS
USATMLP7.5-5	7.5A ATMLP FUSE	7.5A	BROWN	10.9	8.73	5 PCS
USATMLP10-5	10A ATMLP FUSE	10A	RED	10.9	8.73	5 PCS
USATMLP15-5	15A ATMLP FUSE	15A	BLUE	10.9	8.73	5 PCS
USATMLP20-5	20A ATMLP FUSE	20A	YELLOW	10.9	8.73	5 PCS
USATMLP25-5	25A ATMLP FUSE	25A	WHITE	10.9	8.73	5 PCS
USATMLP30-5	30A ATMLP FUSE	30A	GREEN	10.9	8.73	5 PCS


* Main image shown to size & actual colors may vary

ATM LOW PROFILE FUSES

	ITEM #	DESCRIPTION	AMPS	COLOR	A (mm)	B (mm)	BAG QTY
	ATM LOW PROFILE FUSES						
	ATMLP7.5-25	7.5A ATM LP FUSE	7.5A	BROWN	10.9	8.73	25 PCS
	ATMLP10-25	10A ATM LP FUSE	10A	RED	10.9	8.73	25 PCS
	ATMLP15-25	15A ATM LP FUSE	15A	BLUE	10.9	8.73	25 PCS
	ATMLP20-25	20A ATM LP FUSE	20A	YELLOW	10.9	8.73	25 PCS
	ATMLP25-25	25A ATM LP FUSE	25A	WHITE	10.9	8.73	25 PCS
	ATMLP30-25	30A ATM LP FUSE	30A	GREEN	10.9	8.73	25 PCS


* Main image shown close to size & actual colors may vary

ATL DUAL CIRCUIT MICRO FUSES USA COOPER BUSSMANN

	ITEM #	DESCRIPTION	AMPS	COLOR	A (mm)	B (mm)	BAG QTY
	ATL DUAL CIRCUIT MICRO FUSES						
	ATL5-5	5A ATL DUAL CIRCUIT MICRO FUSE	5A	TAN	14.4	18.1	5 PCS
	ATL7-5-5	7.5A ATL DUAL CIRCUIT MICRO FUSE	7.5A	BROWN	14.4	18.1	5 PCS
	ATL10-5	10A ATL DUAL CIRCUIT MICRO FUSE	10A	RED	14.4	18.1	5 PCS
	ATL15-5	15A ATL DUAL CIRCUIT MICRO FUSE	15A	BLUE	14.4	18.1	5 PCS


* Main image shown close to size & actual colors may vary

ATL DUAL CIRCUIT MICRO FUSES

	ITEM #	DESCRIPTION	AMPS	COLOR	A (mm)	B (mm)	BAG QTY
	ATL TRI-TERMINAL MICRO FUSES						
	E-ATL5	5A ATL DUAL CIRCUIT MICRO FUSE	5A	TAN	14.4	18.1	5 PCS
	E-ATL7-5	7.5A ATL DUAL CIRCUIT MICRO FUSE	7.5A	BROWN	14.4	18.1	5 PCS
	E-ATL10	10A ATL DUAL CIRCUIT MICRO FUSE	10A	RED	14.4	18.1	5 PCS
	E-ATL15	15A ATL DUAL CIRCUIT MICRO FUSE	15A	BLUE	14.4	18.1	5 PCS


* Main image shown close to size & actual colors may vary

ATR MICRO FUSE PACKS USA COOPER BUSSMANN

	ITEM #	DESCRIPTION	AMPS	COLOR	A (mm)	B (mm)	BOX QTY
	ATR SINGLE CIRCUIT MICRO FUSES						
	ATR5-5	ATR SINGLE CIRCUIT MICRO FUSE	5A	TAN	9.1	15.3	5 PCS
	ATR7-5-5	ATR SINGLE CIRCUIT MICRO FUSE	7.5A	BROWN	9.1	15.3	5 PCS
	ATR10-5	ATR SINGLE CIRCUIT MICRO FUSE	10A	RED	9.1	15.3	5 PCS
	ATR15-5	ATR SINGLE CIRCUIT MICRO FUSE	15A	BLUE	9.1	15.3	5 PCS
	ATR20-5	ATR SINGLE CIRCUIT MICRO FUSE	20A	YELLOW	9.1	15.3	5 PCS
	ATR25-5	ATR SINGLE CIRCUIT MICRO FUSE	25A	WHITE	9.1	15.3	5 PCS
	ATR30-5	ATR SINGLE CIRCUIT MICRO FUSE	30A	GREEN	9.1	15.3	5 PCS


* Main image shown close to size & actual colors may vary

ATR MICRO FUSE PACKS

	ITEM #	DESCRIPTION	AMPS	COLOR	A (mm)	B (mm)	BOX QTY
	ATR SINGLE CIRCUIT MICRO FUSES						
	E-ATR5	5A ATR MICRO FUSE	5A	TAN	9.1	15.3	5 PCS
	E-ATR7-5	7.5A ATR MICRO FUSE	7.5A	BROWN	9.1	15.3	5 PCS
	E-ATR10	10A ATR MICRO FUSE	10A	RED	9.1	15.3	5 PCS
	E-ATR15	15A ATR MICRO FUSE	15A	BLUE	9.1	15.3	5 PCS
	E-ATR20	20A ATR MICRO FUSE	20A	YELLOW	9.1	15.3	5 PCS
	E-ATR25	25A ATR MICRO FUSE	25A	WHITE	9.1	15.3	5 PCS
	E-ATR30	30A ATR MICRO FUSE	30A	GREEN	9.1	15.3	5 PCS


* Main image shown close to size & actual colors may vary

AGU FUSES

	ITEM #	DESCRIPTION	AMPS	A (mm)	B (mm)	BAG QTY
	AGU FUSES					
	AGU20	20A AGU FUSE	20A	10.3	38.1	10 PCS
	AGU30	30A AGU FUSE	30A	10.3	38.1	10 PCS
	AGU40	40A AGU FUSE	40A	10.3	38.1	10 PCS
	AGU50	50A AGU FUSE	50A	10.3	38.1	10 PCS
	AGU60	50A AGU FUSE	60A	10.3	38.1	10 PCS
	AGU70	70A AGU FUSE	70A	10.3	38.1	10 PCS
	AGU80	80A AGU FUSE	80A	10.3	38.1	10 PCS

* Image shown close to size


MAXI FUSES



ITEM #	DESCRIPTION	AMPS	COLOR	A (mm)	B (mm)	BAG QTY
MAXI FUSES						
MAX20	20A MAXI FUSE	20A	YELLOW	29.2	34.3	1 PC
MAX30	30A MAXI FUSE	30A	GREEN	29.2	34.3	1 PC
MAX30-10	30A MAXI FUSE	30A	GREEN	29.2	34.3	10 PCS
MAX40	40A MAXI FUSE	40A	ORANGE	29.2	34.3	1 PC
MAX40-10	40A MAXI FUSE	40A	ORANGE	29.2	34.3	10 PCS
MAX50	50A MAXI FUSE	50A	RED	29.2	34.3	1 PC
MAX50-10	50A MAXI FUSE	50A	RED	29.2	34.3	10 PCS
MAX60	60A MAXI FUSE	60A	BLUE	29.2	34.3	1 PC
MAX60-10	60A MAXI FUSE	60A	BLUE	29.2	34.3	10 PCS
MAX70	70A MAXI FUSE	70A	TAN	29.2	34.3	1 PC
MAX80	80A MAXI FUSE	80A	CLEAR	29.2	34.3	1 PC
MAX80-10	80A MAXI FUSE	80A	CLEAR	29.2	34.3	10 PCS
MAX100	100A MAXI FUSE	100A	VIOLET	29.2	34.3	1 PC
MAX100-10	100A MAXI FUSE	100A	VIOLET	29.2	34.3	10 PCS

* Main image shown close to size & actual colors may vary


ANL BOLT DOWN FUSES



ITEM #	DESCRIPTION	AMPS	A (mm)	B (mm)	BAG QTY
ANL BOLT DOWN FUSES - FOR USE WITH IBBDHLDR					
IBBD250A	250A BOLT DOWN FUSE	250A	19	69	1 PC
IBBD300A	300A BOLT DOWN FUSE	300A	19	69	1 PC

* Image shown close to size


AGC FUSES



* Image shown close to size

ITEM #	DESCRIPTION	AMPS	A (mm)	B (mm)	BAG QTY
AGC FUSES					
AGC1-25	1A AGC FUSE	1A	6.3	31.7	25 PCS
AGC3-25	3A AGC FUSE	3A	6.3	31.7	25 PCS
AGC5-25	5A AGC FUSE	5A	6.3	31.7	25 PCS
AGC7.5-25	7.5A AGC FUSE	7.5A	6.3	31.7	25 PCS
AGC10-25	10A AGC FUSE	10A	6.3	31.7	25 PCS
AGC15-25	15A AGC FUSE	15A	6.3	31.7	25 PCS
AGC20-25	20A AGC FUSE	20A	6.3	31.7	25 PCS
AGC40-25	40A AGC FUSE	40A	6.3	31.7	25 PCS

MINI ANL FUSES



* Main image shown close to size & actual colors may vary

ITEM #	DESCRIPTION	AMPS	COLOR	A (mm)	B (mm)	BAG QTY
MINI ANL FUSES						
MANL15	15A MINI ANL FUSE	15A	BLUE	11.9	40.64	2 PCS
MANL20	20A MINI ANL FUSE	20A	YELLOW	11.9	40.64	2 PCS
MANL25	25A MINI ANL FUSE	25A	WHITE	11.9	40.64	2 PCS
MANL30	30A MINI ANL FUSE	30A	GREEN	11.9	40.64	2 PCS
MANL35	35A MINI ANL FUSE	35A	YELLOW	11.9	40.64	2 PCS
MANL40	40A MINI ANL FUSE	40A	ORANGE	11.9	40.64	2 PCS
MANL50	50A MINI ANL FUSE	50A	RED	11.9	40.64	2 PCS
MANL60	60A MINI ANL FUSE	60A	BLUE	11.9	40.64	2 PCS
MANL60-10	60A MINI ANL FUSE					10 PCS
MANL70	70A MINI ANL FUSE	70A	BLACK	11.9	40.64	2 PCS
MANL80	80A MINI ANL FUSE	80A	WHITE	11.9	40.64	2 PCS
MANL80-10	80A MINI ANL FUSE					10 PCS
MANL100	100A MINI ANL FUSE	100A	YELLOW	11.9	40.64	2 PCS
MANL100-10	100A MINI ANL FUSE					10 PCS
MANL125	125A MINI ANL FUSE	125A	GREEN	11.9	40.64	2 PCS
MANL150	150A MINI ANL FUSE	150A	ORANGE	11.9	40.64	2 PCS
MANL150-10	150A MINI ANL FUSE					10 PCS
MANL175	175A MINI ANL FUSE	175A	YELLOW	11.9	40.64	2 PCS
MANL200	200A MINI ANL FUSE	200A	BLACK	11.9	40.64	2 PCS


ANL FUSES



* Image shown close to size


ITEM #	DESCRIPTION	AMPS	A (mm)	B (mm)	BAG QTY
ANL FUSES					
ANL80	80A ANL FUSE	80A	22.2	81	2 PCS
ANL100	100A ANL FUSE	100A	22.2	81	2 PCS
ANL150	150A ANL FUSE	150A	22.2	81	2 PCS
ANL200	200A ANL FUSE	200A	22.2	81	2 PCS
ANL250	250A ANL FUSE	250A	22.2	81	2 PCS
ANL300	300A ANL FUSE	300A	22.2	81	2 PCS
ANL500	500A ANL FUSE	500A	22.2	81	2 PCS
ANL50-10	50A ANL FUSE	50A	22.2	81	10 PCS
ANL80-10	80A ANL FUSE	80A	22.2	81	10 PCS
ANL100-10	100A ANL FUSE	100A	22.2	81	10 PCS
ANL150-10	150A ANL FUSE	150A	22.2	81	10 PCS
ANL200-10	200A ANL FUSE	200A	22.2	81	10 PCS
ANL250-10	250A ANL FUSE	250A	22.2	81	10 PCS
ANL300-10	300A ANL FUSE	300A	22.2	81	10 PCS
ANL400-10	400A ANL FUSE	400A	22.2	81	10 PCS
ANL500-10	500A ANL FUSE	500A	22.2	81	10 PCS

FMX FUSES USA COOPER BUSSMANN




ITEM #	DESCRIPTION	AMPS	COLOR	A (mm)	B (mm)	BAG QTY
FMX FUSES						
FMX-20	20A FMX FUSE	20A	BLUE	18	34	1 PC
FMX-30	30A FMX FUSE	30A	RED	18	34	1 PC
FMX-40	40A FMX FUSE	40A	GREEN	18	34	1 PC
FMX-50	50A FMX FUSE	50A	RED	18	34	1 PC
FMX-60	60A FMX FUSE	60A	YELLOW	18	34	1 PC

MICRO TIME DELAY FUSES USA COOPER BUSSMANN




ITEM #	DESCRIPTION	AMPS	COLOR	A (mm)	B (mm)	BAG QTY
MICRO TIME DELAY FUSES						
FMM-15	15A MICRO FUSE	15A	GRAY	13	18	1 PC
FMM-20	20A MICRO FUSE	20A	BLUE	13	18	1 PC
FMM-25	25A MICRO FUSE	25A	BEIGE	13	18	1 PC
FMM-30	30A MICRO FUSE	30A	RED	13	18	1 PC
FMM-40	40A MICRO FUSE	40A	GREEN	13	18	1 PC

ATM FUSE HOLDER




ITEM #	DESCRIPTION	GAUGE	A (mm)	B (mm)	BAG QTY
ATM FUSE HOLDER					
ATFH18MC-10	18GA ATM WITH COVER	18GA	25	25	10 PCS
ATFH16MC-10	16GA ATM WITH COVER	16GA	25	25	10 PCS
ATFH12MC-10	12GA ATM WITH COVER	12GA	22	38	10 PCS

ATC FUSE HOLDER




ITEM #	DESCRIPTION	GAUGE	A (mm)	B (mm)	BAG QTY
ATC FUSE HOLDER					
ATFH18C-10	18GA ATC WITH COVER	18GA	25	43	10 PCS
ATFH16C-10	16GA ATC WITH COVER	16GA	28	44	10 PCS
ATFH16-10	16GA ATC NO COVER	16GA	25	28	10 PCS
ATFH14C-10	14GA ATC WITH COVER	14GA	28	44	10 PCS
ATFH12C-10	12GA ATC WITH COVER	12GA	28	44	10 PCS
ATFH10C-10	10GA ATC WITH COVER	10GA	28	44	10 PCS
ATFH3M-10	3M 16/14GA WIRELESS ATC	16/14GA	35	35	10 PCS
ATFH16WL	16GA ATC WIRELESS NO COVER	16GA	28	47	25 PCS

MAXI FUSE HOLDER



ITEM #	DESCRIPTION	AMPS	A (mm)	B (mm)	BAG QTY
MAXI FUSE HOLDER					
MAXIFH	WATER-RESISTANT MAXI FUSE HOLDER WITH COVER	8GA	38	66	1 PC
MAXIFH-10					10 PCS

IN-LINE FUSE HOLDERS WITH LED



ITEM #	DESCRIPTION	BAG QTY
LPM-04B-I-12R	ATM MINI IN-LINE FUSE HOLDER WITH LED	1 PC
LPR-04B-I-12R	ATC REGULAR IN-LINE FUSE HOLDER WITH LED	1 PC
LPX-04B-I-6R	MAXI FUSE IN-LINE FUSE HOLDER WITH LED	1 PC
ATFHIL16-5	16GA ATC FUSE HOLDER WITH LED	5 PCS
ATFHIL12-5	12GA ATC FUSE HOLDER WITH LED	5 PCS

AGU FUSE HOLDER



ITEM #	DESCRIPTION	A (mm)	B (mm)	BAG QTY
ATFH8CB	8GA AGU BAKELITE FUSE HOLDER	19	76	1 PC

MAXI HEAVY-DUTY FUSE HOLDER



ITEM #	DESCRIPTION	GAUGE	BAG QTY
MAXIHDH	MAXI HEAVY-DUTY FUSE HOLDER	4/8GA INPUT/OUTPUT	1 PC

ATC FUSE HOLDERS



ITEM #	DESCRIPTION	WIRE	BAG QTY
IBR62	ATC FUSE HOLDER WATER-RESISTANT DESIGN WITH MOUNTING TAB ON COVER	12GA	1 PC
IBR63	DUAL ATC SINGLE-CIRCUIT FUSE HOLDER SUPPORTS UP TO 8GA WIRE IN WATER-RESISTANT CONNECTOR	8GA	1 PC

MINI ANL/MAXI FUSE HOLDER



ITEM #	DESCRIPTION	BAG QTY
IBR140	0/2/4GA DUAL MAXI OR SINGLE ANL FUSE HOLDER - SILICONE GASKET ACCEPTS 0, 2, 4 AWG POWER WIRE - POWER HANDLING UP TO 300 AMPS - HEAVY-DUTY BRASS FOR DEPENDABLE MAX POWER TRANSFER - MARINE CERTIFIED - FUSES INCLUDED	1 PC
IBR141	0/2/4GA MINI ANL WATER-RESISTANT FUSE HOLDER - SILICONE GASKET ACCEPTS 0, 2, 4 AWG POWER WIRE - POWER HANDLING UP TO 300 AMPS - HEAVY-DUTY BRASS FOR DEPENDABLE MAX POWER TRANSFER - MARINE CERTIFIED - FUSES INCLUDED	1 PC
IBR81	4/8GA WATER-RESISTANT DUAL ATC OR MINI ANL FUSE HOLDER UP TO 80A W/ DUAL ATC FUSES OR 100A CAPACITY W/MINI ANL FUSE (4GA WIRE) SWAPPABLE 4/8GA WATER-RESISTANT GROMMETS AND WIRE INSERTS PLATED BRASS CONNECTORS FOR MAXIMUM POWER TRANSFER INCLUDES: 30A MINI ANL FUSE, 60A MINI ANL FUSE, ALLEN WRENCH	1 PC

MINI ANL & AGU FUSE HOLDERS

  		
FMANL MANLFH WFHAGU / FHAGU		
ITEM #	DESCRIPTION	BAG QTY
FMANL	4/8GA ADJUSTABLE NICKEL MINI ANL FUSE HOLDER	1 PC
MANLFH	4/8GA MINI ANL FUSE HOLDER	1 PC
MANLFH-10	4/8GA MINI ANL FUSE HOLDER	10 PCS
WFH-MANL	4/8GA ADJUSTABLE NICKEL MINI ANL FUSE HOLDER	10 PCS
WFHAGU	BULK 4/8GA ADJUSTABLE MINI AGU FUSE HOLDER	10 PCS
FHAGU	4/8GA ADJUSTABLE MINI AGU FUSE HOLDER	1 PC

ANL FUSE HOLDER

 		
ANLFH / ANLFH-10 IBBDHLDR		
ITEM #	DESCRIPTION	BAG QTY
ANLFH	ANL NICKEL FUSE HOLDER - STUD SIZE 5/16	1 PC
ANLFH-10	BULK ANL NICKEL FUSE HOLDER - STUD SIZE 5/16	10 PCS
IBBDHLDR	ANL FUSE HOLDER FOR BOLT DOWN FUSES	1 PC

FUSE HOLDERS				
				
IBR51		IBR52		
ITEM #	DESCRIPTION	INPUT/OUTPUT	REDUCERS	BAG QTY
IBR51	MINI ANL FUSE HOLDER	4GA	8GA	1 PC
IBR52	ANL & MINI ANL FUSE HOLDER	1/0GA	4GA	1 PC

DUAL TERMINAL STUDS				
				
IB-SRM8		IB-SRM10		
ITEM #	DESCRIPTION	SIZE	COLOR	BAG QTY
IB-SRM8	M8 SINGLE TERMINAL STUD	5/16"	RED	1 PC
IB-SRM10	M10 SINGLE TERMINAL STUD	3/8"	RED	1 PC

MARINE RATED BATTERY FUSES							
	ITEM #	DESCRIPTION	COLOR	AMP	A (mm)	B (mm)	BAG QTY
	MARINE RATED BATTERY FUSES						
	CBBF-90	90 AMP BATTERY FUSE	CLEAR	90A	19	28	1 PC
	CBBF-100	100 AMP BATTERY FUSE	CLEAR	100A	28	36	1 PC
	CBBF-125	125 AMP BATTERY FUSE	CLEAR	125A	22	28	1 PC
	CBBF-300	300 AMP BATTERY FUSE	CLEAR	300A	28	36	1 PC

STACKABLE FUSE PANELS



ATMFP



TOPVIEW - NO LID

MANLFP

ITEM #	DESCRIPTION	BAG QTY
ATMFP	ATC/ATM STACKABLE FUSE PANEL	1 PC
	<i>ACTS AS AN IN-LINE FUSE HOLDER WITH JUMPERS TO CREATE ANY DISTRIBUTION BLOCK. FUSED DISTRIBUTION OR POWER/GROUND AS YOU NEED. MAXIMUM AMPERAGE - 40 AMPS PER CIRCUIT. MAXIMUM VOLTAGE - 32 VOLTS DC</i>	
MANLFP	MINI ANL STACKABLE FUSE PANEL	1 PC
	<i>NICKEL-PLATED ANL AND MANL FUSE HOLDER. CAN HANDLE 10-OGA.</i>	

Single in-line ATC fuseholder



1 x in/2 x out distribution block



Power and Ground 2-in-1 block




1 x in/ 3 x out fused distribution block




Single in-line ATC fuseholder




1 x in/ 3 x out fused distribution block




1 x in/3 x out distribution block




Power and Ground 2-in-1 block



ATC FUSE PANELS USA COOPER BUSSMANN



15600-06-20



15600-06-21

ITEM #	DESCRIPTION	AMP	POSITIONS	BAG QTY
15600-06-20	ATC FUSE PANEL WITH SHORT BASE	30A	6	1 PC
15600-06-21	ATC FUSE PANEL WITH LONG BASE	30A	6	1 PC

ATC FUSE BLOCKS



BLC-106 / BLC-106-C



BLC-106-G / BLC-106-C



BLC-108-G / BLC-108-C

ITEM #	DESCRIPTION	POSITIONS	QTY
BLC-106	ATC FUSE BLOCK - USE WITH REGULAR AUTO BLADE FUSES	6	1 PC
BLC-106-G	ATC FUSE BLOCK + GROUNDING PAD - USE WITH REGULAR AUTO BLADE FUSES	6	1 PC
BLC-106-C	DUST-PROOF COVER FOR BLC-106 AND BLC-106-G	—	1 PC
BLC-108-G	ATC FUSE BLOCK + GROUNDING PAD - USE WITH REGULAR AUTO BLADE FUSES	8	1 PC
BLC-108-C	DUST-PROOF COVER FOR BLC-108-G	—	1 PC

ATC FUSE BLOCKS



BLC-110-G / BLC-110-C



BLC-112-G

ITEM #	DESCRIPTION	POSITIONS	QTY
BLC-110-G	ATC FUSE BLOCK + GROUNDING PAD - USE WITH REGULAR AUTO BLADE FUSES	10	1 PC
BLC-110-C	DUST-PROOF COVER FOR BLC-110-G		1 PC
BLC-112-G	ATC FUSE BLOCK + GROUNDING PAD - USE WITH REGULAR AUTO BLADE FUSES	12	1 PC

LED ATM FUSE BLOCK



BLM-I-304



BLM-I-306

ITEM #	DESCRIPTION	POSITIONS	QTY
BLM-I-304	ATM FUSE BLOCK WITH LED INDICATORS - USE WITH MINI AUTO BLADE FUSES	4	1 PC
BLM-I-306	ATM FUSE BLOCK WITH LED INDICATORS - USE WITH MINI AUTO BLADE FUSES	6	1 PC

LED ATC FUSE BLOCK



BLR-I-304



BLR-I-504

ITEM #	DESCRIPTION	POSITIONS	QTY
BLR-I-304	ATC FUSE BLOCK WITH LED INDICATORS - USE WITH REGULAR AUTO BLADE FUSES	4	1 PC
BLR-I-504	ATC FUSE BLOCK WITH LED INDICATORS & SCREW TERMINALS - USE WITH REGULAR AUTO BLADE FUSES	4	1 PC

LED ATC FUSE BLOCK



BLR-I-306



BLR-I-506

ITEM #	DESCRIPTION	POSITIONS	QTY
BLR-I-306	ATC FUSE BLOCK WITH LED INDICATORS - USE WITH REGULAR AUTO BLADE FUSES	6	1 PC
BLR-I-506	ATC FUSE BLOCK WITH LED INDICATORS & SCREW TERMINALS - USE WITH REGULAR AUTO BLADE FUSES	6	1 PC

LED ATC FUSE BLOCK

			
BLR-I-510		BLR-I-310	
ITEM #	DESCRIPTION	POSITIONS	QTY
BLR-I-310	ATC FUSE BLOCK WITH LED INDICATORS - USE WITH REGULAR AUTO BLADE FUSES	10	1 PC
BLR-I-510	ATC FUSE BLOCK WITH LED INDICATORS & SCREW TERMINALS - USE WITH REGULAR AUTO BLADE FUSES. SCREWS INCLUDED.	10	1 PC

MINI LINE-VOLTAGE CIRCUIT BREAKERS

	ITEM #	DESCRIPTION	AMP	BAG QTY
	CBW57-PS-5A	5A MINI LINE-VOLTAGE CIRCUIT BREAKER	5A	1 PC
	CBW57-PS-10A	10A MINI LINE-VOLTAGE CIRCUIT BREAKER	10A	1 PC
	CBW57-PS-15A	15A MINI LINE-VOLTAGE CIRCUIT BREAKER	15A	1 PC
	CBW57-PS-20A	20A MINI LINE-VOLTAGE CIRCUIT BREAKER	20A	1 PC
PUSH-TO-RESET, PANEL-MOUNT DESIGN. FOR USE IN MARINE AND CONTROL PANELS.				

AUTO RESET CIRCUIT BREAKERS USA COOPER BUSSMANN

	ITEM #	DESCRIPTION	AMP	BAG QTY
	CB20AR	20A CIRCUIT BREAKER	20A	1 PC
	CB30AR	30A CIRCUIT BREAKER	30A	1 PC
	CB40AR	40A CIRCUIT BREAKER	40A	1 PC
	CB50AR	50A CIRCUIT BREAKER	50A	1 PC

MINI MANUAL RESET CIRCUIT BREAKERS

	ITEM #	DESCRIPTION	AMP	BAG QTY
	M-CB10MR	10A MINI CIRCUIT BREAKER	10A	1 PC
	M-CB15MR	15A MINI CIRCUIT BREAKER	15A	1 PC
	M-CB20MR	20A MINI CIRCUIT BREAKER	20A	1 PC
	M-CB30MR	30A MINI CIRCUIT BREAKER	30A	1 PC
	M-CB40MR	40A MINI CIRCUIT BREAKER	40A	1 PC
	M-CB50MR	50A MINI CIRCUIT BREAKER	50A	1 PC
	M-CB60MR	60A MINI CIRCUIT BREAKER	60A	1 PC

MANUAL RESET CIRCUIT BREAKERS USA COOPER BUSSMANN



ITEM #	DESCRIPTION	VOLTAGE	AMP	BAG QTY
CB50MR	50A CIRCUIT BREAKER WITH IGNITION PROTECTION	42V MAX	50A	1 PC
CB80MR	80A CIRCUIT BREAKER WITH IGNITION PROTECTION	42V MAX	80A	1 PC
CB100MR	100A CIRCUIT BREAKER WITH IGNITION PROTECTION	42V MAX	100A	1 PC
CB150MR	150A CIRCUIT BREAKER WITH IGNITION PROTECTION	42V MAX	150A	1 PC

CIRCUIT BREAKER WITH PUSH BUTTON TO DISABLE CIRCUIT POWER. RESET LEVER SHOWS FAULT/TRIPPED CONDITION. IGNITION PROTECTED. WATER-RESISTANT DESIGN FOR USE IN ENGINE COMPARTMENT OR WET AREA APPLICATIONS. IP67 RATED

MANUAL RESET CIRCUIT BREAKERS



ITEM #	DESCRIPTION	AMP	BAG QTY
E-CB50MR	50A CIRCUIT BREAKER WITH IGNITION PROTECTION	50A	1 PC
E-CB60MR	60A CIRCUIT BREAKER WITH IGNITION PROTECTION	60A	1 PC
E-CB80MR	80A CIRCUIT BREAKER WITH IGNITION PROTECTION	80A	1 PC
E-CB100MR	100A CIRCUIT BREAKER WITH IGNITION PROTECTION	100A	1 PC
E-CB135MR	135A CIRCUIT BREAKER WITH IGNITION PROTECTION	135A	1 PC
E-CB150MR	150A CIRCUIT BREAKER WITH IGNITION PROTECTION	150A	1 PC
E-CB200MR	200A CIRCUIT BREAKER WITH IGNITION PROTECTION	200A	1 PC

RESETTABLE CIRCUIT BREAKERS WITH LED INDICATOR



ITEM #	DESCRIPTION	AMP	BAG QTY
EL-CB50MR	50A CIRCUIT BREAKER WITH TRIP LED INDICATOR	50A	1 PC
EL-CB80MR	80A CIRCUIT BREAKER WITH TRIP LED INDICATOR	80A	1 PC
EL-CB100MR	100A CIRCUIT BREAKER WITH TRIP LED INDICATOR	100A	1 PC
EL-CB150MR	150A CIRCUIT BREAKER WITH TRIP LED INDICATOR	150A	1 PC
EL-CB200MR	200A CIRCUIT BREAKER WITH TRIP LED INDICATOR	200A	1 PC

SMART BATTERY ISOLATOR



The smart battery isolator is designed specifically for use in multi-battery applications as a solenoid priority system to protect the start battery from being excessively discharged by auxiliary loads, while still allowing the auxiliary battery to supply non-essential loads. Once the battery has a charge from the alternator, the smart battery isolator will connect an auxiliary battery to the circuit. If the start battery voltage drops too low, the smart battery isolator will disconnect any auxiliary batteries or loads from the start battery to conserve charge.

ITEM #	DESCRIPTION	QTY
IB-SRL500	500 AMP SMART BATTERY ISOLATOR	1 PC

CHARGE YOUR AUXILIARY POWER WHILE DRIVING. COST EFFECTIVE PROTECTION AGAINST A FLAT START BATTERY. PROFESSIONAL INSTALLATION RECOMMENDED.

3600 WATT AMP KIT

ITEM #	DESCRIPTION	QTY
AK01	3600 WATT DUAL 1/0GA VALUE AMP KIT CCA	1 KIT
	• 1/0GA 17' BLUE POWER WIRE • 1/0GA 2' BLACK POWER WIRE • 4GA 8' BLUE POWER WIRE • 4GA 8' BLACK ROUND WIRE • (2) RIGHT ANGLE RCA CABLES - 17' BLUE, SIDE-BY-SIDE - SINGLE INJECTION ENDS - NICKEL-PLATED • 20' BLUE REMOTE TURN-ON WIRE • (1) ANL FUSE HOLDER - NICKEL-PLATED WITH 150 AMP FUSE • (1) MINI-ANL FUSE HOLDER - 2-POSITION / NICKEL-PLATED - (1) 1/0GA INPUT WITH (2) 4GA OUTPUT WITH (2) 80 AMP FUSES • (1) NICKEL-PLATED BATTERY TERMINAL • (1) NICKEL-PLATED DISTRIBUTION BLOCK • (2) NICKEL-PLATED RING TERMINALS - BLACK/BLUE BOOTS • (1) HARDWARE BAG • PROFESSIONAL INSTALLATION RECOMMENDED	

2000 WATT AMP KIT

ITEM #	DESCRIPTION	QTY
AK02	2000 WATT 1/0GA VALUE AMP KIT CCA	1 KIT
	• 1/0GA 17' BLUE POWER WIRE • 1/0GA 3' BLACK POWER WIRE • (1) RIGHT ANGLE RCA CABLE - 17' BLUE, SIDE-BY-SIDE - SINGLE INJECTION NICKEL-PLATED ENDS • 18GA 17' BLUE REMOTE TURN-ON WIRE • (1) NICKEL-PLATED ANL FUSE HOLDER - 150 AMP FUSE • (2) NICKEL-PLATED RING TERMINALS - BLACK/BLUE BOOTS • (1) HARDWARE BAG • PROFESSIONAL INSTALLATION RECOMMENDED	

WIRE + CABLE AMP KITS

1600 WATT AMP KIT



ITEM #	DESCRIPTION	QTY
AK4ANL	1600 WATT AMP KIT CCA • 4GA 17' BLUE POWER WIRE • 4GA 3' BLACK POWER WIRE • (1) RIGHT ANGLE RCA CABLE - 17' BLUE, SIDE-BY-SIDE - SINGLE INJECTION ENDS - NICKEL-PLATED • 18GA 17' BLUE REMOTE TURN-ON WIRE • (1) NICKEL-PLATED ANL FUSE HOLDER - 60 AMP FUSE • (2) NICKEL-PLATED RING TERMINALS - BLACK/BLUE BOOTS • (1) HARDWARE BAG • PROFESSIONAL INSTALLATION RECOMMENDED	1 KIT

1600 WATT AMP KIT



ITEM #	DESCRIPTION	QTY
AK4	1600 WATT 4GA VALUE COMPLETE AMP KIT CCA • 4GA 17' BLUE POWER WIRE • 4GA 3' BLACK POWER WIRE • (1) RIGHT ANGLE RCA CABLE - 17' BLUE, SIDE-BY-SIDE - SINGLE INJECTION ENDS - NICKEL-PLATED • 18GA 17' BLUE REMOTE TURN-ON WIRE • 1 MINI-ANL FUSE HOLDER - NICKEL-PLATED - 60 AMP FUSE • (2) NICKEL-PLATED RING TERMINALS - BLACK/BLUE BOOTS • (1) HARDWARE BAG • PROFESSIONAL INSTALLATION RECOMMENDED	1 KIT

1000 WATT AMP KIT

ITEM #	DESCRIPTION	QTY
AK8	1000 WATT 8GA COMPLETE AMP KIT CCA	1 KIT
	• 8GA 17' BLUE POWER WIRE • 8GA 3' BLACK POWER WIRE • (1) RIGHT ANGLE RCA CABLE - 17' BLUE, SIDE-BY-SIDE - SINGLE INJECTION ENDS - NICKEL PLATED • 18GA 17' BLUE REMOTE TURN-ON WIRE • (1) NICKEL-PLATED MINI-ANL FUSE HOLDER - 40 AMP FUSE • (2) NICKEL-PLATED RING TERMINALS - BLACK/BLUE BOOTS • 1 HARDWARE BAG • PROFESSIONAL INSTALLATION RECOMMENDED	

1 FARAD CAPACITOR WITH VOLTMETER

ITEM #	DESCRIPTION	QTY
IB-CAP1F	1 FARAD CAPACITOR WITH VOLTMETER	1 PC
	IMPROVE SOUND QUALITY LOW ESR (EQUIVALENT SERIES RESISTANCE) CLEANER MIDS & HIGHS PROFESSIONAL INSTALLATION RECOMMENDED	

WIRE + CABLE RCA AUDIO CABLES

COPPER RCA AUDIO CABLES



ITEM #	DESCRIPTION	LENGTH	COLOR	BAG QTY
IBRCA600-3	COPPER RCA AUDIO CABLE	3'	RED/BLK	1 PC
IBRCA600-6	COPPER RCA AUDIO CABLE	6'	RED/BLK	1 PC
IBRCA600-10	COPPER RCA AUDIO CABLE	10'	RED/BLK	1 PC
IBRCA600-14	COPPER RCA AUDIO CABLE	14'	RED/BLK	1 PC
IBRCA600-17	COPPER RCA AUDIO CABLE	17'	RED/BLK	1 PC
IBRCA600-20	COPPER RCA AUDIO CABLE	20'	RED/BLK	1 PC
IBRCA600-Y1	COPPER RCA Y CABLE - 1 FEMALE TO 2 MALE	6"	RED/BLK	1 PC
IBRCA600-Y2	COPPER RCA Y CABLE - 1 MALE TO 2 FEMALE	6"	RED/BLK	1 PC

OFC COPPER FOR EXCELLENT QUALITY, DYNAMIC RANGE AND FREQUENCY RESPONSE. 24 HARD, GOLD-PLATED CONNECTORS. HIGH-QUALITY CLEAR, FLEXIBLE JACKET. INNOVATIVE MOLDED STRAIN RELIEF PROVIDES PROTECTION FROM SHORT CIRCUITS. EXCELLENT NOISE REDUCTION.

NICKEL-PLATED RCA AUDIO CABLES



ITEM #	DESCRIPTION	LENGTH	COLOR	BAG QTY
IBRCA1M	NICKEL-PLATED RCA AUDIO CABLE	3'	BLU/CLR	1 PC
IBRCA2M	NICKEL-PLATED RCA AUDIO CABLE	6'	BLU/CLR	1 PC
IBRCA4M	NICKEL-PLATED RCA AUDIO CABLE	13'	BLU/CLR	1 PC
IBRCA5M	NICKEL-PLATED RCA AUDIO CABLE	16.5'	BLU/CLR	1 PC
IBRCAY1	NICKEL-PLATED RCA Y CABLE - 1 FEMALE TO 2 MALE	6"	BLU/CLR	1 PC
IBRCAY2	NICKEL-PLATED RCA Y CABLE - 1 MALE TO 2 FEMALE	6"	BLU/CLR	1 PC

NICKEL-PLATED CONNECTORS. HIGH QUALITY BLUE, FLEXIBLE JACKET. EXCELLENT NOISE REDUCTION.

BARREL CONNECTORS

			
RCAMRA-10	RCA100-BP	RCA100-BM10	
			
RCA100-BF10	IBFF35		
ITEM #	DESCRIPTION	COLOR	BAG QTY
RCAMRA-10	MINI RIGHT-ANGLE RCA BARREL CONNECTOR	RED/BLK	10 PCS
RCA100-BP	RCA BANANA PLUG PAIR	RED/BLK	1 PAIR
RCA100-BM10	MALE NICKEL BARREL CONNECTOR	BLACK	10 PCS
RCA100-BM50	RCA100-BM10 BULK PACK OF 50		50 PCS
RCA100-BF10	FEMALE NICKEL BARREL CONNECTOR	BLACK	10 PCS
RCA100-BF50	RCA100-BF10 BULK PACK OF 50		50 PCS
IBFF35	FEMALE TO FEMALE 3.5MM NICKEL BARREL CONNECTOR	BLACK	10 PCS

3.5MM TO RCA CABLES

					
IB3.5RCA		IB3.5RCA-1		IB3.5MM	
					
IB3.5MM-1		IBR43		IBR44	
ITEM #	DESCRIPTION	LENGTH	COLOR	BAG QTY	
IB3.5RCA	RIGHT-ANGLE 3.5MM MALE TO RCA CABLE	6'	RED/WHT	10 PCS	
IB3.5RCA-1	RIGHT-ANGLE 3.5MM MALE TO RCA CABLE	3'	RED/WHT	5 PCS	
IB3.5MM	RIGHT-ANGLE 3.5MM MALE TO MALE CABLE	6'	BLACK	10 PCS	
IB3.5MM-1	RIGHT-ANGLE 3.5MM MALE TO MALE CABLE	3'	BLACK	5 PCS	
IBR43	3.5MM TO RIGHT-ANGLE 3.5MM	6'	BLU/CLR	1 PC	
IBR44	RIGHT-ANGLE 3.5MM TO RCA CABLE	6'	BLU/CLR	1 PC	

WIRE + CABLE COPPER PRIMARY WIRE**ALL COPPER PRIMARY WIRE**

PWBK12500



PWRD12500



PWRD14500



PWBK14500

ITEM #	DESCRIPTION	GAUGE	COLOR	REEL
12GA COPPER PRIMARY WIRE				
PWBK12500	12GA COPPER PRIMARY WIRE	12GA	BLACK	500 FT
PWRD12500	12GA COPPER PRIMARY WIRE	12GA	RED	500 FT
14GA COPPER PRIMARY WIRE				
PWBK14500	14GA COPPER PRIMARY WIRE	14GA	BLACK	500 FT
PWRD14500	14GA COPPER PRIMARY WIRE	14GA	RED	500 FT
PWBL14500	14GA COPPER PRIMARY WIRE	14GA	BLUE	500 FT
PWGN14500	14GA COPPER PRIMARY WIRE	14GA	GREEN	500 FT
PWOR14500	14GA COPPER PRIMARY WIRE	14GA	ORANGE	500 FT
PWPL14500	14GA COPPER PRIMARY WIRE	14GA	PURPLE	500 FT
PWYL14500	14GA COPPER PRIMARY WIRE	14GA	YELLOW	500 FT
PWWT14500	14GA COPPER PRIMARY WIRE	14GA	WHITE	500 FT
16GA COPPER PRIMARY WIRE				
PWBK16500	16GA COPPER PRIMARY WIRE	16GA	BLACK	500 FT
PWRD16500	16GA COPPER PRIMARY WIRE	16GA	RED	500 FT
PWBL16500	16GA COPPER PRIMARY WIRE	16GA	BLUE	500 FT
PWBN16500	16GA COPPER PRIMARY WIRE	16GA	BROWN	500 FT
PWGN16500	16GA COPPER PRIMARY WIRE	16GA	GREEN	500 FT
PWGY16500	16GA COPPER PRIMARY WIRE	16GA	GRAY	500 FT
PWOR16500	16GA COPPER PRIMARY WIRE	16GA	ORANGE	500 FT
PWPL16500	16GA COPPER PRIMARY WIRE	16GA	PURPLE	500 FT
PWPK16500	16GA COPPER PRIMARY WIRE	16GA	PINK	500 FT
PWWT16500	16GA COPPER PRIMARY WIRE	16GA	WHITE	500 FT
PWYL16500	16GA COPPER PRIMARY WIRE	16GA	YELLOW	500 FT

*Continued on next page

ALL COPPER PRIMARY WIRE CONTINUED

							
PWOR16500		PWWT16500		PWBK18500		PWBL18500	
ITEM #		DESCRIPTION			GAUGE	COLOR	REEL
18GA COPPER PRIMARY WIRE							
PWBK18500		18GA COPPER PRIMARY WIRE			18GA	BLACK	500 FT
PWRD18500		18GA COPPER PRIMARY WIRE			18GA	RED	500 FT
PWBL18500		18GA COPPER PRIMARY WIRE			18GA	BLUE	500 FT
PWBR18500		18GA COPPER PRIMARY WIRE			18GA	BROWN	500 FT
PWGN18500		18GA COPPER PRIMARY WIRE			18GA	GREEN	500 FT
PWGY18500		18GA COPPER PRIMARY WIRE			18GA	GRAY	500 FT
PWOR18500		18GA COPPER PRIMARY WIRE			18GA	ORANGE	500 FT
PWPL18500		18GA COPPER PRIMARY WIRE			18GA	PURPLE	500 FT
PWWT18500		18GA COPPER PRIMARY WIRE			18GA	WHITE	500 FT
PWYL18500		18GA COPPER PRIMARY WIRE			18GA	YELLOW	500 FT
PWBK181000		18GA COPPER PRIMARY WIRE			18GA	BLACK	1000 FT
PWRD181000		18GA COPPER PRIMARY WIRE			18GA	RED	1000 FT
PWBL181000		18GA COPPER PRIMARY WIRE			18GA	BLUE	1000 FT

ALL COPPER SPEAKER WIRE

				
SWRB12100	SWRB14100	SWRB14500	SWRB18500	
ITEM #	DESCRIPTION	GAUGE	COLOR	REEL
SWRB8100	8GA COPPER SPEAKER WIRE	8GA	RED/BLK	100 FT
SWRB10100	10GA COPPER SPEAKER WIRE	10GA	RED/BLK	100 FT
SWRB12100	12GA COPPER SPEAKER WIRE	12GA	RED/BLK	100 FT
SWRB12500	12GA COPPER SPEAKER WIRE	12GA	RED/BLK	500 FT
SWRB14100	14GA COPPER SPEAKER WIRE	14GA	RED/BLK	100 FT
SWRB14500	14GA COPPER SPEAKER WIRE	14GA	RED/BLK	500 FT
SW16-500	16GA COPPER SPEAKER WIRE	16GA	CLEAR	500 FT
SWRB16-500	16GA COPPER SPEAKER WIRE	16GA	RED/BLK	500 FT
SW18-1000	18GA CLEAR SPEAKER WIRE	18GA	CLEAR	1000 FT
SWRB18500	18GA COPPER SPEAKER WIRE	18GA	RED/BLK	500 FT

WIRE + CABLE COPPER US GPT PRIMARY WIRE

ALL COPPER US GPT PRIMARY WIRE CONTINUED

			
US1650YL	US1650OR	US1650BK	US18500BL

ITEM #	DESCRIPTION	GAUGE	COLOR	REEL
8GA COPPER US GPT PRIMARY WIRE OE/SAE SPEC.				
US8250R	8GA COPPER US GPT PRIMARY WIRE OE/SAE SPEC.	8GA	RED	250 FT
US8250BK	8GA COPPER US GPT PRIMARY WIRE OE/SAE SPEC.	8GA	BLACK	250 FT
10GA COPPER US GPT PRIMARY WIRE OE/SAE SPEC.				
US10250R	10GA COPPER US GPT PRIMARY WIRE OE/SAE SPEC.	10GA	RED	250 FT
US10250BK	10GA COPPER US GPT PRIMARY WIRE OE/SAE SPEC.	10GA	BLACK	250 FT
12GA COPPER US GPT PRIMARY WIRE OE/SAE SPEC.				
US12500R	12GA COPPER US GPT PRIMARY WIRE OE/SAE SPEC.	12GA	RED	500 FT
US12500BK	12GA COPPER US GPT PRIMARY WIRE OE/SAE SPEC.	12GA	BLACK	500 FT
US12500YL	12GA COPPER US GPT PRIMARY WIRE OE/SAE SPEC.	12GA	YELLOW	500 FT
14GA COPPER US GPT PRIMARY WIRE OE/SAE SPEC.				
US14500R	14GA COPPER US GPT PRIMARY WIRE OE/SAE SPEC.	14GA	RED	500 FT
US14500BK	14GA COPPER US GPT PRIMARY WIRE OE/SAE SPEC.	14GA	BLACK	500 FT
US14500BL	14GA COPPER US GPT PRIMARY WIRE OE/SAE SPEC.	14GA	BLUE	500 FT
US14500BR	14GA COPPER US GPT PRIMARY WIRE OE/SAE SPEC.	14GA	BROWN	500 FT
US14500GR	14GA COPPER US GPT PRIMARY WIRE OE/SAE SPEC.	14GA	GREEN	500 FT
US14500GY	14GA COPPER US GPT PRIMARY WIRE OE/SAE SPEC.	14GA	GRAY	500 FT
US14500OR	14GA COPPER US GPT PRIMARY WIRE OE/SAE SPEC.	14GA	ORANGE	500 FT
US14500PL	14GA COPPER US GPT PRIMARY WIRE OE/SAE SPEC.	14GA	PURPLE	500 FT
16GA COPPER US GPT PRIMARY WIRE OE/SAE SPEC.				
US16500R	16GA COPPER US GPT PRIMARY WIRE OE/SAE SPEC.	16GA	RED	500 FT
US16500BK	16GA COPPER US GPT PRIMARY WIRE OE/SAE SPEC.	16GA	BLACK	500 FT
US16500BL	16GA COPPER US GPT PRIMARY WIRE OE/SAE SPEC.	16GA	BLUE	500 FT
US16500BR	16GA COPPER US GPT PRIMARY WIRE OE/SAE SPEC.	16GA	BROWN	500 FT
US16500GR	16GA COPPER US GPT PRIMARY WIRE OE/SAE SPEC.	16GA	GREEN	500 FT
US16500GY	16GA COPPER US GPT PRIMARY WIRE OE/SAE SPEC.	16GA	GRAY	500 FT
US16500OR	16GA COPPER US GPT PRIMARY WIRE OE/SAE SPEC.	16GA	ORANGE	500 FT
US16500PK	16GA COPPER US GPT PRIMARY WIRE OE/SAE SPEC.	16GA	PINK	500 FT
US16500PL	16GA COPPER US GPT PRIMARY WIRE OE/SAE SPEC.	16GA	PURPLE	500 FT

ALL COPPER US GPT PRIMARY WIRE **CONTINUED**

				
US18500GR	US18500WBK	US18500WOR	US18500WBL	
ITEM #	DESCRIPTION	GAUGE	COLOR	REEL
18GA COPPER US GPT PRIMARY WIRE				
US18500R	18GA COPPER US GPT PRIMARY WIRE	18GA	RED	500 FT
US18500BK	18GA COPPER US GPT PRIMARY WIRE	18GA	BLACK	500 FT
US18500BL	18GA COPPER US GPT PRIMARY WIRE	18GA	BLUE	500 FT
US18500BR	18GA COPPER US GPT PRIMARY WIRE	18GA	BROWN	500 FT
US18500GR	18GA COPPER US GPT PRIMARY WIRE	18GA	GREEN	500 FT
US18500GY	18GA COPPER US GPT PRIMARY WIRE	18GA	GRAY	500 FT
US18500OR	18GA COPPER US GPT PRIMARY WIRE	18GA	ORANGE	500 FT
US18500PK	18GA COPPER US GPT PRIMARY WIRE	18GA	PINK	500 FT
US18500PL	18GA COPPER US GPT PRIMARY WIRE	18GA	PURPLE	500 FT
US18500WT	18GA COPPER US GPT PRIMARY WIRE	18GA	WHITE	500 FT
US18500WBK	18GA COPPER US GPT PRIMARY WIRE	18GA	WHT/BLK	500 FT
US18500WBL	18GA COPPER US GPT PRIMARY WIRE	18GA	WHT/BLU	500 FT
US18500WGN	18GA COPPER US GPT PRIMARY WIRE	18GA	WHT/GRN	500 FT
US18500WGY	18GA COPPER US GPT PRIMARY WIRE	18GA	WHT/GRY	500 FT
US18500WOR	18GA COPPER US GPT PRIMARY WIRE	18GA	WHT/OR	500 FT
US18500WBR	18GA COPPER US GPT PRIMARY WIRE	18GA	WHT/BRN	500 FT
US18500WPL	18GA COPPER US GPT PRIMARY WIRE	18GA	WHT/PUR	500 FT
US18500WRD	18GA COPPER US GPT PRIMARY WIRE	18GA	WHT/RED	500 FT
US18500WYL	18GA COPPER US GPT PRIMARY WIRE	18GA	WHT/YEL	500 FT
US18500YL	18GA COPPER US GPT PRIMARY WIRE	18GA	YELLOW	500 FT


WIRE + CABLE MULTI-CONDUCTOR CABLE + MULTI-CONDUCTOR PRIMARY WIRE

MULTI-CONDUCTOR CABLE



MC918-250		SWLED6-250		
ITEM #	DESCRIPTION	GAUGE	COLOR	REEL
MC918-250	18GA 9-CONDUCTOR EIA COLOR-CODED COPPER CABLE	18GA	BLUE	250 FT
SWLED6-250	16GA PR SPEAKER COPPER CABLE + 20GA RGB/YELLOW	16GA	BLACK	200 FT

COPPER-JACKETED MULTI-CONDUCTOR PRIMARY WIRE



JPWBW14100 / JPWBW16100		JPWBGW16100		JPWBGRW16100
ITEM #	DESCRIPTION	GAUGE	COLOR	REEL
JPWBW14100	2-CONDUCTOR 14GA MULTI-CONDUCTOR PRIMARY WIRE	14GA	BLK/WHT	100 FT
JPWBW16100	2-CONDUCTOR 16GA MULTI-CONDUCTOR PRIMARY WIRE	16GA	BLK/WHT	100 FT
JPWBGW16100	3-CONDUCTOR 16GA MULTI-CONDUCTOR PRIMARY WIRE	16GA	BLK/GRN/WHT	100 FT
JPWBGRW16100	4-CONDUCTOR 16GA MULTI-CONDUCTOR PRIMARY WIRE	16GA	BLK/GRN/RED/WHT	100 FT

WIRE RECOMMENDED FOR AUTO /TRUCK /CONSTRUCTION AND LIGHT MARINE. HEAVY DUTY PVC OUTER JACKET IS ABRASION RESISTANT AND PROTECTS AGAINST MOISTURE OIL ACID AND SALT.

CCA VALUE LINE POWER CABLE

							
IBPC04R-125		IBPC08R-250		IBPC10-50		IBPC04-125	
ITEM #	DESCRIPTION			GAUGE	COLOR	REEL	
IBPC04R-125	4GA CCA POWER CABLE			4GA	RED	125 FT	
IBPC08R-250	8GA CCA POWER CABLE			8GA	RED	250 FT	
IBPC10-50	1/0GA CCA POWER CABLE			1/0GA	BLUE	50 FT	
IBPC04-125	4GA CCA POWER CABLE			4GA	BLUE	125 FT	
IBPC08-250	8GA CCA POWER CABLE			8GA	BLUE	250 FT	
IBGN10-50	1/0GA CCA POWER CABLE			1/0GA	BLACK	50 FT	
IBGN04-125	4GA CCA POWER CABLE			4GA	BLACK	125 FT	
IBGN08-250	8GA CCA POWER CABLE			8GA	BLACK	250 FT	

CCA VALUE LINE SPEAKER WIRE

				
IBSW12-250	IBSW14-250	IBSW16-500	IBSW18-1000	
ITEM #	DESCRIPTION	GAUGE	COLOR	REEL
IBSW12-250	12GA CCA VALUE LINE SPEAKER WIRE	12GA	CLEAR	250 FT
IBSW14-250	14GA CCA VALUE LINE SPEAKER WIRE	14GA	CLEAR	250 FT
IBSW16-500	16GA CCA VALUE LINE SPEAKER WIRE	16GA	CLEAR	500 FT
IBSW18-1000	18GA CCA VALUE LINE SPEAKER WIRE	18GA	CLEAR	1000 FT

BATTERY POST ADAPTERS

					
GM38	GM38-10	GM38L	BT305-10	BT305	BT305L

ITEM #	DESCRIPTION	BAG QTY
GM38	SIDE POST ADAPTER STUD/NUT STYLE	1 SET
GM38-10	GM38 BULK PACK	10 PACK
GM38L	LONG SIDE POST ADAPTER STUD/NUT STYLE	1 SET
BT305	SIDE POST ADAPTER BOLT STYLE	1 SET
BT305-10	BT305 BULK PACK	10 PACK
BT305L	LONG SIDE POST ADAPTER BOLT STYLE	1 SET

GAUGE REDUCERS

	
IBCPLR1	IBCPLR2

ITEM #	DESCRIPTION	IN	OUT	REEL
IBCPLR1	0GA IN / 4GA OUT NICKEL GAUGE REDUCERS	0GA	4GA	1 PC
IBCPLR2	4GA IN / 8GA OUT NICKEL GAUGE REDUCERS	4GA	8GA	1 PC

PLUG-IN CONNECTOR

			
IBWTH18		IBWTH16	IBWTH12
ITEM #	DESCRIPTION	GAUGE	BAG QTY
IBWTH18	18GA MALE/FEMALE WATER-RESISTANT PLUG-IN CONNECTOR	18GA	1 PC
IBWTH16	16GA MALE/FEMALE WATER-RESISTANT PLUG-IN CONNECTOR	16GA	1 PC
IBWTH12	12GA MALE/FEMALE WATER-RESISTANT PLUG-IN CONNECTOR	12GA	1 PC
FLUSH AND SURFACE MOUNT			

2-WIRE QUICK DISCONNECTS

					
IBTH18		IBTH16		IBTH12	
ITEM #	DESCRIPTION	GAUGE	LENGTH	COLOR	BAG QTY
IBTH18	18GA 2-PIN/2-PIN 2-WIRE QUICK DISCONNECT	18GA	1'	RED/BLK	1 PC
IBTH16	16GA 2-PIN/2-PIN 2-WIRE QUICK DISCONNECT	16GA	1'	RED/BLK	1 PC
IBTH12	12GA 2-PIN/2-PIN 2-WIRE QUICK DISCONNECT	12GA	1'	RED/BLK	1 PC

SPEAKER & ACCESSORIES SPEAKER BAFFLES + RINGS + DISPLAY

Featuring a newly designed silicone speaker baffle with egg wave foam which allows for no more trimming or cutting and better sealing for better sound. Patent-pending and foldable, these speaker baffles are designed to improve the directional flow of sound waves and focus them into the interior. They perfectly seal the speaker against the interior pane offering water-resistant protection for the speakers. The foldable ring fits different depths.




(1) The rear foldable ring protects speaker and improves sound.



(2) Silicone material is soft to seal between speaker and door panel.



(3) Silicone material is durable for harsh environment.



(4) The egg wave foam behind speaker improves sound by preventing sound wave bounced back.

SILICONE SPEAKER BAFFLES

			
IBSBF65	IBSBF65-B	IBSBF69	IBSBF80

ITEM #	DESCRIPTION	SIZE	BOX QTY
IBSBF65	6.5" 2-PIECE SILICONE BAFFLE KIT	6.5"	PAIR
IBSBF65-B	IBSBF65 BULK PACK		10 PAIRS
IBSBF69	6" X 9" 2-PIECE SILICONE BAFFLE KIT	6" X 9"	PAIR
IBSBF80	8" 2-PIECE SILICONE BAFFLE KIT	8"	PAIR

FOAM SPEAKER RING SET

	ITEM #	DESCRIPTION	QTY
	IBFSR65	6.5" FOAM SPEAKER RING SET	1 SET
		EGG CRATE FOAM HELPS ABSORB UNWANTED ECHOES AND REVERBERATION. REDUCES PANEL VIBRATION. SIMPLE PEEL AND STICK APPLICATION	

SILICONE BAFFLE DISPLAY

	ITEM #	DESCRIPTION	QTY
	IBSBFDisp	SILICONE BAFFLE DISPLAY - CLEAR PLEXI	1 PC
		COMES WITH 6.5" SILICON BAFFLE WITH EGG-WAVE FOAM. DISPLAY TAGS INCLUDED. PROVIDES THE SALESMAN WITH THE ABILITY TO DISPLAY THE DESIGN AND DYNAMIC ABILITY OF THE SILICON BAFFLES	

VERTEK/XTC ACOUSTIC BAFFLES


			
VXT46	VXT62	VXT69	
ITEM #	DESCRIPTION	SIZE	BOX QTY
VXT42	SHALLOW ROUND VERTEK/XTC ACOUSTIC BAFFLE	4"	PAIR
VXT46	OVAL VERTEK/XTC ACOUSTIC BAFFLE	4" X 6"	PAIR
VXT52	SHALLOW ROUND VERTEK/XTC ACOUSTIC BAFFLE	5"	PAIR
VXT55	ROUND VERTEK/XTC ACOUSTIC BAFFLE	5"-5.25"	PAIR
VXT57	OVAL VERTEK/XTC ACOUSTIC BAFFLE	5" X 7"	PAIR
VXT60	ROUND LARGE FRAME VERTEK/XTC ACOUSTIC BAFFLE	6.5"	PAIR
VXT62	SHALLOW ROUND LARGE FRAME VERTEK/XTC ACOUSTIC BAFFLE	6"	PAIR
VXT65	ROUND SMALL FRAME VERTEK/XTC ACOUSTIC BAFFLE	6.5"	PAIR
VXT68	OVAL VERTEK/XTC ACOUSTIC BAFFLE	6" X 8"	PAIR
VXT69	OVAL VERTEK/XTC ACOUSTIC BAFFLE	6" X 9"	PAIR
VXT80	ROUND VERTEK/XTC ACOUSTIC BAFFLE	8"	PAIR

IB ACOUSTIC BAFFLES




					
IBBAF46		IBBAF65		IBBAF69	
ITEM #	DESCRIPTION	SIZE	BOX QTY		
IBBAF42	SHALLOW ROUND ACOUSTIC BAFFLE	4"	PAIR		
IBBAF462	OVAL SMALL FRAME ACOUSTIC BAFFLE	4" X 6"	PAIR		
IBBAF46	OVAL ACOUSTIC BAFFLE	4" X 6"	PAIR		
IBBAF52	SHALLOW ROUND ACOUSTIC BAFFLE	5"	PAIR		
IBBAF55	ROUND ACOUSTIC BAFFLE	5.25"	PAIR		
IBBAF57	OVAL ACOUSTIC BAFFLE	5" X 7"	PAIR		
IBBAF62	SHALLOW ROUND LARGE FRAME ACOUSTIC BAFFLE	6"	PAIR		
IBBAF65	ROUND SMALL FRAME ACOUSTIC BAFFLE	6.5"	PAIR		
IBBAF68	OVAL ACOUSTIC BAFFLE	6" X 8"	PAIR		
IBBAF60	ROUND LARGE ACOUSTIC BAFFLE	6.5"	PAIR		
IBBAF69	OVAL ACOUSTIC BAFFLE	6" X 9"	PAIR		
IBBAF80	ROUND ACOUSTIC BAFFLE	8"	PAIR		

SPEAKER & ACCESSORIES GRILLES + PLUGS + MAGNETS

WAFFLE GRILLES

	ITEM #	DESCRIPTION	SIZE	BAG QTY
	85-9008	8" WAFFLE GRILLE WITH HARDWARE	8"	1 PC
	85-9010	10" WAFFLE GRILLE WITH HARDWARE	10"	1 PC
	85-9012	12" WAFFLE GRILLE WITH HARDWARE	12"	1 PC
	85-9015	15" WAFFLE GRILLE WITH HARDWARE	15"	1 PC
	85-HDW1	WOOFER MOUNTING HARDWARE		4 PCS

MESH SNAP-ON GRILLES

				
SMG4	SMG525	SMG65	SMG8	SMG10

ITEM #	DESCRIPTION	SIZE	BAG QTY
SMG4	4" METAL MESH SILICONE SPEAKER BAFFLE WITH PLASTIC RING	4"	1 PC
SMG525	5.25" METAL MESH SILICONE SPEAKER BAFFLE WITH PLASTIC RING	5.25"	1 PC
SMG65	6.5" METAL MESH SILICONE SPEAKER BAFFLE WITH PLASTIC RING	6.5"	1 PC
SMG8	8" METAL MESH SILICONE SPEAKER BAFFLE WITH PLASTIC RING	8"	1 PC
SMG10	10" METAL MESH SILICONE SPEAKER BAFFLE WITH PLASTIC RING	10"	1 PC


NEODYMIUM MAGNETS AXIAL MAGNETIZATION DIRECTION

	ITEM #	DESCRIPTION	SIZE	QTY
	IBNDM6	6MM NEODYMIUM MAGNET	6mm	10 PCS
	IBNDM8	8MM NEODYMIUM MAGNET	8mm	10 PCS
	IBNDM10	10MM NEODYMIUM MAGNET	10mm	10 PCS
	IBNDM15	15MM NEODYMIUM MAGNET	15mm	10 PCS
	IBNDM20	20MM NEODYMIUM MAGNET	20mm	10 PCS
	IBNDM25	25MM NEODYMIUM MAGNET	25mm	10 PCS
	IBHNDM10	10MM NEODYMIUM MAGNET WITH HOLE	10mm	10 PCS
	IBHNDM15	15MM NEODYMIUM MAGNET WITH HOLE	15mm	10 PCS
	IBHNDM20	20MM NEODYMIUM MAGNET WITH HOLE	20mm	10 PCS
	IBHNDM25	25MM NEODYMIUM MAGNET WITH HOLE	25mm	10 PCS

SPEAKER PLUGS

	ITEM #	DESCRIPTION	QTY
	JW4136	18GA INPUT WATER-RESISTANT SPEAKER PLUGS 18GA MALE AND FEMALE	1 PC

TERMINAL CUPS

				
TCRB2	TCRBG2	TCRB	TCRBG	
				
TCRS	TCRC	TCSS	TCSBG2	
				
TCSB2	TCSBG	TCSB		
ITEM #	DESCRIPTION	INNER DIAMETER	DEPTH	BAG QTY
TCRB2	ROUND BINDING POST NICKEL TERMINAL CUP	2"	1"	1 PC
TCRBG2	ROUND BINDING POST GOLD TERMINAL CUP	2"	1"	1 PC
TCRB	ROUND BINDING POST NICKEL TERMINAL CUP	3"	1"	1 PC
TCRBG	ROUND BINDING POST GOLD TERMINAL CUP	3"	1"	1 PC
TCRS	ROUND SPRING TERMINAL CUP	2"	1"	1 PC
TCRC	ROUND SPRING COMPRESSION FIT TERMINAL CUP	2"	1"	1 PC
TCSS	SQUARE SPRING POST TERMINAL CUP	2"	1"	1 PC
TCSBG2	SQUARE BINDING POST GOLD TERMINAL CUP	2"	1"	1 PC
TCSB2	SQUARE BINDING POST NICKEL TERMINAL CUP	2"	1"	1 PC
TCSBG	SQUARE BINDING POST GOLD TERMINAL CUP	3"	1"	1 PC
TCSB	SQUARE BINDING POST NICKEL TERMINAL CUP	3"	1"	1 PC

SPEAKER & ACCESSORIES *MDF RINGS + BARRIER STRIPS + TERMINAL STRIPS*

BARRIER STRIPS						
						
			IBBS12P			
ITEM #	DESCRIPTION	POSITION	GAUGE	SPADE	CURRENT	BAG QTY
IBBS4P	4-POSITION BARRIER STRIP	4	12-22GA	#8	20A	10 PCS
IBBS8P	8-POSITION BARRIER STRIP	8	12-22GA	#8	20A	10 PCS
IBBS12P	12-POSITION BARRIER STRIP	12	12-22GA	#8	20A	10 PCS

MDF SPEAKER RINGS									
									
SR6		SR8		SR10		SR12		SR15	
ITEM #	DESCRIPTION			INNER DIAMETER	OUTSIDE	THICKNESS	BAG QTY		
SR6	6" X 0.75" MDF SPEAKER RING PAIR			5.43"	7"	0.75"	PAIR		
SR8	8" X 0.75" MDF SPEAKER RING PAIR			7"	8.5"	0.75"	PAIR		
SR10	10" X 0.75" MDF SPEAKER RING PAIR			9.125"	11"	0.75"	1 PC		
SR12	12" X 0.75" MDF SPEAKER RING PAIR			11.125"	13"	0.75"	1 PC		
SR15	15" X 0.75" MDF SPEAKER RING PAIR			13.875"	15.875"	0.75"	1 PC		

RUBBER FEET			
		ITEM #	DESCRIPTION
		IBRF38	RUBBER FEET FOR SPEAKERS
			1.5" X 1.5"
			4 PCS

FLARED/AERO PORT TUBE KITS

															
PSP2				PSP3				PSP4				PSP6			
ITEM #		DESCRIPTION								SIZE		BOX QTY			
PSP2		COMPLETE PORT TUBE KIT								2" X 11"		1 SET			
PSP3		COMPLETE PORT TUBE KIT								3" X 17"		1 SET			
PSP4		COMPLETE PORT TUBE KIT								4" X 17"		1 SET			
PSP6		COMPLETE PORT TUBE KIT								6" X 17"		1 SET			
<i>Greater sound pressure levels with cleaner sound - less distortion. Cosmetically appealing with high adaptability. High-quality ABS construction with mounting hole variations. Easy installation. Designed in the USA</i>															

SPEAKER GASKET TAPE


	ITEM #	DESCRIPTION	QTY
	IBSPKGTP	ADHESIVE FOAM SPEAKER GASKET TAPE	1 PC
		<i>1/8" X 1/2" X 50'</i>	

DUAL CONE SPEAKERS


						
AW-630SP	AW-640SP	AW-646SP	AW-650SP	AW-660SP	AW-668SP	AW-669SP
ITEM #	DESCRIPTION				SIZE	BOX QTY
AW-630SP	3.5" DUAL CONE				3.5"	1 PC
AW-640SP	4" DUAL CONE				4"	1 PC
AW-646SP	4" X 6" DUAL CONE - WORKS WITH 4" X 10" (ADAPTER INCLUDED)				4" X 6"	1 PC
AW-650SP	5.25" DUAL CONE				5.25"	1 PC
AW-660SP	6.5" DUAL CONE				6.5"	1 PC
AW-668SP	6" X 8" DUAL CONE - WORKS WITH 5" X 7" (ADAPTER INCLUDED)				6" X 8"	1 PC
AW-669SP	6" X 9" DUAL CONE				6" X 9"	1 PC

VOLTAGE METERS & SOCKETS VOLTAGE METERS


VOLTAGE METERS




ITEM #	DESCRIPTION	QTY
IBR112	WHITE LED VOLTAGE METER <i>22MM (7/8") MOUNTING HOLE REQUIRED FLUSH OR SURFACE MOUNTED</i>	1 PC
IBR143	LEVEL CONTROLLER WITH VOLTAGE METER <i>DASH MOUNTED AMPLIFIER LEVEL CONTROL FOR VOLUME & BASS LEVEL ADJUSTMENT COMPATIBLE WITH MOST HEAD UNIT/AMPLIFIER COMBINATIONS</i>	1 PC



MINI VOLTAGE METER




ITEM #	DESCRIPTION	QTY
IBR56	MINI VOLTAGE (30V) METER <i>28.5MM (1-1/8") MOUNTING HOLE REQUIRED FLUSH MOUNT 0.250" POWER AND GROUND LUGS ON BACK WITH RED LEDS USE WITH OPTIONAL MOUNTS IBR59, IBR60, AND IBR61</i>	1 PC



VOLTAGE METERS & CURRENT METER



ITEM #	DESCRIPTION	QTY
IBR95	12V DIGITAL VOLTAGE METER WITH GRAPHIC DISPLAY <i>29.2MM (1-5/32") MOUNTING HOLE REQUIRED 12V GRAPHIC DISPLAY UNIVERSAL FIT</i>	1 PC




VOLTAGE METERS & CURRENT METER



ITEM #	DESCRIPTION	LED COLOR	QTY
IBR93	VOLTAGE METER WITH CURRENT DISPLAY	BLUE	1 PC
28.5MM (1-1/8") MOUNTING HOLE REQUIRED 5-30V / 0-15A UNIVERSAL FIT			

USB 3.0 + USB-C ROUND SOCKET WITH LED VOLTAGE DISPLAY



ITEM #	DESCRIPTION	LED COLOR	QTY
IBR117	USB 3.0 + USB-C ROUND SOCKET WITH VOLTAGE DISPLAY + WATER-RESISTANT COVER	BLUE/RED	1 PC
26.4MM (1.05") MOUNTING HOLE REQUIRED QUICK CHARGE - 4X FASTER THAN NORMAL WILL NOT ACTIVATE SPECIAL RAPID OR SUPER CHARGE ON DEVICE CHARGE ONLY			

DUAL USB ROUND SOCKET WITH QUICK CHARGE + LED VOLTAGE DISPLAY



ITEM #	DESCRIPTION	LED COLOR	QTY
IBR108	DUAL USB ROUND SOCKET WITH QUICK CHARGE + LED VOLTAGE DISPLAY	GRN/RED	1 PC
28.5MM (1-1/8") MOUNTING HOLE REQUIRED QUICK CHARGE - 4X FASTER THAN NORMAL WILL NOT ACTIVATE SPECIAL RAPID OR SUPER CHARGE ON DEVICE			

VOLTAGE METERS & SOCKETS SOCKETS

DUAL USB SOCKETS



ITEM #	DESCRIPTION	LED COLOR	QTY
IBR57	DUAL USB ROUND SOCKET WITH LED INDICATOR 28.5MM (1-1/8") MOUNTING HOLE REQUIRED. OUTPUT: 5V/3.1A (2.1A + 1A) FLUSH MOUNTED & WATER-RESISTANT CHARGE ONLY 0.250" POWER AND GROUND LUGS ON BACK	BLUE	1 PC
	1-1/8" MOUNTING HOLE	USE WITH OPTIONAL MOUNTS IBR59, IBR60, AND IBR61	
ITEM #	DESCRIPTION	LED COLOR	QTY
IBR85	ILLUMINATED DUAL 2.1A USB ROUND SOCKET	RED	1 PC
IBR86	ILLUMINATED DUAL 2.1A USB ROUND SOCKET	WHITE	1 PC
IBR87	ILLUMINATED DUAL 2.1A USB ROUND SOCKET	BLUE	1 PC
IBR88	ILLUMINATED DUAL 2.1A USB ROUND SOCKET	GREEN	1 PC
IBR89	ILLUMINATED DUAL 2.1A USB ROUND SOCKET 29.2MM (1.15") MOUNTING HOLE REQUIRED DUAL USB 2.1A CHARGE ONLY	ORANGE	1 PC
	1.15" MOUNTING HOLE		




* ACTUAL colorS may vary

USB SOCKETS



ITEM #	DESCRIPTION	LED COLOR	QTY
IBR92	USB ROUND SOCKET WITH LED VOLTAGE DISPLAY 29.2MM (1.15") MOUNTING HOLE REQUIRED WATER-RESISTANT WITH 1.5M LONG SNAP IN EXTENSION CABLE CHARGE ONLY	BLUE	1 PC
	1.15" MOUNTING HOLE		
IBR142	USB TYPE-C ROUND SOCKET 22MM (0.86") MOUNTING HOLE REQUIRED INPUT: 12V/24V / OUTPUT: 5V/3.1A, 9V:2A, 12V:1.5A CHARGE ONLY		1 PC
	0.86" MOUNTING HOLE		

3.5MM AUX ROUND SOCKETS WITH USB

 WITH COVER			 WITH COVER					
IBR71			IBR72			IBR91		
ITEM #	DESCRIPTION						QTY	
IBR71	3.5MM AUX AUDIO INPUT EXTENSION SOCKET WITH COVER						1 PC	
22MM (7/8") MOUNTING HOLE REQUIRED STEREO 3.5MM INPUT AND OUTPUT NO ADDITIONAL WIRING NEEDED CAN BE SURFACE OR FLUSH MOUNTED CABLE LENGTH: 5'								1 PC
IBR72	3.5MM AUX + USB ROUND SOCKET WITH COVER						1 PC	
22MM (7/8") MOUNTING HOLE REQUIRED CAN BE SURFACE OR FLUSH MOUNTED USB PASS-THROUGH 12V/24V INPUT - 5V/2.1 AMP OUTPUT WATER-RESISTANT COVER USB CAN BE POWERED BY USB OR 12V WIRE TO WIRE CABLE LENGTH: 5'								
IBR91	3.5MM AUX + USB-A ROUND SOCKET WITHOUT COVER						1 PC	
27MM (1.06") MOUNTING HOLE REQUIRED SNAP-IN EXTENSION CABLE CABLE LENGTH: 5'								

HDMI® CABLES & ADAPTERS

					
IBR76 / IBR77			IBR118		
ITEM #	DESCRIPTION				QTY
IBR76	1M HDMI® CABLE				1 PC
IBR77	2M HDMI® CABLE				1 PC
	SLIM CABLE DESIGN WITH LOW PROFILE HEADSHELL				
IBR118	HDMI® TO MICRO HDMI® ADAPTER				1 PC
	RIGHT ANGLE MICRO HDMI® CHARGE + DATA				

VOLTAGE METERS & SOCKETS SOCKETS

USB EXTENSION ROUND SOCKETS



IBR135



IBR136



IBR137



IBR73





IBR74



IBR75

ITEM #	DESCRIPTION	QTY
IBR135	1' TYPE C/HDMI® TO TYPE C/HDMI® EXTENSION CABLE 26.4MM (1-1/16") MOUNTING HOLE REQUIRED OXYGEN-FREE COPPER FOR MAXIMUM SIGNAL TRANSFER MULTIPLE MOUNTING OPTIONS CABLE LENGTH: 1'	1 PC
IBR136	1' USB A 3.0 FEMALE TO USB A 3.0 MALE 26.4MM (1-1/16") MOUNTING HOLE REQUIRED OXYGEN-FREE COPPER FOR MAXIMUM SIGNAL TRANSFER MULTIPLE MOUNTING OPTIONS CABLE LENGTH: 1'	1 PC
IBR137	3' TYPE C/HDMI® TO TYPE C/HDMI® EXTENSION CABLE 26.4MM (1-1/16") MOUNTING HOLE REQUIRED OXYGEN-FREE COPPER FOR MAXIMUM SIGNAL TRANSFER MULTIPLE MOUNTING OPTIONS CABLE LENGTH: 3'	1 PC
IBR73	HDMI® + USB PASS-THROUGH EXTENSION ROUND SOCKET 28.5MM (1-1/8") MOUNTING HOLE REQUIRED CAN BE SURFACE OR FLUSH MOUNTED WATER-RESISTANT COVER CABLE LENGTH: 3'	1 PC
IBR74	DUAL USB EXTENSION ROUND SOCKET 28.5MM (1-1/8") MOUNTING HOLE REQUIRED CAN BE SURFACE OR FLUSH MOUNTED WATER-RESISTANT COVER CABLE LENGTH: 3'	1 PC
IBR75	3.5MM VIDEO TO RCA WITH USB PASS-THROUGH EXTENSION ROUND SOCKET 28.5MM (1-1/8") MOUNTING HOLE REQUIRED CAN BE SURFACE OR FLUSH MOUNTED WATER-RESISTANT COVER CABLE LENGTH: 6.5'	1 PC




DUAL USB SOCKET



ITEM #	DESCRIPTION	QTY
IBR144	1 METER USB 4.0 TYPE-C EXTENSION CABLE	1 PC
IBR145	1 FOOT USB 4.0 TYPE-C EXTENSION CABLE	1 PC
	DATA TRANSFER SPEEDS UP TO 40GBPS SUPPORTS 8K/5K/4K VIDEO RESOLUTION 20MM (13/16") MOUNTING HOLE REQUIRED	

13/16"
MOUNTING HOLE

DUAL USB SOCKET



ITEM #	DESCRIPTION	QTY
IBR66	DUAL USB BLOCK SOCKET	1 PC
	TOYOTA-STYLE KNOCKOUT WITH DUST COVER 3.1 AMP TOTAL OUTPUT LED BACKLIT 12" POWER/GROUND LEADS WITH 2-PIN CONNECTOR CHARGE ONLY	

USBD KIT - USB-A MALE / USB-A FEMALE



ITEM #	DESCRIPTION	QTY
IBR138	USBD KIT - USB-A MALE / USB-A FEMALE	1 PC
	DUAL 3' USB EXTENSION CABLES UNIVERSAL PLATE INCLUDED AS WELL AS PLATES FOR VARIOUS TOYOTA, NISSAN, HONDA, AND MITSUBISHI MODELS LED INDICATORS ON USB PORTS	

USB + HDMI® SOCKETS



ITEM #	DESCRIPTION	QTY
IBR90	1.5MM USB + HDMI® PORTS BLOCK SOCKET	1 PC
	FITS HONDA®-STYLE USB/HDMI® PORTS SNAP-IN EXTENSION CABLE CABLE LENGTH: 5' FRONT: HDMI-F (TYPE A FULL SIZE) USB-F (TYPE A FULL SIZE) BACK: HDMI-F (TYPE C MINI) USB-M 1.5 METER CABLE (TYPE A FULL SIZE)	

USB-A 3.0 TO USB-C 2.0 RIGHT ANGLE ADAPTER






ITEM #	DESCRIPTION	QTY
IBR139	USB-A 3.0 TO USB-C 2.0 RIGHT ANGLE ADAPTER	1 PC

VOLTAGE METERS & SOCKETS SOCKETS

CHARGE + DATA ROUND SOCKETS



ITEM #	DESCRIPTION	QTY
IBR113	DUAL USB-C ROUND SOCKET 26.5MM (1.04") MOUNTING HOLE REQUIRED - FLUSH OR SURFACE MOUNTABLE WATER-RESISTANT COVER CHARGE + DATA (NOTE: FAST CHARGING MAY NOT BE SUPPORTED IN ALL DEVICES WHEN THE USB C TO USB A ANGLE ADAPTER IS UTILIZED) DUAL USB-C IN / DUAL USB-C MALE OUT (2) RIGHT-ANGLE USB-C FEMALE TO USB-A MALE ADAPTERS	1 PC
IBR114	USB-A + USB-C ROUND SOCKET 26.5MM (1.04") MOUNTING HOLE REQUIRED - FLUSH OR SURFACE MOUNTABLE WATER-RESISTANT COVER CHARGE + DATA (NOTE: FAST CHARGING MAY NOT BE SUPPORTED IN ALL DEVICES WHEN THE USB C TO USB A ANGLE ADAPTER IS UTILIZED.) USB-A + USB-C IN / USB-A MALE + USB-C MALE OUT RIGHT-ANGLE USB-C FEMALE TO USB-A MALE ADAPTER	1 PC
IBR115	USB-A + HDMI® ROUND SOCKET 36MM (1.4") MOUNTING HOLE REQUIRED - FLUSH OR SURFACE MOUNTABLE WATER-RESISTANT COVER CHARGE + DATA DUAL USB-A + HDMI IN DUAL USB-A MALE + HDMI MALE OUT	1 PC
IBR116	USB-A 3.0 ROUND SOCKET 26.5MM (1.04") MOUNTING HOLE REQUIRED - FLUSH OR SURFACE MOUNTABLE WATER-RESISTANT COVER CHARGE + DATA USB 3.0 TYPE A FEMALE IN USB 3.0 TYPE A MALE EXT 1 METER OUT	1 PC



12V/24V PASS-THROUGH USB SOCKET

ITEM #	DESCRIPTION	QTY
IBR78	12V/24V PASS-THROUGH USB FLUSH MOUNT SOCKET WITH COVER 22MM (7/8") MOUNTING HOLE REQUIRED. FLUSH OR SURFACE MOUNTABLE DIRECT TO BATTERY WIRING + FUSED CONNECTION USB CAN BE POWERED BY USB OR 12V WIRE TO WIRE WATER-RESISTANT COVER CHARGE + DATA	1 PC



SOCKET MOUNTS

 IBR59	 IBR60	 IBR61	ITEM #	DESCRIPTION	WORKS WITH	QTY
			IBR59	PANEL SOCKET MOUNT	IBR56, IBR57, IBR58	1 PC
			IBR60	PANEL SOCKET MOUNT	IBR56, IBR57, IBR58	1 PC
			IBR61	UNDER DASH SOCKET MOUNT	IBR57 & IBR58	1 PC

12V POWER SOCKET

	ITEM #	DESCRIPTION	QTY
	IBR58	12V POWER ROUND SOCKET 28.5MM (1-1/8") MOUNTING HOLE REQUIRED FLUSH MOUNTED WATER-RESISTANT COVER 0.250" POWER AND GROUND LUGS ON BACK USE WITH OPTIONAL MOUNTS IBR59, IBR60, IBR61	1 PC

1-1/8"
MOUNTING HOLE**12V MARINE DUAL 5V USB SOCKET**


	ITEM #	DESCRIPTION	QTY
	IBR79	12V MARINE DUAL 5V USB SOCKET INCLUDES (1) DUAL USB AND (1) 12V SOCKET 1 AMP USB / 2.1 AMP USB IP65 RATED WATER-RESISTANT USB IS CHARGE ONLY	1 PC

CIGARETTE LIGHTER PLUGS

 CLA	 CIGF	 CIGM	 IBR109	ITEM #	DESCRIPTION	QTY
				CLA	FEMALE CIGARETTE LIGHTER PLUG HIGHER QUALITY WITH RED/BLACK POLARIZED LEADS	1 PC
				CIGF	FEMALE 12V CIGARETTE LIGHTER PLUG STANDARD QUALITY	1 PC
				CIGM	MALE CIGARETTE LIGHTER PLUG 12" LEADS	1 PC
				IBR109	FEMALE 12V CIGARETTE LIGHTER SOCKET WITH "L" BRACKET "L" BRACKET FOR UNDER DASH MOUNT	1 PC

VEHICLE ACCESSORIES SEAT HEATERS


UNIVERSAL SEAT HEATERS RETAIL PACK



ITEM #	DESCRIPTION	SIZE	BOX QTY
IBHS1	SINGLE SEAT HEATER WITH ILLUMINATED 3-POSITION SWITCH	18" X 19"	1 PC
IBHS2	SINGLE SEAT HEATER WITH ILLUMINATED 5-POSITION SWITCH	18" X 19"	1 PC
IBHS1SW	IBHS1 3-POSITION SWITCH		1 PC
IBHS1HA	REPLACEMENT HARNESS FOR IBHS1		1 PC

- AFTERMARKET CARBON FIBER HEATED SEAT KITS SURE TO FIT ANY APPLICATION
- DUAL CARBON FIBER HEATING ELEMENTS FOR RAPID WARM-UP TIMES AND EVEN HEATING ACROSS THE ENTIRE PAD
 - OPERATING TEMPERATURES RANGE FROM 115°F TO 135°F OVER THE ENTIRE HEATING ELEMENT
 - EACH OF THE CARBON FIBER HEATING ELEMENTS CAN BE TRIMMED TO ENSURE AN EXACT FIT FOR THE BOTTOM AND BACK OF THE SEAT
 - CARBON FIBER HEATING ELEMENTS ARE WATER AND STAIN RESISTANT
 - ELECTRONIC AUTO OFF TEMPERATURE SAFETY SYSTEM
 - MODEL SPECIFIC INTEGRATED WIRING HARNESS
 - PROFESSIONAL INSTALLATION RECOMMENDED FOR ALL KITS
 - POWER RATING: DC12V 25W +/- 3W (X2)

SEAT HEATERS POLYBAG PACK




ITEM #	DESCRIPTION	SIZE	BAG QTY
IBHS1-B1	SINGLE SEAT HEATER WITH ILLUMINATED 3-POSITION SWITCH	18" X 19"	1 PC
IBHS1-B	SINGLE SEAT HEATER WITH ILLUMINATED 3-POSITION SWITCH	18" X 19"	3 PC

[illegible]

ITEM #	DESCRIPTION	BAG QTY
JW-9000	UNIVERSAL AEW POWER WINDOW SET WITH ACCESSORIES	1 PC
JW-93ED	UNIVERSAL AEW POWER WINDOW SET WITH JW-33ED KIT (2-DOOR)	1 PC
	PROFESSIONAL INSTALLATION RECOMMENDED	

VEHICLE ACCESSORIES ACTUATORS + DOOR LOCK BRACKETS

POWER LOCK ACTUATORS




ITEM #	DESCRIPTION	BAG QTY
T-DLA	2-WIRE PREMIUM DOOR LOCK ACTUATOR - 8.8 LBS. OF PULL CAPACITY	1 PC
DLA	2-WIRE DOOR LOCK ACTUATOR	1 PC
E-DLA	ECONOMY 2-WIRE DUAL LOCK ACTUATOR	1 PC

ACTUATOR KITS




ITEM #	DESCRIPTION	BAG QTY
DLA-CK2	CABLE STYLE ACTUATOR KIT - 2-DOOR NEWER VEHICLES WITH CABLE LOCKDOOR SYSTEMS	PAIR
SL-DLA	CABLE STYLE DOOR LOCK ACTUATOR KIT - SLIM DESIGN, PREMIUM QUALITY, EASY INSTALL	1 PC

DOOR LOCK BRACKET



ITEM #	DESCRIPTION	BAG QTY
JW-40CDL2	REPLACEMENT BRACKET FOR CABLE TYPE ACTUATOR - USE WITH POWER LOCK ACTUATOR	PAIR
CDLK1	USE WITH CABLE TYPE ACTUATORS - ELIMINATES THE NEED TO SPLICE INTO CABLE	PAIR

LINEAR ACTUATORS



ITEM #	DESCRIPTION	BAG QTY
FLIN6	6" 110 LB. 10.75" EXTENDED LINEAR ACTUATOR	1 PC
FLIN8	8" 110 LB. 12.75" EXTENDED LINEAR ACTUATOR	1 PC
FLIN10	10" 110 LB. 14.875" EXTENDED LINEAR ACTUATOR	1 PC
FLIN12	12" 110 LB. 17" EXTENDED LINEAR ACTUATOR	1 PC
INPUT VOLTAGE: 12V MAX SPEED: 10MM/SEC MAX LOAD: 113 LBS PROFESSIONAL INSTALLATION RECOMMENDED		



THE INSTALLER'S CHOICE

**BE PART OF OUR
EXCLUSIVE DEALER WEBSITE!**

MetraDealer.com

Register online today!



- ▶ Order at anytime. Day or Night!
- ▶ Always up to date with all the latest products!
- ▶ All the Metra Brands in one location for your ordering convenience.

**For more information please call your
sales representative at 386-257-2956**

AUDIO RECEIVERS WITH BLUETOOTH® WIRELESS TECHNOLOGY

ITEM #	DESCRIPTION	QTY
IBR64	AUDIO RECEIVER WITH BLUETOOTH® WIRELESS TECHNOLOGY REMOTE TURN-ON COMES ON WHEN STREAMING MEDIA WATER-RESISTANT AUTO RECONNECT TO LAST DEVICE CONNECTED RCA OUTPUT	1 PC
IBR65	FLUSH MOUNT AUDIO RECEIVER WITH BLUETOOTH® WIRELESS TECHNOLOGY 1-1/8" MOUNTING HOLE REQUIRED REMOTE TURN-ON COMES ON WHEN STREAMING MEDIA INDEPENDENT VOLUME AND TRACK CONTROLS WATER-RESISTANT AUX INPUT	1 PC

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc., and any use of such marks by Metra Electronics is under license. Other trademarks and trade names are those of their respective owners.

AUDIO CONTROLLER WITH BLUETOOTH® WIRELESS CONNECTIVITY

ITEM #	DESCRIPTION	QTY
IBBTR18	SINGLE-ZONE AUDIO CONTROLLER WITH BLUETOOTH® WIRELESS CONNECTIVITY + REMOTE CONTROL VOLUME +/-, TRACK FWD/PREV, PLAY/PAUSE, AND AUXILIARY INPUT EQUIPPED WITH QCC3034 BLUETOOTH® 5.1 CHIPS EASILY SWITCH BETWEEN WIRELESS INPUT AND AUXILIARY INPUT 24-BIT LOSSLESS AUDIO PROCESSOR RATED IPX7 FOR POWERSPORTS & MARINE APPLICATIONS DRILL-LESS MOUNTING SOLUTION INCLUDED CONTROLLER: 2.87"x 2.8"x 0.94" WIRELESS REMOTE WITH STEERING WHEEL MOUNT: 1.85"x 0.78" AMPLIFIER REMOTE TURN-ON OUTPUT 4V 2-CHANNEL RCA OUTPUT WIRELESS RANGE: 35FT/11M 1-YEAR WARRANTY	1 PC

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc., and any use of such marks by Metra Electronics is under license. Other trademarks and trade names are those of their respective owners.

AUDIO CONTROLLER WITH **BLUETOOTH®** WIRELESS CONNECTIVITY





ITEM #	DESCRIPTION	QTY
IBBTR19	3-ZONE AUDIO CONTROLLER WITH BLUETOOTH® WIRELESS CONNECTIVITY	1 PC

51MM (2") MOUNTING HOLE REQUIRED
CONTROL VOLUME +/-, TRACK FWD/PREV, PLAY/PAUSE, AND AUXILIARY INPUT
CONTROL THE VOLUME OF 3 ZONES INDEPENDENTLY
LED BACKLIT CONTROLLER THAT DISPLAYS A DIFFERENT COLOR FOR EACH ZONE
EQUIPPED WITH QCC3034 **BLUETOOTH®** 5.1 CHIPS
EASILY SWITCH BETWEEN WIRELESS INPUT AND AUXILIARY INPUT
24-BIT LOSSLESS AUDIO PROCESSOR
RATED IPX7 FOR POWERSPORTS & MARINE APPLICATIONS
AMPLIFIER REMOTE TURN-ON OUTPUT
(3) 4V 2-CHANNEL RCA OUTPUTS
WIRELESS RANGE: 35FT/11M
1-YEAR WARRANTY

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc., and any use of such marks by Metra Electronics is under license. Other trademarks and trade names are those of their respective owners.

CONNECTIONS

- 1 Play/Pause button** - Starts and stops playback of your favorite music on your Bluetooth connected device
- 2 Skip Forward/Back buttons** - Allows you to skip forward and back through your tracks on your connected Bluetooth device.
- 3 Zone Toggle** - Pressing the EDGE glyph button toggles through the zone controls. Press the button repeatedly to toggle through zones until you reach the desired zone to adjust (see page 6 for more detail).
- 4 Volume control buttons** - These plus (+) and minus (-) buttons give you the control to ramp your volumes up or down globally or by zone (see page 6 for more detail).
- 5 Power/Aux button** - Pressing this button once will turn the BTR-19 on or off. A quick double press of this button will switch the audio source to the auxiliary input. Double press this button again to switch the



2-CHANNEL CONTROL KNOB



ITEM #	DESCRIPTION	QTY
IBR70	REMOTE FLUSH MOUNT 2-CHANNEL CONTROL KNOB	1 PC
<i>FLUSH AND SURFACE MOUNTABLE ADJUST RCA LEVEL SIGNAL 7/8" MOUNTING HOLE REQUIRED GREAT FOR USE WITH SUBWOOFER AMP</i>		

LEVEL CONTROLLER WITH VOLTMETER



ITEM #	DESCRIPTION	QTY
IBR143	LEVEL CONTROLLER WITH VOLTMETER	1 PC
<i>DASH MOUNT AMPLIFIER LEVEL CONTROL FOR VOLUME ADJUSTMENT ADJUST THE BASS LEVEL EVEN WHILE DRIVING IN-DASH OR UNDER-DASH MOUNTABLE ROTARY PUSH TURN ON/OFF SWITCH FOR VOLTMETER (10V-15.9V) BLUE LED DISPLAY</i>		

CE CERTIFIED UPGRADED PANEL SWITCHES @24V = 10A / @12V = 20A



ITEM #	DESCRIPTION	QTY
IBSS	2-PIN ON/OFF SWITCH - NO LED	1 PC
IBSSL	3-PIN ON/OFF SWITCH WITH RED LED	1 PC
IBSSR	3-PIN RADIO ON/OFF SWITCH WITH RED LED	1 PC

ROUND ILLUMINATED LATCHING SWITCHES 3A / IP65 RATED

ITEM #	DESCRIPTION	COLOR	QTY
LB12R-2	12MM ROUND LATCHING SWITCH	RED	2 PCS
LB12B-2	12MM ROUND LATCHING SWITCH	BLUE	2 PCS
LB12G-2	12MM ROUND LATCHING SWITCH	GREEN	2 PCS
LB12W-2	12MM ROUND LATCHING SWITCH	WHITE	2 PCS
LB12Y-2	12MM ROUND LATCHING SWITCH	YELLOW	2 PCS
LS12R-2	12MM STAINLESS ROUND LATCHING SWITCH	RED	2 PCS
LS12B-2	12MM STAINLESS ROUND LATCHING SWITCH	BLUE	2 PCS
LS12G-2	12MM STAINLESS ROUND LATCHING SWITCH	GREEN	2 PCS
LS12W-2	12MM STAINLESS ROUND LATCHING SWITCH	WHITE	2 PCS
LS12Y-2	12MM STAINLESS ROUND LATCHING SWITCH	YELLOW	2 PCS

DC3A/12V

CONTACT RESISTANCE: $\leq 50\text{M}\Omega$ / INSULATION RESISTANCE: $\geq 1000\text{M}\Omega$

DIELECTRIC STRENGTH: 2000VAC. 1MIN

OPERATING TEMPERATURE: -4°F - $+131^{\circ}\text{F}$ (-20°C - 55°C)**ROUND ILLUMINATED MOMENTARY SWITCHES 2A / IP65 RATED**

ITEM #	DESCRIPTION	COLOR	QTY
MB12R-2	12MM ROUND MOMENTARY SWITCH	RED	2 PCS
MB12B-2	12MM ROUND MOMENTARY SWITCH	BLUE	2 PCS
MB12G-2	12MM ROUND MOMENTARY SWITCH	GREEN	2 PCS
MB12W-2	12MM ROUND MOMENTARY SWITCH	WHITE	2 PCS
MB12Y-2	12MM ROUND MOMENTARY SWITCH	YELLOW	2 PCS

DC2A/12V

CONTACT RESISTANCE: $\leq 50\text{M}\Omega$ INSULATION RESISTANCE: $\geq 1000\text{M}\Omega$

DIELECTRIC STRENGTH: 2000VAC. 1MIN

OPERATING TEMPERATURE: -4°F - $+131^{\circ}\text{F}$ (-20°C - 55°C)

STAINLESS ROUND ILLUMINATED MOMENTARY SWITCHES 2A / IP65 RATED

				
MS12R-2	MS12B-2	MS12G-2	MS12W-2	MS12Y-2
ITEM #	DESCRIPTION	COLOR	QTY	
MS12R-2	12MM STAINLESS ROUND MOMENTARY SWITCH	RED	2 PCS	
MS12B-2	12MM STAINLESS ROUND MOMENTARY SWITCH	BLUE	2 PCS	
MS12G-2	12MM STAINLESS ROUND MOMENTARY SWITCH	GREEN	2 PCS	
MS12W-2	12MM STAINLESS ROUND MOMENTARY SWITCH	WHITE	2 PCS	
MS12Y-2	12MM STAINLESS ROUND MOMENTARY SWITCH	YELLOW	2 PCS	
DC2A/12V CONTACT RESISTANCE: ≤50MΩ INSULATION RESISTANCE: ≥1000MΩ DIELECTRIC STRENGTH: 2000VAC. 1MIN OPERATING TEMPERATURE: -4°F - +131°F (-20°C - 55°C)				

ILLUMINATED MOMENTARY SWITCHES INCLUDES HARNESS / 2A / IP65 RATED

			
MIBRBSB16	MIBRBSB19	MIBRBSR16	MIBRBSR19
			
MIBRBSW16	MIBRBSW19	MIBRBSY16	
ITEM #	DESCRIPTION	COLOR	QTY
MIBRBSB16	16MM ILLUMINATED MOMENTARY SWITCH	BLUE	1 PC
MIBRBSB19	19MM ILLUMINATED MOMENTARY SWITCH	BLUE	1 PC
MIBRBSR16	16MM ILLUMINATED MOMENTARY SWITCH	RED	1 PC
MIBRBSR19	19MM ILLUMINATED MOMENTARY SWITCH	RED	1 PC
MIBRBSW16	16MM ILLUMINATED MOMENTARY SWITCH	WHITE	1 PC
MIBRBSW19	19MM ILLUMINATED MOMENTARY SWITCH	WHITE	1 PC
MIBRBSY16	16MM ILLUMINATED MOMENTARY SWITCH	YELLOW	1 PC
DC2A/12V CONTACT RESISTANCE: $\leq 50M\Omega$ INSULATION RESISTANCE: $\geq 1000M\Omega$ DIELECTRIC STRENGTH: 2000VAC. 1MIN OPERATING TEMPERATURE: -4°F - +131°F (-20°C - 55°C)			

STAINLESS ILLUMINATED MOMENTARY SWITCHES INCLUDES HARNESS / 2A / IP65 RATED



MIBRSSB16



MIBRSSB19



MIBRSSR16



MIBRSSR19



MIBRSSW16



MIBRSSW19

ITEM #	DESCRIPTION	COLOR	QTY
MIBRSSB16	16MM ILLUMINATED MOMENTARY SWITCH	BLUE	1 PC
MIBRSSB19	19MM ILLUMINATED MOMENTARY SWITCH	BLUE	1 PC
MIBRSSR16	16MM ILLUMINATED MOMENTARY SWITCH	RED	1 PC
MIBRSSR19	19MM ILLUMINATED MOMENTARY SWITCH	RED	1 PC
MIBRSSW16	16MM ILLUMINATED MOMENTARY SWITCH	WHITE	1 PC
MIBRSSW19	19MM ILLUMINATED MOMENTARY SWITCH	WHITE	1 PC

DC2A/12V
CONTACT RESISTANCE: $\leq 50\text{M}\Omega$
INSULATION RESISTANCE: $\geq 1000\text{M}\Omega$
DIELECTRIC STRENGTH: 2000VAC. 1MIN
OPERATING TEMPERATURE: -4°F - +131°F (-20°C - 55°C)

Switch Wiring Chart

- RED = LED 12V
- BLACK = GROUND
- BLUE = “NO” NORMALLY OPEN
- BROWN = “NC” NORMALLY CLOSED
- WHITE = “C” COMMON TERMINAL TO BOTH FUNCTIONS

ILLUMINATED LATCHING SWITCHES INCLUDES HARNESS / 3A / IP65 RATED



ITEM #	DESCRIPTION	COLOR	QTY
IBRBSB16	16MM ILLUMINATED LATCHING SWITCH	BLUE	1 PC
IBRBSB19	19MM ILLUMINATED LATCHING SWITCH	BLUE	1 PC
IBRBSG16	16MM ILLUMINATED LATCHING SWITCH	GREEN	1 PC
IBRBSG19	19MM ILLUMINATED LATCHING SWITCH	GREEN	1 PC
IBRBSA16	16MM ILLUMINATED LATCHING SWITCH	RED	1 PC
IBRBSA19	19MM ILLUMINATED LATCHING SWITCH	RED	1 PC
IBRBSW16	16MM ILLUMINATED LATCHING SWITCH	WHITE	1 PC
IBRBSW19	19MM ILLUMINATED LATCHING SWITCH	WHITE	1 PC
IBRBSY19	19MM ILLUMINATED LATCHING SWITCH	YELLOW	1 PC
IBRSSB16	16MM STAINLESS ILLUMINATED LATCHING SWITCH	BLUE	1 PC
IBRSSB19	19MM STAINLESS ILLUMINATED LATCHING SWITCH	BLUE	1 PC
IBRSSG19	19MM STAINLESS ILLUMINATED LATCHING SWITCH	GREEN	1 PC
IBRSSR16	16MM STAINLESS ILLUMINATED LATCHING SWITCH	RED	1 PC
IBRSSR19	19MM STAINLESS ILLUMINATED LATCHING SWITCH	RED	1 PC
IBRSSW16	16MM STAINLESS ILLUMINATED LATCHING SWITCH	WHITE	1 PC
IBRSSW19	19MM STAINLESS ILLUMINATED LATCHING SWITCH	WHITE	1 PC
IBRSSY19	19MM STAINLESS ILLUMINATED LATCHING SWITCH	YELLOW	1 PC

DC2A/12V
 CONTACT RESISTANCE: $\leq 50\text{M}\Omega$
 INSULATION RESISTANCE: $\geq 1000\text{M}\Omega$
 DIELECTRIC STRENGTH: 2000VAC. 1MIN
 OPERATING TEMPERATURE: -4°F - +131°F (-20°C - 55°C)


SWITCHES & ELECTRICAL COMPONENTS SWITCHES

ROUND ROCKER SWITCHES NO LEADS



ITEM #	DESCRIPTION	LED COLOR	BAG QTY
21MM (13/16") MOUNTING HOLE REQUIRED			
IBRRS	13 AMP ON/OFF ROCKER SWITCH		5 PCS
IBRRSR	20 AMP ON/OFF ROCKER SWITCH	RED	5 PCS
IBRRSB	20 AMP ON/OFF ROCKER SWITCH	BLUE	5 PCS
IBRRSG	20 AMP ON/OFF ROCKER SWITCH	GREEN	5 PCS
IBRRSO	20 AMP ON/OFF ROCKER SWITCH	ORANGE	5 PCS
IBRRSP	20 AMP ON/OFF ROCKER SWITCH	PURPLE	5 PCS
IBRRMOM	MOMENTARY ON (ONE WAY)		5 PCS
IBRRMOMD	MOMENTARY OFF, MOMENTARY ON		5 PCS
IBRRMOML	MOMENTARY UP, LATCHED DOWN		5 PCS
IBRRRLULD	LATCHED UP, LATCHED DOWN		5 PCS
15MM (19/32") MOUNTING HOLE REQUIRED			
IBRRSM	13 AMP ON/OFF PRE-WIRED ROCKER SWITCH		5 PCS

TOGGLE SWITCHES

		
IBTSSS	IBTSMS	IBTSSMS
		
IBMTS	IBVSW	IBWPS

ITEM #	DESCRIPTION	AMP	BAG QTY
IBTSSS	STANDARD SINGLE POLE SINGLE THROW ON/OFF 6" LEADS TOGGLE SWITCH	20A	5 PCS
IBTSMS	MINI SINGLE POLE SINGLE THROW TOGGLE SWITCH		5 PCS
IBTSSMS	SUB MINI SINGLE POLE DOUBLE THROW PRE-WIRED ON-OFF 6" LEADS TOGGLE SWITCH	3A	5 PCS
IBMTS	MINI ON/OFF 20" LEADS TOGGLE SWITCH	6A	5 PCS
IBVSW	PLUG-IN VALET SWITCH WITH LEADS TOGGLE SWITCH		5 PCS
IBWPS	WATER-RESISTANT SINGLE POLE SINGLE THROW UL RATED TOGGLE SWITCH		1 PC

RELAYS

			
E-123	RL3040	24VRL3040	IBW-24VRL
			
RLM1020A	IB80	IB200	IB500

ITEM #	DESCRIPTION	AMP	BAG QTY
E-123	TYCO RELAY	30A	1 PC
RL3040	ECONOMY RELAY	30/40A	1 PC
24VRL3040	24V RELAY ONLY	30/40A	1 PC
IBW-24VRL	24V WATER-RESISTANT RELAY ONLY	30/40A	1 PC
RLM1020A	10/20A PRE-WIRED MINI RELAY WITH 18: LEADS	10/20A	1 PC
IB80	IP67 RATED RELAY - UP TO 150A SURGES - PERFECT FOR "SHOW SYSTEMS"	80A	1 PC
IB200	IP67 RATED RELAY - UP TO 300A SURGES - PERFECT FOR "SHOW SYSTEMS"	200A	1 PC
IB500	IP67 RATED RELAY - UP TO 500 AMP SURGES. PERFECT FOR "SHOW SYSTEMS"	500A	1 PC

WATER-RESISTANT RELAY & HARNESS KITS

IBW-E123H




IBW-24VRLH

ITEM #	DESCRIPTION	BAG QTY
IBW-E123H	12V 5-PIN 12/16GA IP65 WATER-RESISTANT RELAY & HARNESS	1 PC
IBW-24VRLH	24V 5-PIN IP65 WATER-RESISTANT RELAY & HARNESS	1 PC

REPLAY SOCKETS

ERS-123



ERS-124



ERS-126

ITEM #	DESCRIPTION	BAG QTY
ERS-123	LOCKING RELAY SOCKET WITH 12" LEADS	1 PC
ERS-124	ECONOMY RELAY SOCKET WITH 12" LEADS	25 PCS
ERS-126	3-WIRE RELAY SOCKET WITH DIODE	1 PC

MAGNETIC SWITCH

ITEM #	DESCRIPTION	BAG QTY
IBMS-150	MAGNETIC REED SWITCH <i>NORMALLY OPEN, CLOSSES WHEN SEPARATED</i>	1 PC

VAN DOOR CONTACT SET

ITEM #	DESCRIPTION	BAG QTY
PS4	SLIDING VAN DOOR LOCK CONTACT SET	1 PC
PS4-10	PS4 BULK PACK OF 10	10 PCS

FLASHER

IB552



RL12VF

ITEM #	DESCRIPTION	BAG QTY
IB552	2-PRONG THERMAL REPLACEMENT SIGNAL FLASHER - COOPER BUSSMAN	1 PC
RL12VF	12V ADJUSTABLE CAN FLASHER RELAY	1 PC

PIN SWITCHES



ITEM #	DESCRIPTION	BAG QTY
PS	UNIVERSAL PIN SWITCH	1 PC
PS-10	PS BULK PACK OF 10	10 PCS

PIN SWITCH BRACKETS



PSBL / PSBL-10



PSB / PSB-10

ITEM #	DESCRIPTION	BAG QTY
PSBL	PIN SWITCH "L" BRACKET	1 PC
PSBL-10	PSBL BULK PACK OF 10	10 PCS
PSB	PIN SWITCH FLAT BRACKET	1 PC
PSB-10	PSB BULK PACK OF 10	10 PCS

PIN SWITCH BOOT



ITEM #	DESCRIPTION	BAG QTY
FMPSR	FLANGE-MOUNT PIN SWITCH RUBBER BOOT	1 PC
FMPSR-10	FMPSR BULK PACK OF 10	10 PCS

TILT SWITCHES



IBBTS-1



IBMS-3



IBMS-5

ITEM #	DESCRIPTION	BAG QTY
IBBTS-1	BALL BEARING TILT SWITCH 12V 20MA CLEAR	1 PC
	<i>PRE-WIRED HEAVY-DUTY WATER-RESISTANT BALL BEARING SWITCH PROTECTS ENTRY POINTS PERFECT FOR HOODS, TRUNKS, CAMPER SHELL DOORS, AND MOTORCYCLES</i>	
IBMS-3	DOUBLE-SIDED TAPE MOUNTED MERCURY SWITCH	1 PC
IBMS-5	CLEAR VIEW MERCURY SWITCH	1 PC
	<i>USE WITH CAR ALARMS OR LIGHTING IN TRUNKS. CAN BE USED IN CUSTOM INSTALLATIONS</i>	

RESISTOR KIT



ITEM #	DESCRIPTION		BAG QTY
GMVATS	VATS BYPASS RESISTORS - 10 PER VALUE		170 PCS
392 OHM	1/4WATT 5%	3.74K	1/4WATT 5%
523 OHM	1/4WATT 5%	4.75 K	1/4WATT 5%
681 OHM	1/4WATT 5%	6.04 K	1/4WATT 5%
887 OHM	1/4WATT 5%	7.5 K	1/4WATT 5%
1.13 K	1/4WATT 5%	9.53 K	1/4WATT 5%
1.47 K	1/4WATT 5%	11.8 K	1/4WATT 5%
1.8 K	1/4WATT 5%	1 K	1/4WATT 5%
2.37 K	1/4WATT 5%	10 K	1/4WATT 5%
3.01 K	1/4WATT 5%		

RESISTORS 0.05W / 5%



ITEM #	DESCRIPTION	OHM	BAG QTY
MR68	RESISTOR	68	100 PCS
MR110	RESISTOR	110	20 PCS
MR330	RESISTOR	330	20 PCS
MR1K	RESISTOR	1K	20 PCS
MR1-5K	RESISTOR	1.5K	20 PCS
MR1-69K	RESISTOR	1.69K	20 PCS

VARIABLE RESISTOR KIT



ITEM #	DESCRIPTION	BAG QTY
IBVR	UNIVERSAL VARIABLE RESISTOR KIT	5 PCS
	UNIVERSAL VARIABLE RESISTOR KIT CAN BE USED TO INTERFACE WITH POPULAR MULTIPLEXED DOOR LOCK SYSTEMS AND SECURITY SYSTEMS FOUND IN: CHRYSLER, TOYOTA, MAZDA, ETC. EASY DIALING OF RESISTOR VALUE IS A HUGE TIME SAVER! 0 TO 5K ADJUSTABLE.	

SAND CAST RESISTORS




ITEM #	DESCRIPTION	BAG QTY
IBR4	4 OHM / 25W / 5% WIRE-WOUND	2 PCS
IBR8	8 OHM / 25W / 5% WIRE-WOUND	2 PCS

ELECTROLYTIC CAPACITORS

ITEM #	DESCRIPTION	MDF	QTY
CAP2	CAP 18KHZ@4Ω / 2.2 MDF / 100V	2.2	4 PCS
CAP3	CAP 12KHZ@4Ω / 3.3 MDF / 100V	3.3	4 PCS
CAP4	CAP 8450HZ@4Ω / 4.7 MDF / 100V	4.7	4 PCS
CAP100	CAP 400HZ@4Ω / 100 MDF / 100V	100	4 PCS

6DB BASS BLOCKERS - NON-POLAR

ITEM #	DESCRIPTION	UF	VOLT	SPEAKER	QTY
BB398	10% CAP 100HZ@4 OHM	398	100V	6" X 9"	PAIR
BB199	10% CAP 200HZ@4 OHM	199	100V	6" X 9"	PAIR
BB133	10% CAP 300HZ@4 OHM	133	50V	6"	PAIR
BB99	10% CAP 400HZ@4 OHM	99	100V	5.25"	PAIR
BB14	10% CAP 2800HZ@4 OHM	14	50V	TWEETERS	PAIR
BB66	10% CAP 600HZ@4 OHM	66	50V	4"	PAIR
BB33	10% CAP 1.2KHZ@4 OHM	33	50V	3.5"	PAIR
BB7	10% CAP 5.6KHZ@4 OHM	7	50V	TWEETERS	PAIR

NOISE FILTERS

ITEM #	DESCRIPTION	AMP	QTY
IBNF5	5 AMP NOISE FILTER	5A	1 PC
IBNF10	10 AMP NOISE FILTER	10A	1 PC
IBNF30	30 AMP NOISE FILTER	30A	1 PC
IBNF40	40 AMP NOISE FILTER	40A	1 PC
IBNF50	50 AMP NOISE FILTER	50A	1 PC
IBGLI	GROUND LOOP INSULATOR. FOR REMOVING POPS, CLICKS, AND ENGINE NOISE WHEN USING AFTERMARKET AMPS		1 PC

FOR FILTERING 12V CAR AUDIO PRODUCTS WITH INDUCED NOISE FROM ALTERNATORS & OTHER IGNITION SOURCES.

LINE OUTPUT CONVERTERS



IBLOC01



IBLOC02



IBMLOC2



IBLOC03



IBLOC04



IBMLOC4

ITEM #	DESCRIPTION	WATT	CHANNELS	BAG QTY
IBLOC01	2-CHANNEL ADJUSTABLE LEVEL CONVERTER	40W	2	1 PC
	HANDLES UP TO 40-WATT INPUT POWER. FULLY ADJUSTABLE DUAL OUTPUT LEVEL CONTROLS. TRANSFORMER DESIGN ISOLATES GROUND LOOPS			
IBLOC02	2-CHANNEL ADJUSTABLE LEVEL CONVERTER	80W	2	1 PC
	HANDLES UP TO 80-WATT INPUT POWER. FULLY ADJUSTABLE DUAL OUTPUT LEVEL CONTROLS. TRANSFORMER DESIGN ISOLATES GROUND LOOPS. WIRED INPUT TO 2 RCA FEMALE OUT			
IBMLOC2	2-CHANNEL MIRO LINE OUTPUT CONVERTER	80W	2	1 PC
	TAKES AS MUCH AS 80W OF INPUT SIGNAL AND DELIVERS UP TO 10V OF OUTPUT. FLAT 20 HZ-20KHZ FREQUENCY RANGE AT ALL VOLUMES PROVIDES 12 VOLT FOR AMP REMOTE TURN ON WITH LED INDICATOR. 60 OHM LOADS TO ENSURE UNINTERRUPTED AUDIO PLAYBACK WHEN USED WITH MOST OEM SMART RADIOS. SUPER COMPACT DESIGN ALLOWS EASY INSTALL			
IBLOC03	2-CHANNEL ADJUSTABLE LEVEL CONVERTER + REMOTE	60W	2	1 PC
	HANDLES UP TO 60-WATT INPUT POWER. FULLY ADJUSTABLE OUTPUT LEVEL CONTROLS. TRANSFORMER DESIGN ISOLATES GROUND LOOPS. WIRED INPUT TO 2 RCA FEMALE OUT. REMOTE BASS LEVEL KNOB - SIGNAL SENSE REMOTE TURN-ON OUTPUT			
IBLOC04	4-CHANNEL ADJUSTABLE LEVEL CONVERTER	60W	4	1 PC
	HANDLES UP TO 60-WATT INPUT POWER. FULLY ADJUSTABLE 4-CHANNEL OUTPUT LEVEL CONTROLS. TRANSFORMER DESIGN ISOLATES GROUND LOOPS. WIRED INPUT TO 4 RCA FEMALE OUT			
IBMLOC4	4-CHANNEL CONVERTER MIRO LINE OUTPUT CONVERTER	80W	4	1 PC
	TAKES AS MUCH AS 80W OF INPUT SIGNAL AND DELIVERS UP TO 10V OF OUTPUT. FLAT 20 HZ-20KHZ FREQUENCY RANGE AT ALL VOLUMES PROVIDES 12 VOLT FOR AMP REMOTE TURN ON WITH LED INDICATOR. 60 OHM LOADS TO ENSURE UNINTERRUPTED AUDIO PLAYBACK WHEN USED WITH MOST OEM SMART RADIOS. SUPER COMPACT DESIGN ALLOWS EASY INSTALL			

LINE OUTPUT CONVERTERS CONTINUED



IBR67



IBR69

ITEM #	DESCRIPTION	QTY
IBR67	2-CHANNEL LINE DRIVER / LINE OUTPUT CONVERTER HIGH LEVEL/LOW LEVEL INPUT. MANUAL SELECTOR SWITCH FOR RCA AND SPEAKER INPUTS. ADJUSTABLE GAIN OUTPUT. CAN BE USED TO CONVERT SPEAKER INPUT TO RCA OUTPUT. 10 VOLT MAXIMUM OUTPUT.	1 PC
IBR69	2-CHANNEL MINI LINE OUTPUT CONVERTER AUTO REMOTE AMP TURN-ON WITH 6:1 STEP DOWN WITH ADJUSTABLE OUTPUT. 50 WATTS MAX PER CHANNEL.	1 PC

12V COOLING FANS



CF1




CF2



CF3

ITEM #	DESCRIPTION	BAG QTY
CF1	3.15" X 3.15" X 1" ARIAL FLOW FAN 32 CFM - 20,000 HOUR LIFE EXPECTANCY	1 PC
CF2	4.72" X 4.72" X 1" ARIAL FLOW FAN 51 CFM - 20,000 HOUR LIFE EXPECTANCY	1 PC
CF3	9.6" X 1.89" X 1.89" CROSS FLOW FAN 35 CFM - 20,000 HOUR LIFE EXPECTANCY	1 PC

STROBE FLASH CONTROLLER



ITEM #	DESCRIPTION	BAG QTY
IBLEDBLF	STROBE FLASH CONTROLLER • FOR USE WITH LED THIRD BRAKE LIGHTS • FLASHES THIRD BRAKE LIGHT FOR GREATER VISIBILITY	1 PC

SIRENS



ITEM #	DESCRIPTION	BAG QTY
IBSIRENM6	MINI PIEZO 6-TONE 1.75 W" X 1.625 H" X 2.25" D	1 PC
IBSIRENM	MINI PIEZO SINGLE TONE 1.75 W" X 1.625 H" X 2.25" D	1 PC

POWER ACCESSORIES CONVERTER + POWER SUPPLY

DC/DC VOLTAGE CONVERTER



ITEM #	DESCRIPTION	BAG QTY
L-IBVSTABL	DC/DC VOLTAGE STABILIZER <i>8-40V INPUT / 12V OUTPUT / 10A OUTPUT / IP67 RATED</i>	1 PC
IBVI10A	36/48V TO 12V 10A 120W CONVERTER	1 PC
IBVI30A	36/48V TO 12V 30A 360W CONVERTER	1 PC
IBVI50A	36/48V TO 12V 50A 600W CONVERTER	1 PC
IBVI100A	36/48V TO 12V 100A 1200W CONVERTER WITH ACC SIGNAL • WIDE INPUT VOLTAGE FROM 30-60V • STABLE OUTPUT VOLTAGE IS 12V • 100% FULL RATED POWER • 100% FULL STABLE OUTPUT CURRENT • 100% BURN-IN TEST • TYPICAL EFFICIENCY IS 95% • WATER-RESISTANT • SURFACE MOUNTABLE • OVER-CURRENT, OVER VOLTAGE PROTECTIONS • OVER-TEMP PROTECTIONS	1 PC

DC/DC CONVERTER



ITEM #	DESCRIPTION	BAG QTY
IBVRUSB125	12V TO 5V USB VOLTAGE REDUCER	1 PC

POWER SUPPLY



ITEM #	DESCRIPTION	BAG QTY
PS12UL	POWER SUPPLY - 7.875" D X 1.5" H X 3.875" W OUTPUT: • 12V DC VOLTAGE • 8.3A CURRENT RATING • 99.6W POWER RATING • 10.8-13.2V ADJUSTABLE RANGE INPUT: • 85-264VAC 120-370VDC RANGE • 47-63HZ FREQUENCY RANGE • 82% EFFICIENCY (TYP.) • 2.4A/110VAC 1.2A/220VAC	1 PC


POWER SUPPLY

			
IBPS55	IBPS75	IBPS100	
ITEM #	DESCRIPTION	POWER SUPPLY FEATURES	BAG QTY
IBPS55	55 AMP POWER SUPPLY		1 PC
	780 WATTS MAX OUTPUT DC OUTPUT VOLTAGE 13.2/13.6/14.4V 7 AMPS MAX AC CURRENT @ 108VAC INPUT RANGE 105-135 VAC 60 HZ.	• LED LIGHT, SWITCHABLE OUTPUTS BETWEEN SMART CHARGING AND SINGLE FIXED VOLTAGE (WHICH CAN BE SET BETWEEN 13V AND 16.5V) • DC OUTPUT VOLTAGE: 13.6V/14.4 (D C) • BUILT-IN 4 STAGE SMART CHARGER • DECK MOUNT CONVERTER • UL-CUL APPROVED • QUIET INTERNAL COOLING FAN • OVERTEMP PROTECTION • REVERSE POLARITY PROTECTION • (PFC) POWER FACTOR CORRECTION	
IBPS75	75 AMP POWER SUPPLY - 10.5" D X 3.5" H X 7.2" W		1 PC
	1065 WATTS MAX OUTPUT OUTPUT VOLTAGE TOLERANCE: + OR - .7% 12 AMPS MAX AC CURRENT @ 108VAC INPUT VOLTAGE RANGE: 105-135 AC		
IBPS100	100 AMP POWER SUPPLY - 10.5" D X 3.5" H X 7.2" W		1 PC
	1440 WATTS MAX OUTPUT OUTPUT VOLTAGE TOLERANCE: + OR - .7% 13 AMPS MAX AC CURRENT @ 108VAC INPUT VOLTAGE RANGE: 105-135 AC		

POWER INVERTERS

		
PMX-400MS		PMX-800MS
ITEM #	DESCRIPTION	BAG QTY
PMX-400MS	POWER INVERTER - 6" D X 4.5" H X 2.75" W	1 PC
	• MODIFIED SINE WAVE • 400 WATTS • 12V DC INPUT • 120V AC OUTPUT, 60HZ • 2 AC OUTLETS/1 USB 2.1 AMP	
PMX-800MS	POWER INVERTER - 7" D X 5" H X 3" W	1 PC
	• MODIFIED SINE WAVE • 800 WATTS • 12V DC INPUT • 120V AC OUTPUT, 60HZ • 2 AC OUTLETS/1 USB 2.1 AMP	


TRAILER ACCESSORIES TRAILER WIRE + PLUGS



ALL COPPER TRAILER WIRE RECOMMENDED FOR RV, BOATS, AND UTILITY TRAILERS

ITEM #	DESCRIPTION	GAUGE	COLOR	REEL
TWBKRD14100	14GA 2-CONDUCTOR TRAILER WIRE	14GA	BLK/RED	100 FT
TWBKRD16100	16GA 2-CONDUCTOR TRAILER WIRE	16GA	BLK/RED	100 FT
TWBKRD18100	18GA 2-CONDUCTOR TRAILER WIRE	18GA	BLK/RED	100 FT

TRAILER LIGHT CONNECTORS



ITEM #	DESCRIPTION	BAG QTY
HE-TRWH02	PL-10 MALE 2-PIN CONNECTOR	10 PCS
	- USED FOR THE FOLLOWING LIGHTS: HE-TR25XX AND HE-TR20XX SERIES 2-PIN MALE	
HE-TRWH03	PL-3 MALE RIGHT ANGLE CONNECTOR	10 PCS
	- USED FOR THE FOLLOWING LIGHTS: HE-TR60XX AND HE-TR40XX 3-PIN MALE	
HE-TRWH04	PL-3 FEMALE CONNECTOR	10 PCS
	- MATING CONNECTOR FOR HE-TRWH03 3-PIN FEMALE - TWO PL-3 FEMALE CONNECTORS PER HARNESS	

6" OVAL TRAILER LED LIGHT

HE-TR6002



HE-TR6003



HE-TR6004



HE-TR6005



HE-TR6006



HE-TR6007

ITEM #	DESCRIPTION	COLOR	BAG QTY
HE-TR6002	6" OVAL TRAILER LIGHT WITH GROMMET	AMBER	1 PC
HE-TR6003	6" OVAL TRAILER LIGHT WITH GROMMET	WHITE	1 PC
HE-TR6004	6" OVAL TRAILER LIGHT	RED/WHITE	1 PC
HE-TR6005	6" OVAL TRAILER LIGHT	AMBER	1 PC
HE-TR6006	6" OVAL TRAILER LIGHT	WHITE	1 PC
HE-TR6007	6" OVAL TRAILER LIGHT	RED	1 PC

- 14 LEDs: STOP, TURN, TAILLIGHT FUNCTIONS
- PL-3 CONNECTOR
- PMMA LENS AND ABS HOUSING
- SONICALLY SEALED, WEATHER-RESISTANT

4" ROUND TRAILER LED LIGHT

HE-TR4001



HE-TR4003

ITEM #	DESCRIPTION	COLOR	BAG QTY
HE-TR4001	4" ROUND TRAILER LIGHT WITH GROMMET	RED	1 PC
HE-TR4003	4" ROUND TRAILER LIGHT WITH GROMMET	WHITE	1 PC

- 14 LEDs: STOP, TURN, TAILLIGHT FUNCTIONS
- PL-3 CONNECTOR
- PMMA LENS AND ABS HOUSING
- SONICALLY SEALED, WEATHER-RESISTANT

4" MARKER / CLEARANCE LIGHTS

ITEM #	DESCRIPTION	COLOR	QTY
HE-TRRF01	4" MARKER / CLEARANCE LIGHT WITH REFLECTOR	RED	1 PC
• 2 LED: SIDE MARKER FUNCTIONS • RED LED AND REFLECTOR IN ONE • PMMA LENS AND ABS HOUSING • HARDWIRE CONNECTIONS			

2" ROUND MARKER LIGHT

ITEM #	DESCRIPTION	COLOR	BAG QTY
HE-TR2001	2" ROUND MARKER LIGHT	RED	1 PC
• 6 LED ROUND MARKER - RED • PL-10 PLUG ON HOUSING • PMMA LENS AND ABS HOUSING			

2.5" ROUND MARKER LIGHT

HE-TR2501



HE-TR2502



HE-TR2503

ITEM #	DESCRIPTION	COLOR	BAG QTY
HE-TR2501	2.5" ROUND MARKER LIGHT WITH GROMMET	RED	1 PC
HE-TR2502	2.5" ROUND MARKER LIGHT WITH GROMMET	AMBER	1 PC
HE-TR2503	2.5" ROUND MARKER LIGHT WITH GROMMET	WHITE	1 PC
• 9 LED ROUND MARKER - RED • PL-10 PLUG ON HOUSING • PMMA LENS AND ABS HOUSING			

0.75" ROUND MARKER LIGHT

	ITEM #	DESCRIPTION	COLOR	BAG QTY
	HE-TR7503	0.75" ROUND MARKER LIGHT • 3 LED ROUND MARKER - WHITE • SONICALLY SEALED, WEATHER-RESISTANT • HARDWIRE CONNECTIONS • POLYCARBONATE LENS	WHITE	1 PC

FLANGES

					
HE-TRM01		HE-TRM103		HE-TRM07	
ITEM #	DESCRIPTION	COLOR	BAG QTY		
HE-TRM01	6" OVAL SURFACE MOUNT PLASTIC FLANGE	BLACK	1 PC		
HE-TRM103	4" ROUND STAINLESS STEEL FLANGE	STEEL	1 PC		
HE-TRM07	HE-TRM107 BULK PACK	STEEL	10 PCS		

GROMMETS

							
HE-TRM02		HE-TRM105		HE-TRM106		HE-TRM08	
ITEM #	DESCRIPTION				COLOR	BAG QTY	
HE-TRM02	6" OVAL RUBBER GROMMET				BLACK	1 PC	
HE-TRM105	2.5" ROUND RUBBER GROMMET				BLACK	1 PC	
HE-TRM106	2" ROUND RUBBER GROMMET				BLACK	1 PC	
HE-TRM08	HE-TRM108 BULK PACK					10 PCS	

BOJO HAND TOOLS

					
ATHKNGL		ATHMNGL		SST3KUKNGL	
ITEM #	DESCRIPTION	COLOR	KIT QTY		
ATHKNGL	GENERAL COMBINATION KIT	BLUE	4 PCS		
ATHMNGL	MASTER INSTALLER KIT	BLUE	7 PCS		
USAGE APPLICATIONS AUTOMOTIVE INTERIORS: • STEREO INSTALLATIONS • DASH AND TRIM REMOVAL • DOOR PANEL REMOVAL AUTOMOTIVE EXTERIORS: • EMBLEM REMOVAL • TRIM REMOVAL • RUBBER GROMMET REMOVAL					

PRY TOOL SET

	ITEM #	DESCRIPTION	COLOR	QTY
	IBPPK	11-PIECE PRY TOOL SET	ORANGE	11 PCS
	DURABLE AND LONG LASTING			

RADIO REMOVAL TOOL SET

	ITEM #	DESCRIPTION	QTY
	IBTRKIT	20-PIECE RADIO REMOVAL TOOL SET	20 PCS
	• 18 RADIO REMOVAL KEYS • WORKS WITH BOTH IMPORT AND DOMESTIC RADIOS • INCLUDES (1) ALLEN HEX WRENCH AND (1) SPECIAL PENTAGON WRENCH		

SAFETY GLASSES

ITEM #	DESCRIPTION	COLOR	QTY
PZGGGLASSES	CLEAR SAFETY GLASSES	CLEAR	1 PC


MINI PICK AND HOOK SET

ITEM #	DESCRIPTION	QTY
IBPICK	4-PIECE MINI PICK AND HOOK SET	4 PCS

SOLDER

				
SDR1	SDR14	ESDR-1	ASDR1	
ITEM #	DESCRIPTION	SIZE	LB.	QTY
SDR1	ROSEN CORE 60/40 SOLDER	0.040	1	1 PC
SDR14	ROSEN CORE 60/40 SOLDER	0.062	0.25	1 PC
ESDR-1	ROSEN CORE 60/40 ECONOMY SOLDER	0.040	1	1 PC
ASDR1	ALUMINUM SOLDER	0.062	1	1 PC

AIR SAW BLADES



ITEM #	DESCRIPTION	QTY
ASB10	10 TPI 0.5" AIR SAW BLADE	1 PC
ASB10-5	ASB10 BULK PACK OF 5	5 PCS
ASB24	24 TPI 0.5" AIR SAW BLADE	1 PC
ASB24-5	ASB24 BULK PACK OF 5	5 PCS
ASB18-5	18 TPI 0.5" AIR SAW BLADES	5 PCS

BI-METAL BLADES DESIGNED FOR AUTOMOTIVE AND SHEET METAL WORK. 10 TPI BLADE IS FOR SCROLL CUTS IN FIBERGLASS AND HEAVY GAUGE METAL. 18 AND 24 TPI BLADES ARE FOR SCROLL CUTS IN LIGHTER GAUGE METAL.

STAINLESS STEEL KNIVES



ITEM #	DESCRIPTION	QTY
OLFA	STAINLESS STEEL KNIFE	1 PC
	AUTO LOCKING BLADE, STAINLESS STEEL HANDLE AND BUILT-IN SAFETY BLADE STRIPPER	
OL9282	AB-505 STAINLESS STEEL REPLACEMENT BLADES	50 PCS



ECONOMY CUTTER

		
114-58		114-62
ITEM #	DESCRIPTION	QTY
114-58	13 PT. SNAP BLADE KNIFE	1 PC
114-62	REPLACEMENT BLADES	10 PCS

UTILITY REPLACEMENT BLADES DISPENSER PACK

	ITEM #	DESCRIPTION	QTY
	120-01	UTILITY BLADES DISPENSER PACK	100 PCS

RAZOR BLADES

	ITEM #	DESCRIPTION	QTY
	IBBLADE	#12 SINGLE EDGE STEEL-BACK RAZOR BLADES	100 PCS

DAMPING MAT KNIFE

	ITEM #	DESCRIPTION	QTY
	IBMATKNIFE	RETRACTABLE DAMPING MAT KNIFE	1 PC

RED DOT KNIFE

		
ITEM #	DESCRIPTION	QTY
GT027	NT PRO A-1 RED DOT KNIFE	1 PC
REGARDED BY MANY INSTALLERS AS THE FINEST PROFESSIONAL KNIFE AVAILABLE. THE BLADE CAN BE ADVANCED IN 1/2" SEGMENT INCREMENTS FOR PRECISION CONTROL. RIGHT OR LEFT HANDED USE.		

TOOLS TRAILER + PRIMARY + POWER + SPEAKER

SQUEEGEES

3M



ITEM #	DESCRIPTION	QTY
GT079	3M 4" GOLD HARD CARD	1 PC

LIL' CHIZLER HARD HARD



ITEM #	DESCRIPTION	QTY
GT083	LIL' CHIZLER HARD CARD	1 PC
	<i>IDEAL FOR REMOVING DECALS, FILM OR ADHESIVE FROM SENSITIVE SURFACES. USE FOR PRESSING DOWN SMALL FILM CREASES OR AIR BUBBLES.</i>	

APPLICATION TOOLS



GT1064



GT194



GT2096-4



GT2097-4



GT200GLD

ITEM #	DESCRIPTION	QTY
GT2096-4	4" LEMON SUEDE BLADE TOOL	1 PC
	<i>FLEXIBLE BLADE HARD CARD FOR WINDOW TINT, VINYL WRAP, PPF, ECT.</i>	
GT2097-4	4" CHERRY SUEDE BLADE TOOL	1 PC
	<i>FLEXIBLE BLADE HARD CARD FOR WINDOW TINT, VINYL WRAP, PPF, ECT.</i>	
GT1064	4" BUMP CARD WITH FELT EDGE	1 PC
	<i>FOUR INCH HARD CARD WITH TWO RIDGES OR "BUMPS." ONE EDGE IS WRAPPED IN FELT.</i>	
GT194	GASKET PUSH STICK	1 PC
	<i>THE GASKET PUSH STICK IS A TINTER'S FAVORITE. SOMETIMES CALLED A DOG BONE, THIS TOOL IS USED FOR PUSHING DOWN DOOR WINDOW GASKETS TO ASSIST IN FILM INSTALLATION ON ROLL DOWN WINDOWS.</i>	
GT200GLD	EZ REACH ULTRA GOLD FIRM FLEX	1 PC
	<i>STOP CUTTING DOWN HARD CARD SQUEEGEES AND USE THIS VERSATILE TOOL INSTEAD. THESE TRIANGULAR CARDS WITH FLAT EDGES ARE PERFECT FOR PUTTING DOWN THOSE LITTLE CORNERS OF FILM IN HARD TO ACCESS AREAS.</i>	

SCRAPERS



ITEM #	DESCRIPTION	QTY
GT138	1" HEAVY-DUTY RAZOR SCRAPER	1 PC
	<i>RETRACTABLE SAFETY SCRAPER, INTERMEDIATE BLADE POSITION KEEPS THE BLADE FROM SLIDING OUT WHILE IN USE</i>	

WHITE SCRUB PAD



ITEM #	DESCRIPTION	QTY
GT085	WHITE SCRUB PAD	1 PC
	<i>GREAT FOR CLEANING WINDOWS PRIOR TO INSTALLATION</i>	

BLACK OUT TAPE



ITEM #	DESCRIPTION	ROLL
GT157	0.5" BLACK OUT TAPE	150'
	<i>USED TO HIDE LIGHT GAPS</i>	

HAMMER CRIMPER




ITEM #	DESCRIPTION	QTY
IBHDCRIMP	LARGE GAUGE HAMMER CRIMPER	1 PC

FERRULE CRIMP TOOLS

		
IBLUGT		IBFCRIMPER
ITEM #	DESCRIPTION	QTY
IBLUGT	HYDRAULIC LUG CRIMP TOOL	1 PC
	9 DIE SETS WITH PLASTIC CARRYING CASE	
IBFCRIMPER	FERRULE CRIMP TOOL	1 PC
	7 TO 23 GAUGE AND SELF ADJUSTS TO THE DESIRED FERRULE SIZE	

1/8" COBALT DRILL BITS


		
ITEM #	DESCRIPTION	QTY
IB-CDBIT18	1/8" COBALT METAL DRILL BITS	10 PCS

DOOR UPHOLSTERY REMOVER

		
		
ITEM #	DESCRIPTION	QTY
IB35400	DOOR UPHOLSTERY REMOVER	1 PC
	FOR PLASTIC FASTENERS. RUGGED TOOL WITH A LARGE, COMFORTABLE HANDLE.	

CRIMPING / CUTTING TOOLS

		
		
IB1006		IB1005
ITEM #	DESCRIPTION	QTY
IB1006	NON-INSULATED TERMINALS / CONNECTORS 10-22 AWG CRIMPER/CUTTER	1 PC
	SPECIALLY HARDENED WIRE CUTTER IN TAPERED NOSE FOR WORKING IN CONFINED SPACES. DOUBLE-DIPPED COMFORT GRIPS WITH CURVED HANDLES. FORGED STEEL FOR MAXIMUM DURABILITY.	
IB1005	INSULATED & NON-INSULATED TERMINALS / CONNECTORS 10-22 AWG CRIMPER/CUTTER	1 PC
	SPECIALLY HARDENED WIRE CUTTER IN TAPERED NOSE FOR WORKING IN CONFINED SPACES. DOUBLE-DIPPED COMFORT GRIPS WITH CURVED HANDLES. FORGED STEEL FOR MAXIMUM DURABILITY.	

CRIMPING / CUTTING TOOLS


ITEM #	DESCRIPTION	QTY
IB1004	WIRE STRIPPER FOR 12-26 AWG WIRE <i>CUTS, STRIPS AND LOOPS 12-26 AWG SOLID AND STRANDED WIRE. CONVENIENT HOLE FOR LOOPING OR BENDING WIRE. ADJUSTABLE SLIDE STOP WITH SET SCREW FOR REPEAT STRIPPING WORK.</i>	1 PC
IB1011	WIRE STRIPPER FOR 10-20 AWG WIRE <i>STRIPS 10-20 AWG WIRE, BEND SHAPES, PULLS, AND LOOPS WIRE COIL SPRINGS</i>	1 PC
HW-9013	AUTOMATIC WIRE STRIPPER FOR 22-12 AWG WIRE <i>FOR STRIPPING WIRES FROM 22-12 AWG. PROFESSIONAL, FOR CRIMPING INSULATED TERMINALS. CRIMPER MADE OF CARBON STEEL AND HARDENED. CRIMPS RED 22-18 AWG, BLUE 16-14 AWG, YELLOW 12-10 AWG.</i>	1 PC
HW-9006	5" STRIPPER & CUTTER <i>MADE OF CARBON STEEL AND HARDENED WITH BLACK-OXIDE FINISH</i>	1 PC
IBD275-5	5" MIDGET LIGHT WEIGHT DIAGONAL CUTTER <i>SHEARS WIRE UP TO 14 AWG WITH FLUSH CUTTING ACTION. COMPACT HEAD AND STEEL HOLD-OPEN SPRING.</i>	1 PC
TTT08	8" T-TAP CRIMPER & CUTTER <i>PATENTED 2-IN-1 WIRE QUICK SPLICE T-TAP CLIPPER AND WIRE CUTTER. HOT FORGED AND SPECIALLY HEAT TREATED ALLOY FOR EXTRA DURABILITY.</i>	1 PC
IBCC4	HEAVY-DUTY CABLE CUTTER <i>CUTS UP TO 4GA WIRE</i>	1 PC

#2 PHILLIPS BIT


	ITEM #	DESCRIPTION	QTY
	IBR131	#2 PHILLIPS BIT	5 PCS

6-POINT SOCKETS

		
IBR119	IBR120	IBR122
		
IBR125	IBR127	IBR128
		
IBR132	IBR133	IBR134

ITEM #	DESCRIPTION	MM	SIZE	QTY
3/8" DRIVE 6-POINT				
IBR119	7MM 3/8" DRIVE 6-POINT SHORT SOCKET	7MM	3/8	5 PCS
IBR120	8MM 3/8" DRIVE 6-POINT SHORT SOCKET	8MM	3/8	5 PCS
IBR121	10MM 3/8" DRIVE 6-POINT SHORT SOCKET	10MM	3/8	5 PCS
IBR122	7MM 3/8" DRIVE 6-POINT DEEP SOCKET	7MM	3/8	5 PCS
IBR123	8MM 3/8" DRIVE 6-POINT DEEP SOCKET	8MM	3/8	5 PCS
IBR124	10MM 3/8" DRIVE 6-POINT DEEP SOCKET	10MM	3/8	5 PCS
1/4" DRIVE 6-POINT				
IBR125	7MM 1/4" DRIVE 6-POINT SHORT SOCKET	7MM	3/8	5 PCS
IBR126	8MM 1/4" DRIVE 6-POINT SHORT SOCKET	8MM	1/4	5 PCS
IBR127	10MM 1/4" DRIVE 6-POINT SHORT SOCKET	10MM	1/4	5 PCS
IBR128	7MM 1/4" DRIVE 6-POINT DEEP SOCKET	7MM	1/4	5 PCS
IBR129	8MM 1/4" DRIVE 6-POINT DEEP SOCKET	8MM	1/4	5 PCS
IBR130	10MM 1/4" DRIVE 6-POINT DEEP SOCKET	10MM	1/4	5 PCS
1/4" DRIVE MAGNETIC				
IBR132	7MM 1/4" DRIVE MAGNETIC SOCKET	7MM	1/4	5 PCS
IBR133	8MM 1/4" DRIVE MAGNETIC SOCKET	8MM	1/4	5 PCS
IBR134	10MM 1/4" DRIVE MAGNETIC SOCKET	10MM	1/4	5 PCS

THE INSTALL BAY AT YOUR FINGERTIPS



VISIT US ONLINE

- Catalogs
- Manuals
- Product Sheets

TheInstallBay.com



SOCIAL MEDIA

- Featured Installs
 - Q & A
- Share Your Project Photos With Us
Tag @Metraelectronics In Your Posts!*



SUBSCRIBE ON YOUTUBE

- New Products
- Instruction Videos



METRA'S EXCLUSIVE DEALER WEBSITE

MetraDealer.com

- ✓ *Order anytime. Day or Night!*
- ✓ *Always up to date with all of the latest products.*
- ✓ *All of the Metra brands in one location for ordering convenience.*
- ✓ *Register online today!*



**METRA HAS TECH SUPPORT!
AVAILABLE 7 DAYS A WEEK
386.257.1187**

TESTING DEVICES *POLARITY + TEST LIGHT + CIRCUIT*

POLARITY PHASE METER / TESTER




ITEM #	DESCRIPTION	QTY
IB-FH168	POLARITY PHASE METER/TESTER	1 PC
	SPEAKER POLARITY PHASE METER/ TESTER RETAIL PACK	

TEST LIGHT / CIRCUIT TESTER



ITEM #	DESCRIPTION	QTY
3410	LIGHT & TESTER	1 PC
	• HELPS TO QUICKLY IDENTIFY IF THERE IS VOLTAGE PRESENT ON WIRING AND CIRCUITS • ERGONOMIC GRIP DESIGN WITH 6-FOOT TEST LEADS • TRANSPARENT HANDLE SHOWS BRIGHT LEDS TO IDENTIFY CONNECTIONS: GREEN = GROUND PRESENT, RED = VOLTAGE PRESENT	

TONE GENERATOR

ITEM #	DESCRIPTION	QTY
IBR68	SPEAKER POLARITY / RCA CABLE TESTER	1 PC
	• RCA CABLE SPEAKER TESTER WITH 9V • EASY TO USE CONTROL KNOBS • AUTO-OFF FUNCTION	

AUTO-RANGING DIGITAL MULTIMETER

ITEM #	DESCRIPTION	QTY
3320	10 MEGOHM/UL DIGITAL MULTIMETER	1 PC
	• AUTO-RANGING™ SCALES ELIMINATE THE NEED TO DIAL IN THE CORRECT RANGE WHEN MAKING ELECTRONIC MEASUREMENTS • 10 MΩ INPUT IMPEDANCE FOR SAFE AUTOMOTIVE AND HOUSEHOLD USES • LARGE DIGITAL DISPLAY. SINGLE-SETTING RESISTANCE FUNCTION FOR VOLTAGE (AC & DC) • COLOR-CODED LED'S DISPLAY BATTERY QUICK CHECK • PROTECTIVE RUBBER CORNER GUARDS FOR DROP PROTECTION • INCLUDES ATTACHABLE TEST LEADS, HOLDERS, AND STAND	

UNBACKED AUTOMOTIVE CARPET

AC301-5




AC301




AC337-5



AC337




AC362-5



AC362


ITEM #	DESCRIPTION	WIDTH	COLOR	YDS
AC301-5	BLACK AUTOMOTIVE CARPET	40"	BLACK	5 YDS
AC301	BLACK AUTOMOTIVE CARPET	40"	BLACK	50 YDS
AC337-5	MEDIUM PRAIRIE TAN AUTOMOTIVE CARPET	40"	TAN	5 YDS
AC337	MEDIUM PRAIRIE TAN AUTOMOTIVE CARPET	40"	TAN	50 YDS
AC362-5	CHARCOAL AUTOMOTIVE CARPET	40"	CHARCOAL	5 YDS
AC362	CHARCOAL AUTOMOTIVE CARPET	40"	CHARCOAL	50 YDS

UNBACKED AUTOMOTIVE TRUNK LINER

TL301-5





TL360-5



TL364-5



ITEM #	DESCRIPTION	WIDTH	COLOR	YDS
TL301-5	BLACK AUTOMOTIVE TRUNK LINER	54"	BLACK	5 YDS
TL301	BLACK AUTOMOTIVE TRUNK LINER	54"	BLACK	50 YDS
TL360-5	CHARCOAL AUTOMOTIVE TRUNK LINER	54"	CHARCOAL	5 YDS
TL360	CHARCOAL AUTOMOTIVE TRUNK LINER	54"	CHARCOAL	50 YDS
TL364-5	SILVER AUTOMOTIVE TRUNK LINER	54"	SILVER	5 YDS
TL364	SILVER AUTOMOTIVE TRUNK LINER	54"	SILVER	50 YDS

BACKED AUTOMOTIVE TRUNK LINER

			
BC301-5	BC301	BC360-5	BC360

ITEM #	DESCRIPTION	WIDTH	COLOR	YDS
BC301-5	BLACK AUTOMOTIVE TRUNK LINER	48"	BLACK	5 YDS
BC301	BLACK AUTOMOTIVE TRUNK LINER	48"	BLACK	50 YDS
BC360-5	CHARCOAL AUTOMOTIVE TRUNK LINER	48"	CHARCOAL	5 YDS
BC360	CHARCOAL AUTOMOTIVE TRUNK LINER	48"	CHARCOAL	50 YDS

GRILLE CLOTH


			
GCBLK	GCCHAR	GCBEIGE	GCLTGY

ITEM #	DESCRIPTION	WIDTH	COLOR	YDS
GCBLK	BLACK GRILLE CLOTH	54"	BLACK	1 YDS
GCBLK-RL	BLACK GRILLE CLOTH	54"	BLACK	25 YD
GCCHAR	CHARCOAL GRILLE CLOTH	54"	CHARCOAL	1 YD
GCBEIGE	BEIGE GRILLE CLOTH	54"	BEIGE	1 YD
GCLTGY	LIGHT GRAY GRILLE CLOTH	54"	LT GRAY	1 YD

ABS LAMINATE



	ITEM #	DESCRIPTION	QTY
	LAMCF	ABS CARBON FIBER PRINT LAMINATE HYDRO GRAPHIC	1 PC
		24" X 48" X 1/8"	

METAL MESH GRILLE MATERIAL



7MM

IBGMHC18



3/16"

IBGMSC18

ITEM #	DESCRIPTION	SIZE	PATTERN	QTY
IBGMHC18	7MM HONEYCOMB PATTERN METAL MESH	18" X 18"	HONEYCOMB	1 PC
IBGMSC18	3/16" CIRCLE PATTERN METAL MESH	18" X 18"	CIRCLE	1 PC
THICK, MOLDABLE, BENDABLE, FLEXIBLE METAL MESH MATERIAL USED TO MAKE SPEAKER GRILLES				

SPRAY PAINT




ITEM #	DESCRIPTION	QTY
IBSPFBK	FLAT BLACK SPRAY PAINT	10 OZ.

SQUEEGEES



ITEM #	DESCRIPTION	QTY
GT079	3M 4" GOLD HARD CARD	1 PC

APPLICATION TOOLS

		
GT1064	GT194	GT200GLD
		
GT2096-4	GT2097-4	GT2003PLT

ITEM #	DESCRIPTION	QTY
GT1064	4" BUMP CARD WITH FELT EDGE <i>FOUR INCH HARD CARD WITH TWO RIDGES OR "BUMPS." ONE EDGE IS WRAPPED IN FELT.</i>	1 PC
GT194	GASKET PUSH STICK <i>THE GASKET PUSH STICK IS A TINTER'S FAVORITE. SOMETIMES CALLED A DOG BONE, THIS TOOL IS USED FOR PUSHING DOWN DOOR WINDOW GASKETS TO ASSIST IN FILM INSTALLATION ON ROLL DOWN WINDOWS.</i>	1 PC
GT209	15" TINT INSTALLERS SCRUBBER TOOL <i>HOOK-AND-LOOP STYLE ATTACHMENT FOR REPLACING SCRUB PADS</i>	1 PC
GT200GLD	EZ REACH ULTRA GOLD FIRM FLEX <i>STOP CUTTING DOWN HARD CARD SQUEEGEES AND USE THIS VERSATILE TOOL INSTEAD. THESE TRIANGULAR CARDS WITH FLAT EDGES ARE PERFECT FOR PUTTING DOWN THOSE LITTLE CORNERS OF FILM IN HARD TO ACCESS AREAS.</i>	1 PC
GT2096-4	4" LEMON SUEDE BLADE TOOL <i>FLEXIBLE BLADE HARD CARD FOR WINDOW TINT, VINYL WRAP, PPF, ECT.</i>	1 PC
GT2097-4	4" CHERRY SUEDE BLADE TOOL <i>FLEXIBLE BLADE HARD CARD FOR WINDOW TINT, VINYL WRAP, PPF, ECT.</i>	1 PC
GT2003PLT	WINDOW FILM INSTALLATION TOOL <i>3-ANGLE SILVER COLOR HARD CARD FOR WINDOW TINT, VINYL WRAP, PPF, ECT.</i>	1 PC

CUPS



ITEM #	DESCRIPTION	QTY
CUP	1 QUART MARKED MIXING CUP	1 PC

FLOCK



FLKMINI



FLKBLK

ITEM #	DESCRIPTION	QTY
FLKMINI	THE MINI FLOCKER	1 PC
FLKBLK	BLACK SUEDE FLOCK & ADHESIVE	1 PC

RED DOT KNIFE



ITEM #	DESCRIPTION	QTY
GT027	NT PRO A-1 RED DOT KNIFE	1 PC

REGARDED BY MANY INSTALLERS AS THE FINEST PROFESSIONAL KNIFE AVAILABLE. THE BLADE CAN BE ADVANCED IN 1/2" SEGMENT INCREMENTS FOR PRECISION CONTROL. RIGHT OR LEFT HANDED USE.

LIL' CHIZLER HARD HARD



ITEM #	DESCRIPTION	QTY
GT083	LIL' CHIZLER HARD CARD	1 PC
	<i>IDEAL FOR REMOVING DECALS, FILM OR ADHESIVE FROM SENSITIVE SURFACES. USE FOR PRESSING DOWN SMALL FILM CREASES OR AIR BUBBLES.</i>	

WHITE SCRUB PAD



ITEM #	DESCRIPTION	QTY
GT085	WHITE SCRUB PAD	1 PC
	<i>GREAT FOR CLEANING WINDOWS PRIOR TO INSTALLATION</i>	

BLUE SCRUB PAD



ITEM #	DESCRIPTION	QTY
GT2120B	SCRUB-IT BLUE PAD	1 PC
	<i>BACKING PLATE AND HAND STRAP WITH REPLACEABLE SCRUB PAD HEAVY-DUTY BLUE PAD REMOVES GLUE AND CONTAMINENTS TO PREPARE FOR TINT INSTALLATION</i>	

SCRAPERS




ITEM #	DESCRIPTION	QTY
GT138	1" HEAVY-DUTY RAZOR SCRAPER	1 PC
	<i>RETRACTABLE SAFETY SCRAPER, INTERMEDIATE BLADE POSITION KEEPS THE BLADE FROM SLIDING OUT WHILE IN USE</i>	

BLACK OUT TAPE



ITEM #	DESCRIPTION	ROLL
GT157	0.5" BLACK OUT TAPE	150'
	<i>USED TO HIDE LIGHT GAPS</i>	

PRODUCT DISPLAYS



RACK7 XL DISPLAY RACK

- Black, powder-coated metal
- Metal pegboard for high strength
- Dimensions: 78"H x 39.5"W x 13.5"D




IB-750HDR

RACK750 XL TOP DECAL

- Dimensions: 8.875"H x 30"W



(PRODUCT NOT INCLUDED)



RACK700 SKINNY DISPLAY RACK

- Black, powder-coated metal
- Metal pegboard for high strength
- Dimensions: 72"H x 20"W x 13.5"D



IB-700TOP

RACK700 TOP DECAL

- Dimensions: 4.75"H x 16"W

IB-700BOT

RACK700 BOTTOM DECAL

- Dimensions: 11.875" x 11.875"



(PRODUCT NOT INCLUDED)

PRODUCT DISPLAYS



(PRODUCT NOT INCLUDED)

SPOOLRACK-TSRP SPOOL DISPLAY RACK

- *BLACK, powder-coated metal frame*
- *Graphics included*
- *Dimensions: 57"H x 32"W x 28"D*



(PRODUCT AND WALL SLATS NOT INCLUDED)

IB-SLATWALL15

SLATWALL HEADER

- *Dimensions: 57"H x 32"W x 28"D*

MERCHANDISE



IB-BANNER14 VINYL BANNER

- *48" X 24" high-quality printed banner*
- *Includes reinforced holes for hanging*



IB-OUTOFSTCKD

OUT OF STOCK CARD

- *Out of stock hanging card*



IB-SHRT-L

IB-SHRT-XL

IB-SHRT-XXL

T-SHIRT - BLACK

- *Black shirt with white and green screen print*


EXPLORE METRA BRANDS

Download our brands brochure and see all of the categories Metra has to offer for your vehicle, motorcycle or powersports toy!



METRA BRANDS BROCHURE

- Lighting & Accessories
- Car Audio Install Accessories
- Vehicle Safety Products
- Batteries, Sound Damping & More!



VISIT US ONLINE

- Catalogs
- Manuals
- Product Sheets

MetraOnline.com



SOCIAL MEDIA

- Featured Installs
- Q & A

Share Your Project Photos With Us
Tag @Metraelectronics In Your Posts!



SUBSCRIBE ON YOUTUBE

- New Products
- Instruction Videos



TERMS:

NET 30 DAYS FROM DATE OF INVOICE ON APPROVED ACCOUNTS. MINIMUM ORDER: \$50 PER INVOICE, ORDERS LESS THAN REQUIRED MINIMUM INCUR A \$20 SERVICE CHARGE.

FREIGHT:

FREIGHT ON BOARD (F.O.B.) FROM POINT OF SHIPMENT. FREIGHT WILL BE CHARGED ON ALL DROP-SHIPMENT ORDERS.

CREDIT:

IN ORDER TO ESTABLISH A CREDIT LINE WITH METRA, AN APPLICATION FOR CREDIT MUST BE SUBMITTED LISTING A MINIMUM OF FIVE (5) TRADE REFERENCES AND A BANK WITH THEIR ADDRESSES AND PHONE NUMBERS AND MUST BE SIGNED BY A PRINCIPAL OR AUTHORIZED OFFICER OF THE COMPANY. A CREDIT LINE WILL BE ESTABLISHED BY OUR CREDIT MANAGER AND MUST BE MAINTAINED IN A CURRENT STATUS ACCORDING TO OUR TERMS (NET 30 DAYS). CREDIT NOT ESTABLISHED OR REVOKED REQUIRES REMITTANCE WITH ORDER. RETURNED CHECKS ARE SUBJECT TO A FEE OF \$32.00.

RESALE TAX EXEMPTION CERTIFICATE:

CA, TX, KY, NJ & FL CUSTOMERS MUST PROVIDE A VALID RESALE CARD BEFORE AN ORDER CAN BE PLACED.

CLAIMS:

TITLE AND RISK OF LOSS PASSES TO BUYER AT F.O.B. SHIPPING POINT AND ALL CLAIMS MUST BE FILED WITH CARRIER. ANY DISCREPANCIES MUST BE REPORTED TO METRA WITHIN TEN (10) DAYS OF RECEIPT OF SHIPMENT.

RETURNS:

ALL SALES ARE FINAL. NO RETURNS OR EXCHANGES WILL BE ALLOWED WITHOUT PRIOR WRITTEN AUTHORIZATION FROM METRA. ALL RETURNS ARE SUBJECT TO A 20% HANDLING CHARGE, MUST BE IN A SALEABLE CONDITION, AND MUST HAVE BEEN PURCHASED WITHIN SIXTY (60) DAYS OF RETURN REQUEST. NO STOCK BALANCING PERMITTED. COPIES OF INVOICES MUST BE MAILED IN ADVANCE FOR ANY RETURN AUTHORIZATION (R.A.).

LIMITED WARRANTY:

THIS LIMITED WARRANTY IS PROVIDED BY METRA ELECTRONICS CORPORATION AND THERE ARE NO OTHER WARRANTIES, EXPRESSED OR IMPLIED, EXCEPT AS REQUIRED BY LAW, INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A SPECIFIC PURPOSE, THAT ARE PROVIDED FOR HEREIN, HOWEVER ALL SUCH IMPLIED WARRANTIES, IF ANY, ARE LIMITED TO THE DURATION OF THIS SPECIFIC LIMITED PRODUCT WARRANTY. SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS, SO THE ABOVE LIMITATIONS MAY NOT APPLY TO YOU.

METRA ELECTRONICS CORPORATION SHALL NOT BE LIABLE, UNDER ANY CIRCUMSTANCES, FOR INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL OR MULTIPLE DAMAGES AS A RESULT OF THE SALE OR USE OF THIS PRODUCT. SOME STATES/COUNTRIES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY TO YOU.

1-YEAR LIMITED WARRANTY

WARRANTY PERIOD: WARRANTED FOR 1 YEAR FROM THE ORIGINAL PURCHASE DATE FOR MANUFACTURING DEFECTS. RUST AND CORROSION ARE NOT COVERED. DAMAGED, MODIFIED OR CUT HARNESSES VOID THIS WARRANTY.

THIS IS A LIMITED WARRANTY, SUBJECT TO THE CONDITIONS, LIMITATIONS AND EXCLUSIONS IDENTIFIED HEREIN. METRA ELECTRONICS CORPORATION WARRANTS TO THE ORIGINAL PURCHASER OF THE REGISTERED FOR THE PERIOD OF TIME SPECIFIED FOR EACH PRODUCT FROM THE DATE OF PURCHASE, THAT THE PRODUCT SHALL BE FREE OF DEFECTS IN DESIGN, MATERIAL AND WORKMANSHIP, AND SUBJECT TO THE LIMITATIONS SET FORTH BELOW, METRA ELECTRONICS CORPORATION WILL REPAIR OR REPLACE, AT ITS OPTION, ANY DEFECTIVE UNIT.

CONDITIONS AND LIMITATIONS:

1. PROOF OF PURCHASE IS REQUIRED (I.E. THE SALES RECEIPT OR OTHER PROOF OF PAYMENT)
2. DAMAGE CAUSED BY ACCIDENTS, ABUSE, MISUSE OR MODIFICATION OF THE PRODUCT WILL RENDER THIS WARRANTY NULL AND VOID.
3. THIS WARRANTY IS APPLICABLE ONLY TO THE ORIGINAL PURCHASER AND IS NOT ASSIGNABLE OR TRANSFERABLE.
4. THE PURCHASER IS REQUIRED TO SEND THE PRODUCT BACK TO METRA ELECTRONICS IN ACCORDANCE WITH THE INSTRUCTIONS SET FORTH IN THE WARRANTY INFORMATION ENCLOSED WITH THE PRODUCT

NOTICE: THE WARRANTY DOES NOT COVER ANY DAMAGE OR MALFUNCTIONS OCCUR DUE TO SHIPPING; IMPROPER INSTALLATION OR REMOVAL; IMPROPER REPAIR; COSMETIC DAMAGE DUE TO WEAR AND TEAR, AND OTHER CAUSES NOT ASSOCIATED WITH THE MANUFACTURING AND ASSEMBLY OF THE PRODUCT.

BACKORDERS:

IF AN ITEM IS TEMPORARILY UNAVAILABLE FOR IMMEDIATE SHIPMENT, WE WILL BACK-ORDER THE ITEM AND SHIP AS SOON AS POSSIBLE FROM THE NEAREST AVAILABLE WAREHOUSE, UNLESS OTHERWISE INSTRUCTED.

METRA RESERVES THE RIGHT TO MAKE CHANGES IN OR DELETIONS OF PRODUCTS OR PRICES WITHOUT PRIOR NOTICE.

*METRA WILL NOT ASSUME ANY RESPONSIBILITY FOR DAMAGES TO PERSON OR PROPERTY DUE TO INCORRECT INTERPRETATION OF THE MATERIAL IN THIS PUBLICATION. METRA IS NOT RESPONSIBLE FOR TYPOGRAPHICAL OR PRINTING ERRORS. REPRODUCTIONS OF EDITORIAL OR PICTORIAL CONTENT IS STRICTLY PROHIBITED WITHOUT PRIOR CONSENT FROM METRA.



WARNING: This catalog does not advise whether a State of California Proposition 65 warning is required for a particular item of merchandise. To learn whether a particular item of merchandise requires a California Proposition 65 warning, please be sure to look up and read the particular merchandise's listing on Metra's website www.MetraOnline.com, as well as read the particular merchandise's packaging. When a California Proposition 65 warning is present on Metra's website listing for the particular merchandise, or on the particular merchandise's packaging, a compliant California Proposition 65 warning is to be provided to the purchasing California consumer prior to the sale of the particular merchandise.



facebook.com/MetraElectronics



instagram.com/MetraElectronics



youtube.com/MetraElectronics



Order Anytime Day or Night at MetraDealer.com



Download all our New Catalogs at MetraOnline.com



TheInstallBay.com

MetraDealer.com

Corporate Headquarters

Metra Electronics Corporation
460 Walker Street
Holly Hill, FL 32117-2699

Metra Corporate: 386.257.1186
Metra 12volt & International Sales: 386.257.2956
Sales Fax: 386.258.3940

©Copyright 2025 Metra Electronics Corporation
REV 7/1/25

