**FEATURES**

- Vehicle-specific harness to bypass the factory amplifier
- Saves the installer unnecessary labor and wire
- 20 gauge wires
- Wire Length: 12"

APPLICATIONS**Subaru**

BRZ 2013-2017

Amplifier Location: Rear deck

Amplifier Bypass Harness

Fits Select Subaru BRZ Models 2013-2017

Visit AxxessInterfaces.com for more detailed information about the product and up-to-date vehicle specific applications

Factory amp must stay plugged into vehicle in order for your factory HVAC to work. When using the bypass harness only unplug connectors that correspond with the amp bypass being used. All other remaining plugs must stay plugged in with amp and remain in vehicle.

Refer to the following pages for the vehicle specific instructions for wiring connections. Wiring connections vary per amplifier design. There is a 13 speaker system, and a 14 speaker system.

If uncertain whether the vehicle contains a specific speaker or not, test the wires with a tone generator, or check to see if the factory wires are populated on the vehicle side. Alternatively, the wires can be tested for impedance with a multimeter.

TABLE OF CONTENTS

Amplifier Location & Connections	2
13 Speaker	2
14 Speaker	3

TOOLS REQUIRED

- Crimping tool and connectors, or solder gun, solder, and heat shrink
- Tape • Wire cutter • Zip ties

ATTENTION: With the key out of the ignition, disconnect the negative battery terminal before installing this product. Ensure that all installation connections, especially the air bag indicator lights, are plugged in before reconnecting the battery or cycling the ignition to test this product.

NOTE: Refer also to the instructions included with the aftermarket accessory before installing this device.

AMPLIFIER LOCATION & CONNECTIONS

13 Speaker Amplifier:


Connector A:

Green/White	-Subwoofer Coil 1 +
Yellow/Brown	-Subwoofer Coil 2 +
Brown/White	-Rear Right Door Tweeter/Midrange Speaker +
White	-Front Left Door Woofer +
White/Red	-Subwoofer Coil 1 -
Green/Purple	-Subwoofer Coil 2 -
White/Blue	-Rear Left Door Tweeter/Midrange Speaker -
Pink	-Rear Left Door Tweeter/Midrange Speaker +
Blue/Pink	-Rear Right Door Tweeter/Midrange Speaker -
White/Black	-Front Left Door Woofer -

Connector B:

Gray	-Front Right Door Woofer +
Yellow/Blue	-Front Left Door Tweeter/Midrange Speaker +
Green/Orange	-Rear Left Door Woofer +
Black/Yellow	-Rear Right Door Woofer +
Gray/Black	-Front Right Door Woofer -
Yellow/Black	-Front Left Door Tweeter/Midrange Speaker -
Yellow/Orange	-Front Right Door Tweeter/Midrange Speaker -
Yellow/Red	-Front Right Door Tweeter/Midrange Speaker +
Green/Red	-Rear Left Door Woofer -
Black/Green	-Rear Right Door Woofer -

Amplifier Location: Right Rear of Trunk



AMPLIFIER LOCATION & CONNECTIONS

14 Speaker Amplifier:


Connector A:

Green/White	-Subwoofer Coil 1 +
Yellow/Brown	-Right Satellite Speaker +
Brown/White	-Center Channel Speaker +
White	-Front Left Door Woofer +
White/Red	-Subwoofer Coil 1 -
Green/Purple	-Right Satellite Speaker -
White/Blue	-Left Satellite Speaker -
Pink	-Left Satellite Speaker +
Blue/Pink	-Center Channel Speaker -
White/Black	-Front Left Door Woofer -

Connector B:

Gray	-Front Right Door Woofer +
Yellow/Blue	-Front Left Door Tweeter/Midrange Speaker +
Green/Orange	-Rear Left Door Tweeter/Midrange Speaker +
Black/Yellow	-Rear Right Door Tweeter/Midrange Speaker +
Gray/Black	-Front Right Door Woofer -
Yellow/Black	-Front Left Door Tweeter/Midrange Speaker -
Yellow/Orange	-Front Right Door Tweeter/Midrange Speaker -
Yellow/Red	-Front Right Door Tweeter/Midrange Speaker +
Green/Red	-Rear Left Door Tweeter/Midrange Speaker -
Black/Green	-Rear Right Door Tweeter/Midrange Speaker -

Amplifier Location: Right Rear of Trunk





AXABH-LX2

INSTALLATION INSTRUCTIONS



Having difficulties? We're here to help.



Contact our Tech Support line at:

386-257-1187



Or via email at:

techsupport@metra-autosound.com

Tech Support Hours (Eastern Standard Time)

Monday - Friday: 9:00 AM - 7:00 PM

Saturday: 10:00 AM - 5:00 PM

Sunday: 10:00 AM - 4:00 PM



Metra recommends MECP
certified technicians