InstallBay®

TheInstallBay.com

ONE STOP SOURCE FOR PROFESSIONAL INSTALLERS

+ VEHICLE INSTALLATION HARDWARE
+ SPECIALTY TOOLS
+ ACCESSORIES

IMPROVED CATALOG

This catalog includes vital information about each of our products to better assist with your ordering needs. This page shows physical measurements for many of our products, including terminal sizes, wire gauge sizes, mounting hole sizes, and more. The page also features some products, such as connectors, fuses, and screws, that appear close to their actual size. These products will have a note at the bottom of the feature photo that says, "*Image(s) shown close to actual size." Each product listed in this catalog now includes an organized information chart or description box so you have the information you need to ensure what you order is exactly what you need. If you have additional questions about a product or want to learn more about what The Install Bay offers, please visit us online or give us a call.

READING THE NEW PRODUCT INFORMATION CHARTS

PRODUCT CATEGORY

BUTT CONNECTOR ASSORTMENT PACKS



MEASUREMENT DIAGRAM (if applicable)

PICTURE OF PRODUCT (if available)

PRODUCT ORDERING #

MULTIPLE PIECES WITHIN A SINGLE PRODUCT # WILL SHOW TOGETHER

PRODUCT ORDERING #

VITAL PRODUCT INFORMATION

MEASUREMENT FOR THE CORRESPONDING LETTER APPEARING IN THE PRODUCT PICTURE

QUANTITY/UNIT BEING SOLD

ITEM #	DESCRIPTION	WIRE RANGE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
IBR03	VINYL BUTT CONNECTOR	22/18GA	RED	4	24	1.75	0.5	24 PCS
IBR04	VINYL BUTT CONNECTOR	16/14GA	BLUE	4.3	24	2.3	0.5	24 PCS
IBR06	NYLON BUTT CONNECTOR	22/18GA	RED	3.8	25.2	1.75	0.5	24 PCS
IBR07	NYLON BUTT CONNECTOR	22/18GA	BLUE	4.5	25.5	2.3	0.5	24 PCS
IBR09	HEAT SHRINK NYLON ASSORTMENT KIT							12 PCS
	HEAT SHRINK NYLON	22/18GA	RED		38	1.70	0.75	*(4 PCS)*
	HEAT SHRINK NYLON	16/14GA	BLUE		35	2.3	0.5	*(4 PCS)*
	HEAT SHRINK NYLON	12/10GA	YELLOW		40.5	3.8	0.5	*(4 PCS)*
	ADDITIONAL SPECS OR FEATURES FOR A PRODUCT(S) WILL BE SHOWN HERE							

THIS PRODUCT IS SHOWING A LISTING OF MULTIPLE PIECES THAT ARE INCLUDED

= MEASUREMENT/SPEC IS NOT AVAILABLE

THE FINE PRINT

Although we have utilized every asset available to us to get you the best product representations and information, please use the contents presented throughout this catalog only as a guide. Metra Electronics Corporation® and The Install Bay® are not liable for damage caused by incorrectly ordered or installed products, and it is recommended to consult with a professional installer prior to purchasing or installing our products. Sizes, colors, textures, and some features may vary and are subject to change at any time without notice.

WARNING: This catalog does not advise whether a State of California Proposition 65 warning is required for a particular item of merchandise. To learn whether a particular item of merchandise requires a California Proposition 65 warning, please be sure to look up and read the particular merchandise's listing on Metra's website www.MetraOnline.com, as well as read the particular merchandise's packaging. When a California Proposition 65 warning is present on Metra's website listing for the particular merchandise, or on the particular merchandise's packaging, a compliant California Proposition 65 warning is to be provided to the purchasing California consumer prior to the sale of the particular merchandise.

CONNECTORS

Connector Measurement Chart 8
Butt Connectors 9-10
3M Butt Connectors 11
Heat Shrink Butt Connectors 12
Heat Shrink Solder Sleeves 12
Vinyl Quick Disconnects 13
Nylon Quick Disconnects 14-15
3M Nylon Quick Disconnects 14
Heat Shrink Quick Disconnects 16
Vinyl Locking Spade Terminals 16
Vinyl Spade Terminals 17
Nylon Spade Terminals 18
3M Vinyl Spade Terminals 18
Vinyl Bullet Connectors 19
Nylon Bullet Connectors 19
Wire Tap & T-TAP 20
Nylon Crimp Caps 21
Star Rings 22
Uninsulated Ring Terminals 22
Vinyl Ring Terminals 23-24
Nylon Ring Terminals 25
Heat Shrink Ring Terminals 26
Copper Ring Terminals 27-28
Nickel Ring Terminals 29
Barrier Spade Terminals 29
Ferrule Crimp Tools 29
Ferrules 30
High Current Grounding Kit 31
Grounding Kit Replacement Parts 31
Anderson Connectors 32
XT Connectors 32

TUBING/FASTENERS/SCREWS

Split Loom Tubing 33
Expandable Sleeving 34
160-Piece Heat Shrink Tubing Kit 35-37
Heat Shrink Tubing 35-37
Cable Ties 38-39
Cable Tie Mounts & Clamps 39
Snap Bushings 40
Long barrel Grommets 40
Firewall Grommets 40
Shaft Spacers 41
Clean Wire Clips 41
ISO Screw Pack 41
Washers & Trim Rings 42
Phillips Pan Head Tek Screws 42
Phillips Wafer Head Tek Screws 42
Phillips Pan Head Screw 43
Phillips Stinger Coarse Wafer Head 43
Phillips Stinger Fine Wafer Head 43
Phillips Oval Head Screws 44
Phillips Truss Head Screws 44
Phillips Stinger Coarse Drywall Screws 44
Phillips Stinger Fine Drywall Screws 45
Camouflage Screw Tops 45
Speed Clips 45
Panel Fasteners 46
Backstraps 46
ABS Plastic Sheets 46

TAPE/ADHESIVES

3M Electrical Tape 47
Exterior Harness Wrap 47
Interior Harness Wrap 48
Interior Harness Tape 48
Exterior Harness Tape 49
3M Masking Tape 49
Template Tape 49
3M Foam Tape 50
Kent Tape 50
Transparent Tape 51
Butyl Tape 51
3M Strip Caulk 51
Kent Automotive Seal N Caulk 52
Hook and Loop 52
Instant Cure Glue - Thick 53
Kent Automotive Flexseal Silicone 53
Instant Cure Glue 54
CA Glue 54
Glue Accelerator 55
3M Duramix & Quick-Cure™ 56
3M Duramix Nozzle 56
Hot Melt Glue Sticks 57
3M Adhesion Promoter & Cleaner 57
Spray Adhesives 57

TABLE OF CONTENTS

FUSE PRODUCTS

Fuse Chart 58
Fuse Kits 59-61
Fuse Taps & Dual Add-A-Fuse 62
ATC Fuses 63
ATM Fuses 64-65
ATL Fuses 65
ATR/AGU Fuses 66-67
Maxi Fuses 67
Mini ANL Fuses 68
ANL Fuses 69
FMX Fuses 70
Micro Time Delay Fuses 70
Fuse Holders - Maxi 70
Fuse Holders - Maxi Heavy-Duty 71
Fuse Holders - ATC 71
Fuse Holders - Mini ANL/AGU 72
Fuse Holders - ANL 73
Standard Fuse Holders 73
Terminal Studs 73
Stackable Fuse Panels 74
ATC Fuse Panels & Fuse Blocks 75-76
Fused Distribution Blocks 76
LED ATC Fuse Block 77-78
Auto Reset Circuit Breakers 78
Manual Reset Circuit Breakers 78-79
Resettable Circuit Breakers 79
Smart Battery Isolator 79

WIRE/CABLE/AMP KITS

Amp Kits 80-82
Copper RCA Audio Cables 82
Nickel-Plated RCA Audio Cables 83
Copper Trailer Wire 83
Barrel Connectors 84
3.5MM to RCA Cables 84
Copper Primary Wire 85-86
Copper Speaker Wire 86
Copper US GPT Primary Wire 87
Multi-Conductor Cable 88
Copper-Jacketed Primary Wire 88
CCA Value Line Power Cable 89
CCA Value Line Speaker Wire 89
Speaker Wire 89
Battery Post Adapters 90
Reducers 90
Plug-in Connector 91
2-Wire Quick Disconnects 91

SPEAKER ACCESSORIES

Silicone Speaker Baffles 92
Foam Speaker Ring Set 92
Silicone Baffle Display 92
Vertek/XTC Acoustic Baffles 93
IB Acoustic Baffles 93
Waffle/Speaker Grilles 94
Mesh Snap-on Grilles 94
Speaker Plugs 94
Terminal Cups 95
Speaker Terminal Strip 96
MDF Speaker Rings 96
Rubber Feet 96
Flared/Aero Port Tube Kits 97
Speaker Gasket Tape 97
Dual Cone Speakers 97

VOLTAGE METERS & SOCKETS

Voltage Meters 98
USB Sockets 98-99
USB Extension Sockets 100-101
HDMI® Cables & Adapters 101
Charge & Data Sockets 102
12V Power Sockets 103

VEHICLE ACCESSORIES

Universal Seat Heaters 104
Seat Heater Packs 104
Power Window Kits 105
Power Lock Actuators 106
Actuator Kits 106
Door Lock Bracket 106
Linear Actuators 107

SWITCHES & ELECTRICAL COMPONENTS

Audio Receivers & Controllers 109
Smart Battery Isolator 110
2-Channel Control Knob 110
Level Controller with Voltmeter 111
CE Certified Panel Switches 111
Latching Switches 112-113
Round Rocker Switches 114
Toggle Switches 115
Relays 115
Relay Harness Kits 116
Relay Sockets 116
Magnetic Switch 116
Pin Switches 116
Pin Switch Brackets 117
Pin Switch Boot 117
Tilt Switches 117
Resistors 118
Diodes 118
Electrolytic Capacitors 119
6DB Bass Blockers 119
Noise Filters 119
Line Output Converters 120-121
12V Cooling Fan 121
Strobe Flash Controller 121
Sirens 121

POWER ACCESSORIES

DC/DC Voltage Converters 122
Power Supply Components 123
Power Inverters 123

TOOLS

Air Saw Blades 124
Stainless Steel Knives 124
Economy Cutter 125
Utility Replacement Blades 125
Razor Blades 125
Red Dot Knife 125
Bojo Hand Tools 126
Application Tools 126
Scrub Pad 126
Hammer Crimper 127
Solder 127
Ferrule Crimp Tools 127
Crimping/Cutting Tools 128

TESTING DEVICES

Polarity Phase Meter/Tester 129
Tone Generator 129

FABRICATION & TINT SUPPLIES

Automotive Carpet 130
Automotive Trunk Liner 130-131
Grille Cloth 131
Metal Mesh Grille Material 132
Spray Paint 132
Application Tools 132
Cups 133
Flock 133
Red Dot Knife 133
Scrub Pad 133

MERCHANDISE

Product Displays 134-135
Vinyl Banner 135
Out of Stock Cards 135
T-Shirts 135

SOCIAL MEDIA/TERMS & CONDITIONS

Catch Us On Social Media 136
Terms & Conditions 137

TERMINAL STUD SIZE CHART


	U.S.	Metric	Inch/mm
•	#0		0.060” (1.52mm)
•	#1		0.073 (1.85mm)
•	#2	M2	0.086” (2.18mm)
•	#4	M2.5	0.112” (2.84mm)
•	#5	M3	0.125” (3.17mm)
•	#6	M3.5	0.138” (3.5mm)
•	#8	M4	0.164” (4.16mm)
•	#10	M5	0.190” (4.82mm)
•	#12		0.216“ (5.5mm)
•	#14		0.242” (6.15mm)
•	1/4	M6	0.250” (6.35mm)
•	5/16	M8	0.3125” (7.94mm)

	U.S.	Metric	Inch/mm
•	3/8	M10	0.375” (9.52mm)
•	7/16	M10	0.4375” (11.11mm)
•	1/2	M12	0.50” (12.7mm)
•	5/8	M16	0.625” (15.87mm)
•	3/4	M18	0.75” (19.05m)
•	7/8	M22	0.875” (22.23mm)


CONNECTOR MEASUREMENTS

THESE WILL ALSO BE FEATURED ALONGSIDE THEIR CORRESPONDING PRODUCT THROUGHOUT THE CATALOG


BUTT CONNECTOR




RING TERMINAL




SPADE TERMINAL




BULLET CONNECTOR




QUICK DISCONNECT
PARTIALLY INSULATED



QUICK DISCONNECT
FULLY INSULATED




COPPER RING TERMINAL



CLOSED END CAP



PRE-TINNED BUTT CONNECTORS





URBC



UBBC



UYBC




UBC8

ITEM #	DESCRIPTION	WIRE RANGE	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
URBC	BUTT CONNECTOR	22/18GA	2.9	15	1.9	0.5	100 PCS
UBBC	BUTT CONNECTOR	16/14GA	3.5	15	2.5	0.5	100 PCS
UYBC	BUTT CONNECTOR	12/10GA	4.8	15	3.6	0.6	100 PCS
UBC8	BUTT CONNECTOR	8GA	9.5	30	4.5	0.85	25 PCS

** Images shown close to size & actual colors may vary*

UNINSULATED COPPER BUTT CONNECTORS





CUR8



CUR6



CUR4





CUR1-0

ITEM #	DESCRIPTION	WIRE RANGE	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
CUR8	BUTT CONNECTOR	8GA	6.2	30	4.5	0.85	25 PCS
CUR6	BUTT CONNECTOR	6GA	7.8	30	5.8	1	25 PCS
CUR4	BUTT CONNECTOR	4GA	9.5	30	7.5	1	25 PCS
CUR1-0	BUTT CONNECTOR	1/0GA	15	36	11.5	1.75	10 PCS

** Images shown close to size & actual colors may vary*

VINYL BUTT CONNECTORS







ITEM #	DESCRIPTION	WIRE RANGE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
RVBC	BUTT CONNECTOR	22/18GA	RED	4	24	1.75	0.5	100 PCS
BVBC	BUTT CONNECTOR	16/14GA	BLUE	4.3	24	2.3	0.5	100 PCS
YVBC	BUTT CONNECTOR	12/10GA	YELLOW	6.3	25.5	3.8	0.5	100 PCS
RVBC8	BUTT CONNECTOR	8GA	RED	6.8	41	4.5	0.8	100 PCS
RVBC825	BUTT CONNECTOR	8GA	RED	6.8	41	4.5	0.8	25 PCS
YVBC4	BUTT CONNECTOR	4GA	YELLOW	10.9	40.5	7.5	1	25 PCS

** Images shown close to size & actual colors may vary*

NYLON BUTT CONNECTORS






ITEM #	DESCRIPTION	WIRE RANGE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
RNBM	SEAMLESS BUTT CONNECTOR	24/26GA	YELLOW	2.4	20	1.1	0.3	100 PCS
RNBC	BUTT CONNECTOR	22/18GA	RED	3.8	25.2	1.75	0.5	100 PCS
RNBC-5	BUTT CONNECTOR	22/18GA	RED	3.8	25.2	1.75	0.5	500 PCS
RNBC-1	BUTT CONNECTOR	22/18GA	RED	3.8	25.2	1.75	0.5	1000 PCS
BNBC	BUTT CONNECTOR	16/14GA	BLUE	4.5	25.5	2.3	0.5	100 PCS
BNBC-5	BUTT CONNECTOR	16/14GA	BLUE	4.5	25.5	2.3	0.5	500 PCS
BNBC-1	BUTT CONNECTOR	16/14GA	BLUE	4.5	25.5	2.3	0.5	1000 PCS
YNBC	BUTT CONNECTOR	12/10GA	YELLOW	6.3	25.5	3.8	0.5	100 PCS
YNBC-5	BUTT CONNECTOR	12/10GA	YELLOW	6.3	25.5	3.8	0.5	500 PCS
YNBC-1	BUTT CONNECTOR	12/10GA	YELLOW	6.3	25.5	3.8	0.5	1000 PCS

** Images shown close to size & actual colors may vary*

3M VINYL BUTT CONNECTORS





3MRVBC



3MBVBC




3MYVBC

ITEM #	DESCRIPTION	WIRE RANGE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
3MRVBC	**BUTT CONNECTOR**	**22/18GA**	RED	3.1	25.9	1.5	0.78	**100 PCS**
3MBVBC	**BUTT CONNECTOR**	**16/14GA**	BLUE	3.9	25.9	2.4	0.78	**100 PCS**
3MYVBC	**BUTT CONNECTOR**	**12/10GA**	YELLOW	5.5	34	3.6	0.96	**100 PCS**

** Images shown close to size & actual colors may vary*

3M SEAMLESS NYLON BUTT CONNECTORS





3MRNB



3MBNB




3MYNB

ITEM #	DESCRIPTION	WIRE RANGE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
3MRNB	**BUTT CONNECTOR**	**22/18GA**	RED	3.1	25.9	1.5	0.78	**100 PCS**
3MBNB	**BUTT CONNECTOR**	**16/14GA**	BLUE	3.9	25.9	2.4	0.78	**100 PCS**
3MYNB	**BUTT CONNECTOR**	**12/10GA**	YELLOW	5.5	34	3.6	0.96	**100 PCS**

** Images shown close to size & actual colors may vary*


HEAT SHRINK BUTT CONNECTORS 2.5:1 SHRINK RATIO




HSYBCM


HSRBC


HSBBC



HSYBC



HSRBC8

ITEM #	DESCRIPTION	WIRE RANGE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
HSYBCM	HEAT SHRINK BUTT CONNECTOR	24/26GA	YELLOW	11.7	24	1	0.40	100 PCS
HSRBC	HEAT SHRINK BUTT CONNECTOR	22/18GA	RED	15	38	1.7	0.75	100 PCS
HSBBC	HEAT SHRINK BUTT CONNECTOR	16/14GA	BLUE	15	35	2.4	0.80	100 PCS
HSYBC	HEAT SHRINK BUTT CONNECTOR	12/10GA	YELLOW	15	40.5	3.4	1	50 PCS
HSRBC8	HEAT SHRINK BUTT CONNECTOR	8GA	RED	19	46	2.6	1.8	25 PCS

** Images shown close to size & actual colors may vary*

HEAT SHRINK SOLDER SLEEVES





SHSRBC


SHSBBC

ITEM #	DESCRIPTION	WIRE RANGE	COLOR	A (mm)	B (mm)	BAG QTY
SHSRBC	HEAT SHRINK SOLDER SLEEVE	22/18GA	RED	2.7	40	10 PCS
SHSRBC-50	SHSRBC BULK PACK					50 PCS
SHSBBC-50	SHSBBC BULK PACK	16/14GA	BLUE	4.5	40	50 PCS

** Images shown close to size & actual colors may vary*

VINYL QUICK DISCONNECTS





RVFD110



RVFD250



BVFD110



BVFD187



BVFD205



BVFD250



YVFD250




BVMD250

ITEM #	DESCRIPTION	WIRE RANGE	SIZE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
VINYL FEMALE QUICK DISCONNECTS									
RVFD110	**QUICK DISCONNECT**	**22/18GA**	**0.110**	RED	3.6	18.5	3.2	0.25	**100 PCS**
RVFD250	**QUICK DISCONNECT**	**22/18GA**	**0.250**	RED	3.6	21	6.7	0.40	**100 PCS**
BVFD110	**QUICK DISCONNECT**	**16/14GA**	**0.110**	BLUE	4.4	18.5	3.2	0.25	**100 PCS**
BVFD187	**QUICK DISCONNECT**	**16/14GA**	**0.187**	BLUE	4.4	21	5.6	0.40	**100 PCS**
BVFD205	**QUICK DISCONNECT**	**16/14GA**	**0.205**	BLUE	4.4	19	5.6	0.40	**100 PCS**
BVFD250	**QUICK DISCONNECT**	**16/14GA**	**0.250**	BLUE	4.4	21	6.7	0.40	**100 PCS**
YVFD250	**QUICK DISCONNECT**	**12/10GA**	**0.250**	YELLOW	5.4	25	6.7	0.40	**100 PCS**
VINYL MALE QUICK DISCONNECTS									
BVMD250	**QUICK DISCONNECT**	**16/14GA**	**0.250**	BLUE	4.4	22	6.4	0.40	**100 PCS**

** Images shown close to size & actual colors may vary*

NYLON QUICK DISCONNECTS





BNFD250





BNMD250

ITEM #	DESCRIPTION	WIRE RANGE	SIZE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
NYLON FEMALE QUICK DISCONNECTS									
BNFD250	**QUICK DISCONNECT**	**16/14GA**	**0.250**	BLUE	4.4	22.5	6.7	0.40	**100 PCS**
NYLON MALE QUICK DISCONNECTS									
BNMD250	**QUICK DISCONNECT**	**16/14GA**	**0.250**	BLUE	4.4	25	6.4	0.80	**100 PCS**


** Images shown close to size & actual colors may vary*

3M FULLY INSULATED NYLON QUICK DISCONNECTS





3MRNFD250F




3MBNFD250F



3MBNFD250FG



3MYNFD250F



3MRNMD250F





3MBNMD250F

ITEM #	DESCRIPTION	WIRE RNG	SIZE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
NYLON FEMALE QUICK DISCONNECTS									
3MRNFD250F	**QUICK DISCONNECT**	**22/18GA**	**0.250**	RED	3.6	22	9.3	0.81	**100 PCS**
3MBNFD250F	**QUICK DISCONNECT**	**16/14GA**	**0.250**	BLUE	3.6	22	9.3	0.81	**100 PCS**
3MBNFD250FG	**QUICK DISCON INSUL GRIP**	**16/14GA**	**0.250**	BLUE	3.6	22	9.3	0.81	**100 PCS**
3MYNFD250F	**QUICK DISCONNECT**	**12/10GA**	**0.250**	YELLOW	6.6	26	9.3	0.81	**100 PCS**
NYLON MALE QUICK DISCONNECTS									
3MRNMD250F	**QUICK DISCONNECT**	**22/18GA**	**0.250**	RED	3.6	24	11.1	0.81	**100 PCS**
3MBNMD250F	**QUICK DISCONNECT**	**16/14GA**	**0.250**	BLUE	4.3	24	11.1	0.81	**100 PCS**


** Images shown close to size & actual colors may vary*

FULLY INSULATED NYLON QUICK DISCONNECTS





RNFD110F | RNFD187F | RNFD250F | BNFD110F | BNFD187F




BNFD250F | YNFD250F | RNMD250F | BNMD187F | BNMD250F | YNMD250F

ITEM #	DESCRIPTION	WIRE RANGE	SIZE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
NYLON FEMALE QUICK DISCONNECTS									
RNFD110F	**QUICK DISCONNECT**	22/18GA	0.110	RED	4.3	19	3.2	0.25	**100 PCS**
RNFD187F	**QUICK DISCONNECT**	22/18GA	0.187	RED	4.3	19.5	5	0.40	**100 PCS**
RNFD250F	**QUICK DISCONNECT**	22/18GA	0.250	RED	4.4	22.5	6.7	0.40	**100 PCS**
BNFD110F	**QUICK DISCONNECT**	16/14GA	0.110	BLUE	4.4	19	3.2	0.40	**100 PCS**
BNFD187F	**QUICK DISCONNECT**	16/14GA	0.187	BLUE	5	20	5	0.40	**100 PCS**
BNFD250F	**QUICK DISCONNECT**	16/14GA	0.250	BLUE	4.4	22.5	6.7	0.40	**100 PCS**
YNFD250F	**QUICK DISCONNECT**	12/10GA	0.250	YELLOW	6.6	26	6.7	0.40	**100 PCS**
NYLON MALE QUICK DISCONNECTS									
RNMD250F	**QUICK DISCONNECT**	22/18GA	0.250	RED	3.9	25	6.4	0.80	**100 PCS**
BNMD187F	**QUICK DISCONNECT**	16/14GA	0.187	BLUE	4.8	22	4.8	0.80	**100 PCS**
BNMD250F	**QUICK DISCONNECT**	16/14GA	0.250	BLUE	4.4	25	6.4	0.80	**100 PCS**
YNMD250F	**QUICK DISCONNECT**	12/10GA	0.250	YELLOW	6.7	28.8	6.4	0.80	**100 PCS**

** Images shown close to size & actual colors may vary*

FULLY INSULATED HEAT SHRINK QUICK DISCONNECTS 2.5:1 SHRINK RATIO





HSRFFI



HSBFFI



HSYFFI




HSBMFI

ITEM #	DESCRIPTION	WIRE RNG	SIZE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
HEAT SHRINK FEMALE QUICK DISCONNECTS (FI = Fully Insulated)									
HSRFFI	**QUICK DISCONNECT**	**22/18GA**	**0.250-FI**	RED	4.4	38.5	8.2	0.4	**100 PCS**
HSBFFI	**QUICK DISCONNECT**	**16/14GA**	**0.250-FI**	BLUE	6.3	38.5	8.2	0.4	**100 PCS**
HSYFFI	**QUICK DISCONNECT**	**12/10GA**	**0.250-FI**	YELLOW	8.3	40	8.1	0.6	**50 PCS**
HEAT SHRINK MALE QUICK DISCONNECTS									
HSBMFI	**QUICK DISCONNECT**	**16/14GA**	**0.250-FI**	BLUE	6.3	40	6.4	0.4	**100 PCS**

** Images shown close to size & actual colors may vary*

VINYL LOCKING SPADE TERMINAL





BVLST8




YVLST8

ITEM #	DESCRIPTION	WIRE RANGE	SIZE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
BVLST8	**SPADE TERMINAL**	**16/14GA**	**#8**	BLUE	7.2	22.5	4.3	0.80	**100 PCS**
YVLST8	**SPADE TERMINAL**	**12/10GA**	**#8**	YELLOW	8.2	26.7	4.3	1	**100 PCS**

** Images shown close to size & actual colors may vary*

VINYL SPADE TERMINALS





RVST6



RVST8



BVST6



BVST8



BVST10



YVST8



YVST10




RVST88

ITEM #	DESCRIPTION	WIRE RANGE	SIZE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
RVST6	**SPADE TERMINAL**	**22/18GA**	**#6**	RED	5.7	22	3.7	0.75	**100 PCS**
RVST8	**SPADE TERMINAL**	**22/18GA**	**#8**	RED	6.4	22	4.3	0.75	**100 PCS**
BVST6	**SPADE TERMINAL**	**16/14GA**	**#6**	BLUE	5.7	22.5	3.7	0.80	**100 PCS**
BVST8	**SPADE TERMINAL**	**16/14GA**	**#8**	BLUE	6.4	22.5	4.3	0.80	**100 PCS**
BVST10	**SPADE TERMINAL**	**16/14GA**	**#10**	BLUE	8	22.5	5.3	0.80	**100 PCS**
YVST8	**SPADE TERMINAL**	**12/10GA**	**#8**	YELLOW	6.3	26.7	4.3	1	**100 PCS**
YVST10	**SPADE TERMINAL**	**12/10GA**	**#10**	YELLOW	9	26.7	5.3	1	**100 PCS**
RVST88	**SPADE TERMINAL**	**8GA**	**#8**	RED	8.2	30	4.3	1	**25 PCS**

** Images shown close to size & actual colors may vary*

NYLON SPADE TERMINALS




RNST6


RNST8


BNST6


BNST8



BNST10


YNST8

ITEM #	DESCRIPTION	WIRE RANGE	SIZE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
RNST6	**SPADE TERMINAL**	22/18GA	#6	RED	5.7	22	3.7	0.75	**100 PCS**
RNST8	**SPADE TERMINAL**	22/18GA	#8	RED	6.4	22	4.3	0.75	**100 PCS**
BNST6	**SPADE TERMINAL**	16/14GA	#6	BLUE	5.7	22	3.7	0.80	**100 PCS**
BNST8	**SPADE TERMINAL**	16/14GA	#8	BLUE	6.4	22	4.3	0.80	**100 PCS**
BNST10	**SPADE TERMINAL**	16/14GA	#10	BLUE	8	22	5.3	0.80	**100 PCS**
YNST8	**SPADE TERMINAL**	12/10GA	#8	YELLOW	6.3	26.7	4.3	1	**100 PCS**

** Images shown close to size & actual colors may vary*

3M VINYL SPADE TERMINAL






ITEM #	DESCRIPTION	WIRE RANGE	SIZE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
3MBVST8	**SPADE TERMINAL**	16/14GA	#8	BLUE	7.6	21.8	6.3	0.78	**100 PCS**

** Images shown close to size & actual colors may vary*

VINYL BULLET CONNECTORS





RVFB



BVFB



RVMB




BVMB

ITEM #	DESCRIPTION	WIRE RANGE	SIZE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
FEMALE BULLET CONNECTORS									
RVFB	**BULLET CONNECTOR**	22/18GA	0.156	RED	3.3	23	4.6	0.40	**100 PCS**
BVFB	**BULLET CONNECTOR**	16/14GA	0.156	BLUE	4	24.5	4.6	0.40	**100 PCS**
MALE BULLET CONNECTORS									
RVMB	**BULLET CONNECTOR**	22/18GA	0.156	RED	3.6	22	4	0.40	**100 PCS**
BVMB	**BULLET CONNECTOR**	16/14GA	0.156	BLUE	4.4	21.5	4	0.40	**100 PCS**

** Images shown close to size & actual colors may vary*

NYLON BULLET CONNECTORS





RNFB



BNFB



RNMB



BNMB

ITEM #	DESCRIPTION	WIRE RANGE	SIZE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
FEMALE BULLET CONNECTORS									
RNFB	**BULLET CONNECTOR**	22/18GA	0.156	RED	4.3	24	4.6	0.40	**100 PCS**
BNFB	**BULLET CONNECTOR**	16/14GA	0.156	BLUE	6.6	27	4.6	0.40	**100 PCS**
MALE BULLET CONNECTORS									
RNMB	**BULLET CONNECTOR**	22/18GA	0.156	RED	4.3	25	4	0.40	**100 PCS**
BNMB	**BULLET CONNECTOR**	16/14GA	0.156	BLUE	5	25	4	0.40	**100 PCS**

** Images shown close to size & actual colors may vary*

WIRE TAP QUICK DISCONNECTS, WIRE SPLICE & T-TAP CONNECTORS




RTT



BKTT/ BTT / YTT



3MRTT




3MBTT / 3MYTT



RSL



BSL



3MRSL



3MBSL

ITEM #	DESCRIPTION	WIRE RANGE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
WIRE TAP QUICK DISCONNECTS								
BKTT	**WIRE TAP QUICK DISCONNECTS**	**24/26GA**	BLACK	37	9.4	0.30	0.52	**100 PCS**
RTT	**WIRE TAP QUICK DISCONNECTS**	**22/18GA**	RED	37	9.4	0.5	0.52	**100 PCS**
BTT	**WIRE TAP QUICK DISCONNECTS**	**16/14GA**	BLUE	37	9.4	0.5	0.70	**100 PCS**
YTT	**WIRE TAP QUICK DISCONNECTS**	**12/10GA**	YELLOW	37	9.4	0.5	1.2	**100 PCS**
3M T-TAP CONNECTOR								
3MRTT	**T-TAP CONNECTOR**	**22/18GA**	RED	31.5	19.7	4	2.5	**100 PCS**
3MBTT	**T-TAP CONNECTOR**	**18/14GA**	BLUE	31.5	19.7	4	2.5	**100 PCS**
3MYTT	**T-TAP CONNECTOR**	**12/10GA**	YELLOW	31.8	20	5.7	3	**100 PCS**
3M SCOTCHLOK™								
3MRSL	**T-TAP CONNECTOR**	**22/18GA**	RED	31.5	19.7	4	2.5	**100 PCS**
3MBSL	**T-TAP CONNECTOR**	**18/14GA**	BLUE	31.5	19.7	4	2.5	**100 PCS**


NYLON CRIMP CAPS





ITEM #	DESCRIPTION	WIRE RANGE	A (mm)	B (mm)	C (mm)	BAG QTY
CC2218	CRIMP CAP	22/18GA	6.2	18	2.6	100 PCS
CCL1614	LONG NECK CRIMP CAP	16/14GA	7.9	20	3	100 PCS
CCL1614-1	LONG NECK CRIMP CAP	16/14GA	7.9	20	3	1000 PCS
CCLB1614	BLACK LONG NECK CRIMP CAP	16/14GA	7.9	20	5.2	100 PCS
CC1210	CRIMP CAP	12/10GA	10.5	25	4.3	100 PCS


** Images shown close to size & actual colors may vary*



CLOSED END CAP ASSORTMENT PACK

ITEM #	DESCRIPTION	WIRE RANGE	A (mm)	B (mm)	C (mm)	QTY	BAG
IBR13	CLOSED END CAP ASSORTMENT PACK					24 PCS	SMALL
	CLOSED END CAP	16/14GA	7.9	19.9	3.1	*(12 PCS)*	
	CLOSED END CAP	12/10GA	10.5	25.5	4.4	*(12 PCS)*	

STAR RINGS






ITEM #	DESCRIPTION	WIRE RANGE	SIZE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
BVSRT10	**#10 STAR RING**	**16/14GA**	**#10**	BLUE	9.5	30	7.7	0.6	**100 PCS**

** Images shown close to size & actual colors may vary*

UNINSULATED RING TERMINALS CONTINUED





UR814



UR414



UR4516




UR438

ITEM #	DESCRIPTION	WIRE RANGE	SIZE	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
UR814	**RING TERMINAL**	**8GA**	**1/4"**	11.1	22.5	6.4	1	**25 PCS**
UR414	**RING TERMINAL**	**4GA**	**1/4"**	12.6	33.2	6.6	1.2	**25 PCS**
UR4516	**RING TERMINAL**	**4GA**	**5/16"**	16.5	33.2	8.5	1.2	**25 PCS**
UR438	**RING TERMINAL**	**4GA**	**3/8"**	17.5	36	10.7	1.2	**25 PCS**

** Images shown close to size & actual colors may vary*

VINYL RING TERMINALS





RVRT8 | RVRT10 | RVRT14 | RVRT516 | BVRT6 | BVRT8




BVRT10 | BVRT14 | BVRT516 | BVRT38 | YVRT10 | YVRT14 | YVRT516 | YVRT38

ITEM #	DESCRIPTION	WIRE RANGE	SIZE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
RVRT8	**RING TERMINAL**	22/18GA	#8	RED	8	21.2	4.3	0.75	**100 PCS**
RVRT10	**RING TERMINAL**	22/18GA	#10	RED	8	21.2	5.3	0.75	**100 PCS**
RVRT14	**RING TERMINAL**	22/18GA	1/4"	RED	11.6	27.1	6.4	0.75	**100 PCS**
RVRT516	**RING TERMINAL**	22/18GA	5/16"	RED	11.6	27.1	8.4	0.75	**100 PCS**
BVRT6	**RING TERMINAL**	16/14GA	#6	BLUE	6.6	20.1	3.7	0.80	**100 PCS**
BVRT8	**RING TERMINAL**	16/14GA	#8	BLUE	8.5	22.5	4.3	0.80	**100 PCS**
BVRT10	**RING TERMINAL**	16/14GA	#10	BLUE	9.5	22.5	5.3	0.80	**100 PCS**
BVRT14	**RING TERMINAL**	16/14GA	1/4"	BLUE	12	27.6	6.4	0.80	**100 PCS**
BVRT516	**RING TERMINAL**	16/14GA	5/16"	BLUE	12	27.6	8.4	0.80	**100 PCS**
BVRT38	**RING TERMINAL**	16/14GA	3/8"	BLUE	13.7	31.4	10.5	0.80	**100 PCS**
YVRT10	**RING TERMINAL**	12/10GA	#10	YELLOW	10.7	26.2	5.3	1	**100 PCS**
YVRT14	**RING TERMINAL**	12/10GA	1/4"	YELLOW	12	32.2	6.4	1	**100 PCS**
YVRT516	**RING TERMINAL**	12/10GA	5/16"	YELLOW	15	34.4	8.4	1	**100 PCS**
YVRT38	**RING TERMINAL**	12/10GA	3/8"	YELLOW	15	34.4	10.5	1	**100 PCS**

** Images shown close to size & actual colors may vary*

VINYL RING TERMINALS CONTINUED





RVRT810



RVRT814



RVRT8516



RVRT838



BVRT6516



BVRT638



YVRT4516




YVRT438

ITEM #	DESCRIPTION	WIRE RANGE	SIZE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
RVRT810	**RING TERMINAL**	**8GA**	**#10**	RED	11.1	30	5.4	1	**25 PCS**
RVRT814	**RING TERMINAL**	**8GA**	**1/4"**	RED	11.1	30	6.4	1	**25 PCS**
RVRT8516	**RING TERMINAL**	**8GA**	**5/16"**	RED	14.1	34	8.4	1	**25 PCS**
RVRT838	**RING TERMINAL**	**8GA**	**3/8"**	RED	15	37	10.7	1.2	**25 PCS**
BVRT6516	**RING TERMINAL**	**6GA**	**5/16"**	BLUE	16	42.8	8.6	1.5	**25 PCS**
BVRT638	**RING TERMINAL**	**6GA**	**3/8"**	BLUE	16	42.8	10.7	1.5	**25 PCS**
YVRT4516	**RING TERMINAL**	**4GA**	**5/16"**	YELLOW	16.5	45.5	8.6	1.8	**25 PCS**
YVRT438	**RING TERMINAL**	**4GA**	**3/8"**	YELLOW	17.5	48.5	10.7	1.8	**25 PCS**

** Images shown close to size & actual colors may vary*

NYLON RING TERMINALS




RNRT8


RNRT10


RNRT14


BNRT6


BNRT8


BNRT10


BNRT14


BNRT516


BNRT38


YNRT8


YNRT10


YNRT14



YNRT516


YNRT38

ITEM #	DESCRIPTION	WIRE RANGE	SIZE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
RNRT8	**RING TERMINAL**	**22/18GA**	**#8**	RED	8	21.7	4.3	0.75	**100 PCS**
RNRT10	**RING TERMINAL**	**22/18GA**	**#10**	RED	8	21.7	5.3	0.75	**100 PCS**
RNRT14	**RING TERMINAL**	**22/18GA**	**1/4”**	RED	11.6	27.6	6.4	0.75	**100 PCS**
BNRT6	**RING TERMINAL**	**16/14GA**	**#6**	BLUE	6.6	20.6	3.7	0.80	**100 PCS**
BNRT8	**RING TERMINAL**	**16/14GA**	**#8**	BLUE	8.5	23	4.3	0.80	**100 PCS**
BNRT10	**RING TERMINAL**	**16/14GA**	**#10**	BLUE	9.5	23	5.3	0.80	**100 PCS**
BNRT14	**RING TERMINAL**	**16/14GA**	**1/4”**	BLUE	12	28.1	6.4	0.80	**100 PCS**
BNRT516	**RING TERMINAL**	**16/14GA**	**5/16”**	BLUE	12	28.1	8.4	0.80	**100 PCS**
BNRT38	**RING TERMINAL**	**16/14GA**	**3/8”**	BLUE	13.7	31.9	10.5	0.80	**100 PCS**
YNRT8	**RING TERMINAL**	**12/10GA**	**#8**	YELLOW	9.5	26.7	4.3	1	**100 PCS**
YNRT10	**RING TERMINAL**	**12/10GA**	**#10**	YELLOW	9.5	26.7	5.3	1	**100 PCS**
YNRT14	**RING TERMINAL**	**12/10GA**	**1/4”**	YELLOW	12	32.7	6.4	1	**100 PCS**
YNRT516	**RING TERMINAL**	**12/10GA**	**5/16”**	YELLOW	15	34.9	8.4	1	**100 PCS**
YNRT38	**RING TERMINAL**	**12/10GA**	**3/8”**	YELLOW	15	34.9	10.5	1	**100 PCS**

** Images shown close to size & actual colors may vary*

HEAT SHRINK RING TERMINALS 2.5:1 SHRINK RATIO





HSRRT14



HSBRT10



HSBRT14



HSBRT516



HSBRT38



HSYRT14




HSYRT38

ITEM #	DESCRIPTION	WIRE RANGE	SIZE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
HSRRT14	**RING TERMINAL**	**22/18GA**	**1/4"**	RED	11.6	32.2	6.4	1.9	**100 PCS**
HSBRT10	**RING TERMINAL**	**16/14GA**	**#10**	BLUE	9.5	27.2	5.3	2.5	**100 PCS**
HSBRT14	**RING TERMINAL**	**16/14GA**	**1/4"**	BLUE	12	31.7	6.4	2.5	**100 PCS**
HSBRT516	**RING TERMINAL**	**16/14GA**	**5/16"**	BLUE	12	31.7	8.4	2.5	**100 PCS**
HSBRT38	**RING TERMINAL**	**16/14GA**	**3/8"**	BLUE	13.7	36	10.5	2.5	**100 PCS**
HSYRT14	**RING TERMINAL**	**12/10GA**	**1/4"**	YELLOW	12	39	6.4	3.6	**50 PCS**
HSYRT38	**RING TERMINAL**	**12/10GA**	**3/8"**	YELLOW	15	41.2	10.5	3.6	**50 PCS**

** Images shown close to size & actual colors may vary*

COPPER RING TERMINALS





CUR810



CUR814



CUR8516



CUR838



CUR610



CUR614



CUR6516



CUR638



CUR612



CUR410



CUR414



CUR4516



CUR438




CUR412

ITEM #	DESCRIPTION	WIRE RANGE	SIZE	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
CUR810	**RING TERMINAL**	**8GA**	**#10**	11.2	31	5.3	0.95	**25 PCS**
CUR814	**RING TERMINAL**	**8GA**	**1/4"**	11.2	31	7.2	0.95	**25 PCS**
CUR8516	**RING TERMINAL**	**8GA**	**5/16"**	11.2	31	8.7	0.95	**25 PCS**
CUR838	**RING TERMINAL**	**8GA**	**3/8"**	15	33.3	10.2	0.95	**25 PCS**
CUR610	**RING TERMINAL**	**6GA**	**#10**	11.2	32.5	5.3	0.95	**25 PCS**
CUR614	**RING TERMINAL**	**6GA**	**1/4"**	11.2	32.5	7.2	0.95	**25 PCS**
CUR6516	**RING TERMINAL**	**6GA**	**5/16"**	11.2	32.5	8.7	0.95	**25 PCS**
CUR638	**RING TERMINAL**	**6GA**	**3/8"**	14	32.5	10.2	0.95	**25 PCS**
CUR612	**RING TERMINAL**	**6GA**	**3/8"**	18	39.6	13.3	0.95	**25 PCS**
CUR410	**RING TERMINAL**	**4GA**	**#10**	13.5	38.1	5.3	1	**25 PCS**
CUR414	**RING TERMINAL**	**4GA**	**1/4"**	13.5	38.1	7.2	1	**25 PCS**
CUR4516	**RING TERMINAL**	**4GA**	**5/16"**	13.5	38.1	8.7	1	**25 PCS**
CUR438	**RING TERMINAL**	**4GA**	**3/8"**	13.5	38.1	10.2	1	**25 PCS**
CUR412	**RING TERMINAL**	**4GA**	**1/2"**	19	44.5	13.3	1.7	**25 PCS**

** Images shown close to size & actual colors may vary*

COPPER RING TERMINALS





CUR2516 | CUR238 | CUR1516 | CUR138 | CUR1012




CUR1014 | CUR10516 | CUR1038 | CUR2014 | CUR20516 | CUR2038 | CUR2012

ITEM #	DESCRIPTION	WIRE RANGE	SIZE	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
CUR2516	RING TERMINAL	2GA	5/16"	15.7	41.7	8.7	1.5	10 PCS
CUR238	RING TERMINAL	2GA	3/8"	15.7	41.7	10.2	1.5	10 PCS
CUR1516	RING TERMINAL	1GA	5/16"	16.7	44	8.7	1.25	10 PCS
CUR138	RING TERMINAL	1GA	3/8"	16.7	44	10.2	1.25	10 PCS
CUR1012	RING TERMINAL	1/0GA	1/2"	19.7	46.8	13.3	2	5 PCS
CUR1014	RING TERMINAL	1/0GA	1/4"	19.7	46.8	7.2	2	5 PCS
CUR10516	RING TERMINAL	1/0GA	5/16"	19.7	46.8	8.7	2	5 PCS
CUR1038	RING TERMINAL	1/0GA	3/8"	19.7	46.8	10.2	2	5 PCS
CUR2014	RING TERMINAL	2/0GA	1/4"	20.6	52.5	7.2	1.4	5 PCS
CUR20516	RING TERMINAL	2/0GA	5/16"	20.6	52.5	8.7	1.4	5 PCS
CUR2038	RING TERMINAL	2/0GA	3/8"	20.6	52.5	10.2	1.4	5 PCS
CUR2012	RING TERMINAL	2/0GA	1/2"	20.6	52.5	13.3	1.4	5 PCS

** Images shown close to size & actual colors may vary*

NICKEL RING TERMINALS





IB8GNRT-20



IB4GNRT-20





IB1GNRT-20

ITEM #	DESCRIPTION	WIRE RANGE	SIZE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
IB8GNRT-20	RING TERMINAL	8GA	5/16"	RED/BLK	15	43	8.3	1	20 PCS
IB8GNRT-50	IB8GNRT BULK PACK								50 PCS
IB4GNRT-20	RING TERMINAL	4GA	5/16"	RED/BLK	17	51	8.3	1	20 PCS
IB4GNRT-50	IB4GNRT BULK PACK								50 PCS
IB1GNRT-20	RING TERMINAL	1GA	5/16"	RED/BLK	19	63	10.3	1.4	20 PCS
IB1GNRT-50	IB1GNRT BULK PACK								50 PCS


** Images shown close to size & actual colors may vary*

BARRIER SPADE TERMINALS





US810 / US810-50




US410 / US410-50

ITEM #	DESCRIPTION	WIRE RANGE	SIZE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
US810	BARRIER SPADE	8GA	#10	RED/BLK	9	30	6.2	1	5 PAIR
US810-50	US810 BULK PACK								25 PAIR
US410	BARRIER SPADE	4GA	#10	RED/BLK	9	41	6.2	1	5 PAIR
US410-50	US410 BULK PACK								25 PAIR

** Images shown close to size & actual colors may vary*

FERRULE CRIMP TOOLS




IBLUGT



IBFCRIMPER

ITEM	DESCRIPTION	QTY
IBLUGT	LUG CRIMP KIT	1 PC
	9 DIE SETS, 8 TO 0 GAUGE WITH YELLOW PLASTIC CARRYING CASE	
IBFCRIMPER	FERRULE CRIMP TOOL	1 PC
	7 TO 23 GAUGE. SELF ADJUSTS TO THE DESIRED FERRULE SIZE	

FERRULES



FVYL18


FVWT16


FVGY14


FVOR12


FVGN10


FRL8RD


FRL8BK


FVBR8


FRL4RD


FVBK4


FRL4BK


FVBL1


FRL10RD


FRL10BK

ITEM #	DESCRIPTION	WIRE RANGE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
FVYL18	**FERRULE**	**18GA**	YELLOW	3	1.4	14	8	**100 PCS**
FVWT16	**FERRULE**	**16GA**	BLACK	3.5	1.7	14	8	**100 PCS**
FVGY14	**FERRULE**	**14GA**	GRAY	4.2	22	14	8	**100 PCS**
FVOR12	**FERRULE**	**12GA**	ORANGE	4.8	2.8	17	10	**100 PCS**
FVGN10	**FERRULE**	**10GA**	GREEN	6.3	3.5	20	12	**100 PCS**
FRL8RD	**FERRULE**	**8GA**	RED	7.6	4.5	21	12	**50 PCS**
FRL8BK	**FERRULE**	**8GA**	BLACK	7.6	4.5	21	12	**50 PCS**
FVBR8	**FERRULE**	**8GA**	BROWN	7.6	4.5	22	12	**100 PCS**
FRL4RD	**FERRULE**	**4GA**	RED	11.2	7.3	28	16	**50 PCS**
FVBK4	**FERRULE**	**4GA**	BLACK	11.2	7.3	28	16	**100 PCS**
FRL4BK	**FERRULE**	**4GA**	BLACK	11.2	7.3	28	16	**50 PCS**
FVBL1	**FERRULE**	**1/0GA**	BLUE	15	10.3	36	20	**100 PCS**
FRL10RD	**FERRULE**	**1/0GA**	RED	15	13.2	41	20	**50 PCS**
FRL10BK	**FERRULE**	**1/0GA**	BLACK	15	13.2	41	20	**50 PCS**

TERMINATE STRANDED WIRE FOR INSERTION INTO TERMINAL BLOCKS AND PROVIDE SUPERIOR PERFORMANCE

** Images shown close to size & actual colors may vary*

PROFESSIONAL HIGH CURRENT GROUNDING KIT



ITEM #	DESCRIPTION	QTY
PZGGRKT	HIGH CURRENT GROUNDING KIT	1 KIT
	CONTAINS ENOUGH PARTS FOR 50 GROUNDS.	

REPLACEMENT PARTS FOR PZGGRKT GROUNDING KIT


ELECTRICAL GEL



PZGDRILL | PZGBOLT | PZGLWS | PZGLNUT

ITEM #	DESCRIPTION	QTY
PZGDRILL	HIGH SPEED BIT	1 PC
	135° SPLIT POINT AND SHOULDER TIP	
PZGBOLT	CUTTING BOLTS	50 PCS
	ZINC ANODIZED THREAD 5/16”	
PZGLWS	LOCK WASHERS	50 PCS
	INTERNAL/EXTERNAL ANODIZED	
PZGLNUT	LOCK NUTS	50 PCS
	ANODIZED FLANGED SERRATED	

ANDERSON LARGE GAUGE CONNECTORS



SB50



SB120



SB120G




SB175

ITEM #	DESCRIPTION	WIRE RANGE	COLOR	A (mm)	B (mm)	C (mm)	D (mm)	BAG QTY
SB50	ANDERSON CONNECTOR	8GA	RED	35	48	16	5.5	1 PC
SB120	ANDERSON CONNECTOR	4GA	BLUE	44	63	20	7.8	1 PC
SB120G	ANDERSON CONNECTOR	4GA	GRAY	44	63	20	7.8	1 PC
SB175	ANDERSON CONNECTOR	1/0GA	YELLOW	54	80	26	11.5	1 PC

- *GENDERLESS HOUSINGS*
- *LOW RESISTANCE CONNECTION*
- *SELF SECURING DESIGN*
- *2 REQUIRED TO COMPLETE CONNECTION*


XT CONNECTORS




ITEM #	DESCRIPTION	WIRE RANGE	COLOR	LOAD RATING	A (mm)	B (mm)	BAG QTY
IBXT30	XT CONNECTOR	16/18GA	YELLOW	30A	10	13	5 PAIR

- *PLATED XT CONNECTORS*
- *CONTAINS MALE AND FEMALE ENDS*

SPLIT LOOM TUBING POLYETHYLENE 200° LOOM







ITEM #	DESCRIPTION	LENGTH	INNER DIAMETER	OUTER DIAMETER	COLOR	BAG QTY
SPLIT LOOM TUBING						
SLT18	**1/8" SPLIT LOOM TUBING**	100 FT	0.196" (5.0MM)	0.287" (7.3MM)	BLACK	**1 PC**
SLT14	**1/4" SPLIT LOOM TUBING**	100 FT	0.256" (6.5MM)	0.373" (9.47MM)	BLACK	**1 PC**
SLT38	**3/8" SPLIT LOOM TUBING**	100 FT	0.368" (9.35MM)	0.494" (12.56MM)	BLACK	**1 PC**
SLT12	**1/2" SPLIT LOOM TUBING**	100 FT	0.471" (11.97MM)	0.645" (16.39MM)	BLACK	**1 PC**
SLT58	**5/8" SPLIT LOOM TUBING**	100 FT	0.595" (15.11MM)	0.732" (18.59MM)	BLACK	**1 PC**
SLT34	**3/4" SPLIT LOOM TUBING**	100 FT	0.747" (17.96MM)	0.939" (23.86MM)	BLACK	**1 PC**



ITEM #	DESCRIPTION	LENGTH	INNER DIAMETER	OUTER DIAMETER	COLOR	BOX
SPLIT LOOM TUBING - DISPENSER BOX						
SLT145	**1/4" SPLIT LOOM TUBING**	500 FT	0.256" (6.5MM)	0.373" (9.47MM)	BLACK	**1 PC**
SLT385	**3/8" SPLIT LOOM TUBING**	500 FT	0.368" (9.35MM)	0.494" (12.56MM)	BLACK	**1 PC**
SLT122	**1/2"SPLIT LOOM TUBING**	200 FT	0.471" (11.97MM)	0.645" (16.39MM)	BLACK	**1 PC**
SLT1	**1" SPLIT LOOM TUBING**	100 FT	0.897" (22.78MM)	1.077" (27.36MM)	BLACK	**1 PC**

SPLIT LOOM TUBING NYLON (D) SLIT HIGH HEAT 300° LOOM







ITEM #	DESCRIPTION	LENGTH	INNER DIAMETER	OUTER DIAMETER	COLOR	BAG/BOX
HTSLT14	**1/4" SPLIT LOOM TUBING**	100 FT	0.256" (6.5MM)	0.373" (9.47MM)	BLACK/GRAY	**BAG**
HTSLT38	**3/8" SPLIT LOOM TUBING**	100 FT	0.368" (9.35MM)	0.494" (12.56MM)	BLACK/GRAY	**BAG**
HTSLT12	**1/2" SPLIT LOOM TUBING**	100 FT	0.471" (11.97MM)	0.645" (16.39MM)	BLACK/GRAY	**BAG**
HTSLT34	**3/4" SPLIT LOOM TUBING**	100 FT	0.747" (17.96MM)	0.939" (23.86MM)	BLACK/GRAY	**BAG**


FLEX LOOM TUBING





IBR41





IBR42

ITEM #	DESCRIPTION	COLOR	LENGTH	QTY	BAG
IBR41	**3/8" FLEX LOOM TUBING**	BLACK	**7'**	**1 PC**	LARGE
IBR42	**1/2" FLEX LOOM TUBING**	BLACK	**7'**	**1 PC**	LARGE

EXPANDABLE SLEEVING EXPANDS UP TO 150%

The FLEXO® Original is braided from 10 mil polyethylene terepthalate (PET) monofilament yarns. The material has a wide operating temperature range, is resistant to chemical degradation, UV radiation and abrasion. Used in electronics, automotive, marine and industrial wire harnessing applications where cost efficiency and durability are critical.


• Resists gasoline, engine chemicals and cleaning solvents • Cut and abrasion resistant • FMVSS 302 approval



ITEM #	DIAMETER + DESCRIPTION	LENGTH	EXPANSION	COLOR	PACKAGING
FLX1BLK	1" EXPANDABLE SLEEVING	65 FT	150%	BLACK	REEL
FLX12BLK	1/2" EXPANDABLE SLEEVING	100 FT	150%	BLACK	REEL
FLX38BLK	3/8" EXPANDABLE SLEEVING	125 FT	150%	BLACK	REEL
FLX14BLK	1/4" EXPANDABLE SLEEVING	200 FT	150%	BLACK	REEL
FLX18BLK	1/8" EXPANDABLE SLEEVING	225 FT	150%	BLACK	REEL

SELF-WRAPPING SPLIT BRAID SLEEVING EXPANDS UP TO 150%


The FLEXO® F6's unique split, semi-rigid braided construction makes it the ideal solution for situations where ease of installation is of primary importance. The 10 mil PET braid is lightweight, quiet, and flexible. The 25% edge overlap allows for coverage around inline plugs, connectors, and splices. This flexible sleeving will bend to a tight radius without distorting or splitting open, and unlike full rigid tubing, will not impair or affect the flexibility of harnesses.




ITEM #	DIAMETER + DESCRIPTION	LENGTH	EXPANSION	COLOR	PACKAGING
F6N025BK	1/4" SPLIT BRAID SLEEVING	100 FT	150%	BLACK	DISPENSER BOX
F6N050BK	1/2" SPLIT BRAID SLEEVING	75 FT	150%	BLACK	DISPENSER BOX
F6N075BK	3/4" SPLIT BRAID SLEEVING	50 FT	150%	BLACK	DISPENSER BOX
F6N150BK	1-1/2" SPLIT BRAID SLEEVING	25 FT	150%	BLACK	DISPENSER BOX

160-PIECE HEAT SHRINK TUBING KIT UP TO 50% SHRINK







ITEM #	DESCRIPTION	LENGTH	DIAMETER	COLOR	QTY IN KIT
IBHST160B	160-PIECE HEAT SHRINK TUBING KIT				160 PCS
	1/16" HEAT SHRINK TUBING	4"	1/16"	BLACK	*(60 PCS)*
	3/32" HEAT SHRINK TUBING	4"	3/32"	BLACK	*(35 PCS)*
	1/8" HEAT SHRINK TUBING	4"	1/8"	BLACK	*(25 PCS)*
	3/16" HEAT SHRINK TUBING	4"	3/16"	BLACK	*(20 PCS)*
	1/4" HEAT SHRINK TUBING	4"	1/4"	BLACK	*(10 PCS)*
	3/8" HEAT SHRINK TUBING	4"	3/8"	BLACK	*(10 PCS)*



HEAT SHRINK TUBING POLYOLEFIN 3:1 SHRINK RATIO







ITEM #	DESCRIPTION	LENGTH	DIAMETER	COLOR	BAG QTY
IBDWHST18	1/8" HEAT SHRINK TUBING	4 FT	1/8"	BLACK	10 PCS
IBDWHST34	3/4" HEAT SHRINK TUBING	4 FT	3/4"	BLACK	5 PCS
	DUAL WALL HEAT SHRINK POLYOLEFIN WITH ADHESIVE LINER				

62-PIECE HEAT SHRINK TUBING KIT DUAL-WALL ADHESIVE LINED 3:1 SHRINK RATIO







ITEM #	DESCRIPTION	LENGTH	MATERIAL	A (mm)	QTY IN KIT
IBHST62AB	62-PIECE HEAT SHRINK TUBING KIT				62 PCS
	1/16" HEAT SHRINK TUBING	4"	1/16"	BLACK	*(20 PCS)*
	3/16" HEAT SHRINK TUBING	4"	3/16"	BLACK	*(20 PCS)*
	1/4" HEAT SHRINK TUBING	4"	1/4"	BLACK	*(10 PCS)*
	3/8" HEAT SHRINK TUBING	4"	3/8"	BLACK	*(5 PCS)*
	1/2" HEAT SHRINK TUBING	4"	1/2"	BLACK	*(5 PCS)*
	3/4" HEAT SHRINK TUBING	4"	3/4"	BLACK	*(2 PCS)*



3M HEAT SHRINK TUBING POLYOLEFIN UP TO 50% SHRINK






ITEM #	DESCRIPTION	LENGTH	DIAMETER	COLOR	ROLL QTY
3MHST18	1/8" HEAT SHRINK TUBING	4'	1/8"	BLACK	1 PC
3MHST12	1/2" HEAT SHRINK TUBING	4'	1/2"	BLACK	1 PC
3MHST34	3/4" HEAT SHRINK TUBING	4'	3/4"	BLACK	1 PC
3MHST1	1" HEAT SHRINK TUBING	4'	1"	BLACK	1 PC
3MHST332-1	3/32" HEAT SHRINK TUBING	100'	3/32"	BLACK	1 PC
3MHST18-1	1/8" HEAT SHRINK TUBING	100'	1/8"	BLACK	1 PC
3MHST316-1	3/16" HEAT SHRINK TUBING	100'	3/16"	BLACK	1 PC
3MHST14-1	1/4" HEAT SHRINK TUBING	100'	1/4"	BLACK	1 PC
3MHST38-1	3/8" HEAT SHRINK TUBING	100'	3/8"	BLACK	1 PC
3MHST12-1	1/2" HEAT SHRINK TUBING	100'	1/2"	BLACK	1 PC
3MHST34-1	3/4" HEAT SHRINK TUBING	50'	3/4"	BLACK	1 PC
3MHST1-1	1" HEAT SHRINK TUBING	50'	1"	BLACK	1 PC

3M 102-PIECE HEAT SHRINK TUBING KIT POLYOLEFIN UP TO 50% SHRINK









ITEM #	DESCRIPTION	LENGTH	DIAMETER	COLOR	QTY IN KIT
3MHSKIT	102-PIECE HEAT SHRINK TUBING KIT				102 PCS
	3/16" HEAT SHRINK TUBING	6"	3/16"	BLACK	30 PCS
	1/4" HEAT SHRINK TUBING	6"	1/4"	BLACK	28 PCS
	3/8" HEAT SHRINK TUBING	6"	3/8"	BLACK	20 PCS
	1/2" HEAT SHRINK TUBING	6"	1/2"	BLACK	14 PCS
	3/4" HEAT SHRINK TUBING	6"	3/4"	BLACK	6 PCS
	1" HEAT SHRINK TUBING	6"	1"	BLACK	4 PCS

HEAT SHRINK TUBING POLYOLEFIN UP TO 50% SHRINK






ITEM #	DESCRIPTION	LENGTH	DIAMETER	COLOR	BAG QTY
IBHST18-1	1/8" HEAT SHRINK TUBING	100 FT	1/8"	BLACK	1 PC
IBHST316-1	3/16" HEAT SHRINK TUBING	100 FT	3/16"	BLACK	1 PC
IBHST14-1	1/4" HEAT SHRINK TUBING	100 FT	1/4"	BLACK	1 PC
IBHST38-1	3/8" HEAT SHRINK TUBING	100 FT	3/8"	BLACK	1 PC
IBHST12-1	1/2" HEAT SHRINK TUBING	100 FT	1/2"	BLACK	1 PC
IBHST34-1	3/4" HEAT SHRINK TUBING	100 FT	3/4"	BLACK	1 PC
IBHST1-1	1" HEAT SHRINK TUBING	100 FT	1"	BLACK	1 PC

CABLE TIES



ITEM #	DESCRIPTION	LENGTH	WEIGHT	COLOR	BAG QTY
ASSORTED CABLE TIES *NYLON SOURCED FROM ASCEND AND DUPONT, US PRODUCED NYLON 6/6*					
BCT4	4" CABLE TIE	4"	18 LB.	BLACK	100 PCS
BCT4-1	BCT4 BULK PACK				1000 PCS
BCT6	6" CABLE TIE	6"	30 LB.	BLACK	100 PCS
BCT6-1	BCT6 BULK PACK				1000 PCS
BCT7	7" CABLE TIE	7"	50 LB.	BLACK	100 PCS
BCT8	8" CABLE TIE	8"	40 LB.	BLACK	100 PCS
BCT8-1	BCT8 BULK PACK				1000 PCS
BCT8S	8" CABLE TIE	8"	18 LB.	BLACK	100 PCS
BCT11	11" CABLE TIE	11"	50 LB.	BLACK	100 PCS
BCT14	14" CABLE TIE	14"	50 LB.	BLACK	100 PCS
BCT14HD	14" CABLE TIE	14"	120 LB.	HD BLACK	100 PCS
BCT18	18" CABLE TIE	18"	50 LB.	BLACK	100 PCS
BCT24	24" CABLE TIE	24"	175 LB.	BLACK	100 PCS
BCT36	36" CABLE TIE	36"	175 LB.	BLACK	50 PCS
ASSORTED CABLE TIES *MADE FROM IMPORT PRODUCED NYLON 6/6*					
CTB11	11" UV CABLE TIE	11"	50 LB.	BLACK	100 PCS
CTB14	14" UV CABLE TIE	14"	50 LB.	BLACK	100 PCS
CTB4	4" UV CABLE TIE	4"	18 LB.	BLACK	100 PCS
CTB4-1	CTB4 BULK PACK				1000 PCS
CTB6-1	CTB6 BULK PACK	6"	30 LB.	BLACK	1000 PCS
CTB7	7" UV CABLE TIE	7"	50 LB.	BLACK	100 PCS
CTB8	8" UV CABLE TIE	8"	40 LB.	BLACK	100 PCS
CTB8-1	CTB8 BULK PACK				1000 PCS
CTB8S	8" UV CABLE TIE	8"	18 LB.	BLACK	100 PCS

CABLE TIES



ITEM #	DESCRIPTION	WEIGHT	COLOR	QTY	BAG
IBR33	**ASSORTED CABLE TIE PACK**			**24 PCS**	LARGE
	4" CABLE TIES	18 LB.	BLACK	*(8 PCS)*	
	6" CABLE TIES	30 LB.	BLACK	*(8 PCS)*	
	8" CABLE TIES	40 LB.	BLACK	*(8 PCS)*	
IBR83	**8" CABLE TIES**	40 LB.	BLACK	**24 PCS**	MEDIUM

MOUNTING HOLE CABLE TIES



ITEM #	DESCRIPTION	LENGTH	WEIGHT	COLOR	BAG QTY
BMCT6	**6” MOUNTING HOLE CABLE TIE**	**6”**	**40 LB**	BLACK	**100 PCS**
BMCT7	**7” MOUNTING HOLE CABLE TIE**	**7”**	**50 LB**	BLACK	**100 PCS**
BMCT11	**11” MOUNTING HOLE CABLE TIE**	**11”**	**50 LB**	BLACK	**100 PCS**

CABLE TIE MOUNTS ADHESIVE BACKED




CTM34



CTM1

ITEM #	DESCRIPTION	SIZE	COLOR	BAG QTY
CTM34	**3/4” X 3/4” CABLE TIE MOUNT**	**3/4” X 3/4””**	BLACK	**100 PCS**
CTM1	**1” X 1” CABLE TIE MOUNT**	**1” X 1”**	BLACK	**100 PCS**

CABLE CLAMPS









ITEM #	DESCRIPTION	SIZE	COLOR	BAG QTY
BCC18	**1/8” CABLE CLAMP**	**1/8”**	BLACK	**100 PCS**
BCC14	**1/4” CABLE CLAMP**	**1/4”**	BLACK	**100 PCS**
BCC38	**3/8” CABLE CLAMP**	**3/8”**	BLACK	**100 PCS**
BCC12	**1/2” CABLE CLAMP**	**1/2”**	BLACK	**100 PCS**
BCC34	**3/4” CABLE CLAMP**	**3/4”**	BLACK	**100 PCS**

SNAP BUSHINGS










ITEM #	DESCRIPTION	INNER DIAMETER	OUTER DIAMETER	COLOR	BAG QTY
SB8	8GA SNAP BUSHING	0.315" (8MM)	0.391" (9.9MM)	BLACK	100 PCS
SB4	4GA SNAP BUSHING	0.445" (11.3MM)	0.595" (15.1MM)	BLACK	100 PCS
SB0	0GA SNAP BUSHING	0.735" (18.6MM)	0.825" (20.9MM)	BLACK	100 PCS
ITEM #	DESCRIPTION	INNER DIAMETER	OUTER DIAMETER	COLOR	BAG QTY
SNAP BUSHINGS - *HEYCO*					
SB8US	8GA SNAP BUSHING	0.281" (7.1MM)	0.375" (9.5MM)	BLACK	100 PCS
SB4US	4GA SNAP BUSHING USA	0.437" (11MM)	0.562" (14.2MM)	BLACK	100 PCS
SB1US	1GA SNAP BUSHING	0.609" (15.4MM)	0.750" (19MM)	BLACK	100 PCS




LONG BARREL GROMMETS












ITEM #	DESCRIPTION	INNER DIAMETER	OUTER DIAMETER	HEIGHT	COLOR	BAG QTY
LSB8	8GA BARREL GROMMET	0.26"	0.64"	0.54"	BLACK	25 PCS
LSB4	4GA BARREL GROMMET	0.40"	0.85"	0.65"	BLACK	25 PCS
LSB1	1/0GA BARREL GROMMET	0.63"	1"	0.85"	BLACK	25 PCS

FIREWALL GROMMETS INCLUDES SEALING WASHERS







ITEM #	DESCRIPTION	AWG	SIZE	MOUNTING HOLE	LENGTH	BAG QTY
IBFG0	FIREWALL GROMMET AND NUT	0	1.09" (27.8MM)	1.125" (28.5MM)	1.69" (42.8MM)	1 PC
IBFG4	FIREWALL GROMMET AND NUT	4	0.875" (22.2MM)	0.8125" (20.6MM)	1.38" (35MM)	1 PC
IBFG8	FIREWALL GROMMET AND NUT	8	0.625" (15.8MM)	0.75" (19MM)	1.23" (31.3MM)	1 PC

SHAFT SPACERS








SHAFT SPACERS

ITEM #	DESCRIPTION	HEIGHT	INNER DIAMETER	OUTER DIAMETER	COLOR	BAG QTY
SST	**(1) 10-PIECE SHAFT SPACER TREE**					**1 PC**
	SHAFT SPACER (A)	0.71" (18MM)	0.433" (11MM)	0.610" (15.5MM)	BLACK	*(2 PCS)*
	SHAFT SPACER (B)	0.69" (15MM)	0.433" (11MM)	0.610" (15.5MM)	BLACK	*(2 PCS)*
	SHAFT SPACER (C)	0.0788" (2MM)	0.433" (11MM)	0.610" (15.5MM)	BLACK	*(2 PCS)*
	SHAFT SPACER (D)	0.315" (8MM)	0.433" (11MM)	0.610" (15.5MM)	BLACK	*(2 PCS)*
	SHAFT SPACER (E)	0.807" (20.5MM)	0.433" (11MM)	0.610" (15.5MM)	BLACK	*(2 PCS)*
SST516	**SHAFT SPACER**	0.3125" (8MM)	0.437" (11.1MM)	0.610" (15.5MM)	BLACK	**100 PCS**



CLEAN WIRE CLIPS

TOP & BOTTOM



IBCLIP1

TOP & BOTTOM



IBCLIP4

ITEM #	DESCRIPTION	AWG	COLOR	BAG QTY
IBCLIP1	**CLEAN WIRE CLIP**	1/0	BLACK	**4 PCS**
IBCLIP4	**CLEAN WIRE CLIP**	4	BLACK	**4 PCS**

ISO SCREW PACK



ISOPK



ISOPK-2

ITEM #	DESCRIPTION	SIZE	TYPE	BAG QTY
ISOPK	**FLAT HEAD SCREW PACK**			**8 PCS**
	SCREW TYPE 1	10-24 X 3/8"	FLAT HEAD	*(4 PCS)*
	SCREW TYPE 2	10 X 3/8"	FLAT HEAD	*(4 PCS)*
ISOPK-2	**FLAT HEAD SCREW PACK**			**8 PCS**
	SCREW TYPE 1	M5 X 00.8 X 10MM	FLAT HEAD	*(4 PCS)*
	SCREW TYPE 2	10 X 7/16"	FLAT HEAD	*(4 PCS)*

** Images shown close to size*

TUBING/TIES/CLAMPS/SCREWS SCREWS + WASHERS + TRIM RINGS

WASHERS & TRIM RINGS




FW | FW14 | FW38 | FW188 | TR8 | ELW8 | ELW8P | IELW10 | IELW10Z

ITEM #	DESCRIPTION	INNER DIAMETER	OUTER DIAMETER	TYPE	BAG QTY
FW	FENDER WASHER	1/4”	1”	WASHER	100 PCS
FW14	FLAT WASHER	1/4”	5/8”	WASHER	100 PCS
FW38	FLAT WASHER	3/8”	7/8”	WASHER	100 PCS
FW188	FLAT WASHER - STAINLESS	#10	18/8	WASHER	10 PCS
TR8	#8 TRIM RING	13/64”	17/32”	WASHER	100 PCS
ELW8	#8 EXTERNAL LOCK WASHER	3/16”	11/32”	LOCK WASH	100 PCS
ELW8P	#8 EXTERNAL ZINC LOCK WASHER	3/16”	11/32”	LOCK WASH	100 PCS
IELW10	#10 INT/EXT LOCK WASHER	15/64”	13/32”	LOCK WASH	100 PCS
IELW10Z	#10 INT/EXT ZINC LOCK WASHER	15/64”	13/32”	LOCK WASH	100 PCS

** Images shown close to size*

PHILLIPS PAN HEAD TEK SCREW



PPHT812 | PPHT81

PPHT834 | PPHT8112

ITEM #	DESCRIPTION	SIZE	TYPE	BOX QTY
PPHT812	PHILLIPS TEK SCREW	#8 X 1/2”	PAN HEAD	500 PCS
PPHT834	PHILLIPS TEK SCREW	#8 X 3/4”	PAN HEAD	500 PCS
PPHT81	PHILLIPS TEK SCREW	#8 X 1”	PAN HEAD	500 PCS
PPHT8112	PHILLIPS TEK SCREW	#8 X 1-1/2”	PAN HEAD	500 PCS

** Images shown close to size*

PHILLIPS WAFER HEAD TEK SCREW




PWHT812Z | PWHT812 | PWHT834Z | PWHT834 | PWHT81

ITEM #	DESCRIPTION	SIZE	TYPE	BOX QTY
PWHT812Z	PHILLIPS TEK ZINC SCREW	#8 X 1/2”	WAFER HEAD	500 PCS
PWHT812	PHILLIPS TEK SCREW	#8 X 1/2”	WAFER HEAD	500 PCS
PWHT834Z	PHILLIPS TEK ZINC SCREW	#8 X 3/4”	WAFER HEAD	500 PCS
PWHT834	PHILLIPS TEK SCREW	#8 X 3/4”	WAFER HEAD	500 PCS
PWHT81	PHILLIPS TEK SCREW	#8 X 1”	WAFER HEAD	500 PCS

** Images shown close to size*

PHILLIPS PAN HEAD SCREW



PPH812 | PPH834 | PPH81 | PPH8112 | PPH82

ITEM #	DESCRIPTION	SIZE	TYPE	BOX QTY
PPH812	**PHILLIPS SCREW**	#8 X 1/2”	PAN HEAD	**500 PCS**
PPH834	**PHILLIPS SCREW**	#8 X 3/4”	PAN HEAD	**500 PCS**
PPH81	**PHILLIPS SCREW**	#8 X 1”	PAN HEAD	**500 PCS**
PPH8112	**PHILLIPS SCREW**	#8 X 1-1/2”	PAN HEAD	**500 PCS**
PPH82	**PHILLIPS SCREW**	#8 X 2”	PAN HEAD	**500 PCS**

** Images shown close to size*

PHILLIPS STINGER COARSE WAFER HEAD SCREW



PWHS812 | PWHS834 | PWHS81

ITEM #	DESCRIPTION	SIZE	TYPE	BOX QTY
PWHS812	**PHILLIPS SCREW**	#8 X 1/2”	WAFER HEAD	**500 PCS**
PWHS834	**PHILLIPS SCREW**	#8 X 3/4”	WAFER HEAD	**500 PCS**
PWHS81	**PHILLIPS SCREW**	#8 X 1”	WAFER HEAD	**500 PCS**

** Images shown close to size*

PHILLIPS STINGER FINE WAFER HEAD SCREW



PWHS812M | PWHS834M | PWHS81M

ITEM #	DESCRIPTION	SIZE	TYPE	BOX QTY
PWHS812M	**PHILLIPS SCREW**	#8 X 1/2”	WAFER HEAD	**500 PCS**
PWHS834M	**PHILLIPS SCREW**	#8 X 3/4”	WAFER HEAD	**500 PCS**
PWHS81M	**PHILLIPS SCREW**	#8 X 1”	WAFER HEAD	**500 PCS**

** Images shown close to size*

PHILLIPS OVAL HEAD SCREW



ITEM #	DESCRIPTION	SIZE	TYPE	BOX QTY
POH812	**PHILLIPS SCREW**	**#8 X 1/2”**	OVAL HEAD	**500 PCS**

** Images shown close to size*

PHILLIPS TRUSS HEAD SCREW



PTH1012



PTH101

ITEM #	DESCRIPTION	SIZE	TYPE	BOX QTY
PTH1012	**PHILLIPS SCREW**	**#10 X 1/2”**	TRUSS HEAD	**500 PCS**
PTH101	**PHILLIPS SCREW**	**#10 X 1”**	TRUSS HEAD	**500 PCS**

** Images shown close to size*

PHILLIPS STINGER COARSE DRYWALL SCREW



PST61



PST6114



PST6112




PST62

ITEM #	DESCRIPTION	SIZE	TYPE	BOX QTY
PST61	**PHILLIPS DRYWALL SCREW**	**#6 X 1”**	DRYWALL	**500 PCS**
PST6114	**PHILLIPS DRYWALL SCREW**	**#6 X 1-1/4”**	DRYWALL	**500 PCS**
PST6112	**PHILLIPS DRYWALL SCREW**	**#6 X 1-1/2”**	DRYWALL	**500 PCS**
PST62	**PHILLIPS DRYWALL SCREW**	**#6 X 2”**	DRYWALL	**500 PCS**

** Images shown close to size*

PHILLIPS STINGER FINE DRYWALL SCREW



PST634M | PST61M | PST6112M

ITEM #	DESCRIPTION	SIZE	TYPE	BOX QTY
PST634M	**PHILLIPS DRYWALL SCREW**	**#6 X 3/4”**	DRYWALL	**500 PCS**
PST61M	**PHILLIPS DRYWALL SCREW**	**#6 X 1”**	DRYWALL	**500 PCS**
PST6112M	**PHILLIPS DRYWALL SCREW**	**#6 X 1-1/2”**	DRYWALL	**500 PCS**

** Images shown to size*

CAMOUFLAGE SCREW TOP



ITEM #	DESCRIPTION		COLOR	BAG QTY
CSC	**SCREW TOP WITH WASHERS**		BLACK	**100 PCS**

SPEED CLIPS



SCS8 | SCL8 | SCF8

ITEM #	DESCRIPTION	SIZE	TYPE	BOX QTY
SCS8	**SPEED CLIPS**	**#8**	SHORT U TYPE	**100 PCS**
SCL8	**SPEED CLIPS**	**#8**	LONG U TYPE	**100 PCS**
SCF8	**SPEED CLIPS**	**#8**	FLAT	**100 PCS**

TUBING/TIES/CLAMPS/SCREWS *PANEL FASTENERS + BACKSTRAPS*

PANEL FASTENERS



12389PK | HA90-CRY | HA90-GMFD | IBWC | 10469PK | 11125PK | 2048PK

ITEM #	DESCRIPTION	SIZE	BAG QTY
12389PK	GM MOLDING FASTENER	1/2" X 5/8"	25 PCS
HA90-CRY	CHRYSLER	12.5MM HD 19MM STEM	10 PCS
HA90-GMFD	GM/FORD	1/4" HD 1/4" STEM	10 PCS
IBWC	WINDOW CRANK CLIPS	0.875" X 0.625"	10 PCS
10469PK	GM FRONT END RETAINERS	11/32"	25 PCS
11125PK	HONDA LIFTGATE RETAINERS	8.5MM	15 PCS
2048PK	FORD INTERIOR TRIM RETAINERS	9/32"	25 PCS

BACKSTRAPS



ITEM #	DESCRIPTION	THICKNESS	LENGTH	BAG QTY
BS9	BACKSTRAP	2MM	9"	1 PC
BS9-10	BS9 BULK PACK			10 PCS
BS9HD	HEAVY-DUTY BACKSTRAP	2MM	9"	1 PC
BS18	BACKSTRAP	2MM	18"	1 PC
BS9BK	BLACK POWDER-COATED BACKSTRAP	2MM	9"	1 PC

ABS PLASTIC SHEETS



ITEM #	DESCRIPTION	SIZE	BAG QTY
ABS116	1/16" ABS SHEET	12" X 12"	1 PC
ABS316	3/16" ABS SHEET	12" X 12"	1 PC
89-00-9025	1/8" ABS SHEET	8" X 12"	1 PC
89-00-9030	5/32" THICK/SCORED ABS SHEET GRID PLATE	12" X 12"	1 PC
89-00-9031	1/8" ABS SHEET	12" X 12"	1 PC
89-00-9032	1/8" ABS SHEET	17" X 21"	1 PC

3M ELECTRICAL TAPE



IBBVT



3M1776



SUPER33

ITEM #	DESCRIPTION	THICKNESS	SIZE	TEMP	QTY
ECONOMY ELECTRICAL TAPE					
IBBVT	VINYL ELECTRICAL TAPE	7 MIL	3/4" X 66'		1 PC
3M165	TEMFLEX™ VINYL ELECTRICAL TAPE	6 MIL	3/4" X 60'	32°F - 194°F	1 PC
3M165-10	3M165 SLEEVE				10 PCS
	3M™ TEMFLEX™ VINYL ELECTRICAL TAPE 165 HAS GREAT RESISTANCE TO MOISTURE AND VARYING WEATHER CONDITIONS. IT IS A POLYVINYL CHLORIDE (PVC) TAPE THAT IS FLAME-RETARDANT AND CONFORMABLE. 3M TEMFLEX 165 TAPE PROVIDES GREAT MECHANICAL PROTECTION WITH MINIMUM BULK. IT IS A UL LISTED AND CSA CERTIFIED "INSULATING TAPE." NO SOLVENTS ARE USED IN THE MANUFACTURING PROCESS.				
3M1776	VINYL ELECTRICAL TAPE	7 MIL	3/4" X 60'	32°F - 176°F	1 PC
3M1776-10	3M1776 SLEEVE				10 PCS
	UL & CSA RATING				
PREMIUM ELECTRICAL TAPE					
SUPER33	SUPER 33+ VINYL ELECTRICAL TAPE	7 MIL	3/4" X 52'	0°F - 221°F	1 PC
SUPER33-10	SUPER33 SLEEVE				10 PCS
	UL & CSA RATING. HIGHLY CONFORMABLE, FLAME RETARDANT, SUPER STRETCHY IN ALL WEATHER CONDITIONS. RESISTS UV RAYS, ABRASION, CORROSION, ALKALIS, AND ACIDS.				
3M3376	SUPER 33+ VINYL ELECTRICAL TAPE	7 MIL	3/4" X 76'	0°F - 221°F	1 PC
3M3376-10	3M3376 SLEEVE				10 PCS
	THE COMBINATION OF THE PRESSURE-SENSITIVE, RUBBER-RESIN ADHESIVE AND THE PVC BACKING OFFERS ELECTRICAL AND MECHANICAL PROTECTION. RESISTS UV RAYS, ABRASION, MOISTURE, ALKALIS, SOLVENTS AND ACIDS. FLAME-RETARDANT AND INHIBITS THE CORROSION OF ELECTRICAL CONDUCTORS. MADE OF DURABLE PVC. COMPATIBLE WITH RUBBER AND SYNTHETIC SPLICING COMPOUNDS. WITHSTANDS A TEMPERATURE RANGE OF 0°F TO 221 °F (-18 TO 105 °C). UL LISTED, CSA CERTIFIED AND ROHS 2011/65/EU COMPLIANT				

EXTERIOR HARNESS WRAP



52879-19



52879-9

ITEM #	DESCRIPTION	SIZE	COLOR	QTY
52879-19	EXTERIOR HARNESS WRAP	3/4" X 82.5"	BLACK	8 PCS
52879-9	EXTERIOR HARNESS WRAP	3/8" X 82.5"	BLACK	16 PCS
	HIGH ABRASION PROTECTION. HIGH TEMPERATURE RESISTANCE, UP TO 302°F. MAINLY USED ON EXTERIOR PARTS OF THE VEHICLE, INCLUDING DOOR PANELS, BUMPERS, AND ENGINE BAY.			

INTERIOR HARNESS WRAP



12508-19



12508-9

ITEM #	DESCRIPTION	SIZE	TYPE	COLOR	BAG QTY
12508-19	CLOTH HARNESS WRAP	19MM X 25M	INTERIOR	BLACK	8 PCS
12508-9	CLOTH HARNESS WRAP	9MM X 25M	INTERIOR	BLACK	16 PCS

UNIVERSAL TAPE FOR WIRE HARNESS WRAPPING IN THE INTERIOR COMPARTMENT. NOISE DAMPING WITH ABRASION RESISTANCE AS WELL AS BUNDLING STRENGTH WHILE KEEPING HARNESSES FLEXIBLE.

INTERIOR HARNESS TAPE STANDARD



IB951618



IB51618

ITEM #	DESCRIPTION	SIZE	TYPE	COLOR	BAG QTY
IB951618	STANDARD INTERIOR HARNESS TAPE	3/8" X 82.5'	INTERIOR	BLACK	16 PCS
IB51618	STANDARD INTERIOR HARNESS TAPE	3/4" X 82.5'	INTERIOR	BLACK	16 PCS

UNIVERSAL TAPE FOR WIRE HARNESS BUNDLING IN THE PASSENGER COMPARTMENT. NOISE DAMPING WITH ABRASION RESISTANCE AS WELL AS BUNDLING STRENGTH WHILE KEEPING HARNESSES FLEXIBLE. TEAR-RESISTANT, AGE-RESISTANT, STABLE UNWIND FORCE, AND STRONG ADHESION.

INTERIOR HARNESS TAPE PREMIUM



ITEM #	DESCRIPTION	SIZE	TYPE	COLOR	BAG QTY
IB51608	PREMIUM INTERIOR HARNESS TAPE	3/4" X 82.5'	INTERIOR	BLACK	8 PCS

UNIVERSAL TAPE FOR WIRE HARNESS BUNDLING IN THE PASSENGER COMPARTMENT. NOISE DAMPING WITH ABRASION RESISTANCE AS WELL AS BUNDLING STRENGTH WHILE KEEPING HARNESSES FLEXIBLE. TEAR-RESISTANT, AGE-RESISTANT, STABLE UNWIND FORCE, AND STRONG ADHESION. PET FLEECE HARNESS TAPE WITH A RUBBER BASED ADHESIVE

EXTERIOR HARNESS TAPE



IB51026



IB51036

ITEM #	DESCRIPTION	SIZE	TYPE	COLOR	BAG QTY
IB51026	EXTERIOR HARNESS TAPE	3/8" X 82.5'	EXTERIOR	BLACK	16 PCS
IB51036	EXTERIOR HARNESS TAPE	3/4" X 82.5'	EXTERIOR	BLACK	16 PCS
	FOR WRAPPING EXTERIOR HARNESSES. PET CLOTH WIRE HARNESS TAPE WITH AN ACRYLIC BASED ADHESIVE. HIGH TEMPERATURE RESISTANCE 150°C/3000H. HIGH ABRASION RESISTANCE.				

3M MASKING TAPE



ITEM #	DESCRIPTION	SIZE	TYPE	COLOR	BAG QTY
TAPE34	MASKING TAPE	3/4" X 60 YD	MASKING	CREAM	1 PC

TEMPLATE TAPE



IBTT2



IBTT1



AD-TDST75

ITEM #	DESCRIPTION	SIZE	TYPE	COLOR	BAG QTY
IBTT2	TEMPLATE TAPE	1/2" X 36 YD	TEMPLATE	WHITE	1 PC
IBTT1	TEMPLATE TAPE	1" X 36 YD	TEMPLATE	WHITE	1 PC
	DOUBLE-SIDED TAPE FOR TEMPORARY ATTACHMENT OF STOCK TO ROUTER TEMPLATES				
AD-TDST75	TEMPLATE TAPE	3/4" X 50 FT	TEMPLATE	WHITE	1 PC
	DOUBLE-SIDED TAPE WITH EXTREMELY AGGRESSIVE TACK FOR TAPING TEMPLATES				

3M FOAM TAPE



3MDST20



3MDST22




3M4056

ITEM #	DESCRIPTION	SIZE	TYPE	COLOR	BAG QTY
3MDST20	DOUBLE-COATED ACRYLIC FOAM TAPE	1/2" X 20 YD	FOAM	GRY/RED	1 PC
	0.030" THICK GRAY ACRYLIC FOAM TAPE WITH PROVEN PERFORMANCE ACRYLIC ADHESIVE AND A RED RELEASE LINER				
3MDST22	DOUBLE-COATED ACRYLIC FOAM TAPE	7/8" X 20 YD	FOAM	GRY/RED	1 PC
	0.030" THICK GRAY ACRYLIC FOAM TAPE WITH PROVEN PERFORMANCE ACRYLIC ADHESIVE AND A RED RELEASE LINER				
3M4056	DOUBLE-COATED URETHANE FOAM TAPE	1" X 36 YD	FOAM	BLK/GRN	1 PC
	BLACK 1/16", HIGH SHEAR STRENGTH, DURABLE ON INTERIOR MOUNTING APPLICATIONS, CLEAN APPEARANCE. USE FOR BONDING, ATTACHING, OR MOUNTING				

KENT TAPE




P40519



KT12218



P12220



KT12221

ITEM #	DESCRIPTION	SIZE	TYPE	COLOR	BAG QTY
P40519	HIGH-STRENGTH DOUBLE-SIDED TAPE	1/2" X 50'	MOLDING	BLUE	1 PC
P12220	0.045" ACRYLIC MOLDING TAPE	1" X 50'	MOLDING	GRAY/RED	1 PC
KT12218	0.045" QUICK STICK DOUBLE-SIDED TAPE	1/2" X 50'	MOLDING	GRAY/RED	1 PC
KT12221	HIGH-STRENGTH DOUBLE-SIDED TAPE	1/2" X 50'	MOLDING	GRAY/RED	1 PC

TRANSPARENT DOUBLE-SIDED TAPE



ITEM #	DESCRIPTION	SIZE	TYPE	COLOR	BAG QTY
IB4965	TRANSPARENT DOUBLE SIDED TAPE	12 MIL X 80'	TRANSPARENT	RED	1 PC

DOUBLE-SIDED TAPE WITH HIGH SHEAR AND TEMPERATURE RESISTANCE. COMPRISED OF A POLYESTER BACKING COATED ON BOTH SIDE WITH A TRANSPARENT MODIFIED ACRYLIC ADHESIVE. RELIABLE BONDING, EVEN TO LOW SURFACE ENERGY SUBSTRATES WITH VERY HIGH BONDING STRENGTH IMMEDIATE RIGHT AFTER ASSEMBLY. GREAT FOR APPLICATIONS INCLUDING HEAVY STRESS, HIGH TEMPERATURES OR CRITICAL SUBSTRATES

BUTYL TAPE



ITEM #	DESCRIPTION	SIZE	TYPE	COLOR	BAG QTY
P20130	BUTYL TAPE	1/4" X 15'	BUTYL	BLACK	1 PC

INSTANT BONDING AND SEALING. WILL NOT COLLAPSE. SUPERIOR GLASS/PINCH WELD ADHESION. INCREASED STORAGE PROTECTION IN SINGLE PACKS

3M STRIP CAULK



ITEM #	DESCRIPTION	SIZE	TYPE	COLOR	BOX QTY
3MSTC	STRIP CAULK	1"	CAULK	BLACK	60 PCS

SOFT, NON-HARDENING, CAULKING MATERIAL FOR USE IN ALL TYPES OF SEAMS, JOINTS, AND OPENINGS. PRODUCT IS EASILY THUMBED INTO PLACE AND SMOOTHED WITH FINGER

KENT AUTOMOTIVE™ SEAL N CAULK




ITEM #	DESCRIPTION	SIZE	TYPE	COLOR	BAG QTY
P10310	SEAL N CAULK	1/4" X 72'	CAULK	BLACK	1 PC
	NON-HARDENING, PLIABLE CAULKING STRIPS FOR GENERAL PURPOSE AUTOMOTIVE SEALING AND CAULKING				

HOOK AND LOOP



BV21



TB3571





3MBVPK

ITEM #	DESCRIPTION	SIZE	LENGTH	COLOR	BAG QTY
BV1	HOOK & LOOP	1"	1 YD	BLACK	1 PC
BV1RL	HOOK & LOOP	1"	5 YDS	BLACK	1 PC
BV1HK	HOOK	1"	25 YDS	BLACK	1 PC
BV1LP	LOOP	1"	25 YDS	BLACK	1 PC
BV21	HOOK & LOOP	2"	1 YD	BLACK	1 PC
BV2LP	LOOP	2"	25 YDS	BLACK	1 PC
BV2HK	HOOK	2"	25 YDS	BLACK	1 PC
3MBVPK	HOOK & LOOP WITH DISPLAY BOX	1"	4.9 YDS	BLACK	1 PC
3MDLYD	3M DUAL LOCK	1"	1 YD	BLACK	1 PC

INSTANT CURE GLUE EXTRA THICK / FLEXIBLE



MAXI-CURE1 / MAXI-CURE2



INSTA-FLEX



INSTA-FLEX+

ITEM #	DESCRIPTION	OZ.	BAG QTY
MAXI-CURE1	**INSTANT CURE GLUE** - *EXTRA THICK*	1 OZ.	1 PC
MAXI-CURE2	**INSTANT CURE GLUE** - *EXTRA THICK*	2 OZ.	1 PC
	EXTRA THICK. BEST CA FOR MOST PLASTICS. WORKS BEST ON SOFT AND HARD WOOD, GLASS, METAL, FIBERGLASS, CERAMICS, AND RUBBER		
INSTA-FLEX	**INSTANT CURE FLEXIBLE GLUE**	1 OZ.	1 PC
	INSTA-FLEX™ FLEXIBLE THIN CA (CYANOACRYLATE) IS IDEAL FOR MANY APPLICATIONS. WHEN CURED INSTA-FLEX™ DOES NOT TURN BRITTLE AND REMAINS CLEAR, EVEN IF ACCELERATED WITH INSTA-SET™. IT HAS SUPERIOR SHOCK RESISTANCE. INSTA-FLEX™ HAS ALSO PROVEN TO BE SUPERIOR WHEN BONDING ANODIZED ALUMINUM.		
INSTA-FLEX+	**INSTANT CURE FLEXIBLE CLEAR GLUE**	1 OZ.	1 PC
	INSTA-FLEX+™ IS A CLEAR, RUBBER TOUGHENED ADHESIVE THAT HAS SIMILAR QUALITIES TO OUR BLACK IC-2000™ BUT CAN BE USED IN APPLICATIONS WHERE YOU DO NOT WANT THE ADHESIVE TO BE SEEN. THE CARBON COMPONENTS OF IC-2000™ THAT GIVES THE CA (CYANOACRYLATE) ITS BLACK COLOR ALSO CONTRIBUTES TO ITS UNSURPASSED STRENGTH. WHEN AESTHETICS ARE IMPORTANT AND A FLEXIBLE BOND IS REQUIRED, INSTA-FLEX+™ IS YOUR BEST CHOICE. IT FORMS SUPERIOR BONDS TO SOFT URETHANE AND VINYL PLASTICS.		

KENT AUTOMOTIVE™ FLEXSEAL RTV SILICONE SEALANT



ITEM #	DESCRIPTION	SIZE	TYPE	BAG QTY
IB91784	**FLEXSEAL RTV SILICONE SEALANT**	3 OZ.	CLEAR SOLID FORM	1 PC
	FLEXSEAL RTV SILICONE ADHESIVE/SEALANTS ARE IDEAL FOR SEALING, BONDING, CAULKING, WEATHER-PROOFING, AND INSULATING. THE ONE-PART, NON-SLUMPING PASTE FORMULATIONS CURE AT ROOM TEMPERATURE TO A TOUGH, RUBBERY SOLID WHICH ADHERES TO METAL, GLASS, NON-OILY WOOD, CERAMICS, NATURAL AND SYNTHETIC FIBERS, AND MANY PLASTIC SURFACES. • *VERY GOOD RESISTANCE TO MOTOR OIL, ANTI-FREEZE, TRANSMISSION FLUID, AND MOST SOLVENTS* • *EXCELLENT WEATHER AND UV RESISTANCE - REMAINS FLEXIBLE AND WILL NOT CRACK OR HARDEN* • *TACK-FREE CURE TIME: 15 TO 20 MINUTES* • *TYPICAL TENSILE STRENGTH: 350 PSI*			

INSTANT CURE GLUE



IC-2000



INSTGL2 / INSTGL4 / INSTGL8



INSTAUN

ITEM #	DESCRIPTION	OZ.	BAG QTY
IC-2000	**INSTANT CURE GLUE**	1 OZ.	1 PC
	IC-2000™ IS A RUBBER-TOUGHENED CA (CYANOACRYLATE) THAT FORMS SUPERIOR SHOCK RESISTANT BONDS ON NON-POROUS SURFACES. THE BLACK COLORED CA HAS ADDED FLEXIBILITY FOR THE BONDING OF METALS, FIBERGLASS, RUBBER, CARBON FIBER, AND OTHER MATERIALS.		
INSTGL2	**INSTANT CURE GLUE** - *GAP FILLING CA (CYANOACRYLATE)*	2 OZ.	1 PC
INSTGL4	**INSTANT CURE GLUE** - *GAP FILLING CA (CYANOACRYLATE)*	4 OZ.	1 PC
INSTGL8	**INSTANT CURE GLUE** - *GAP FILLING CA (CYANOACRYLATE)*	8 OZ.	1 PC
INSTAUN	**UN-CURE™**	1 OZ.	1 PC
	DEBONDER WILL SOFTEN CURED CA (CYANOACRYLATE). IF PARTS ARE BONDED INCORRECTLY OR YOUR FINGERS ARE STUCK TOGETHER, A FEW DROPS OF UN-CURE™ WILL DISSOLVE THE CA IN ABOUT A MINUTE. APPLY ON BONDED SKIN AND ROLL APART FINGERS. ONCE UNSTUCK, USE ACETONE TO CLEAN OFF SOFTENED CA, THEN WASH OFF WITH SOAP AND WATER.		

CA GLUE




AD-2P-10JEL



AD-2P-10SAA

ITEM #	DESCRIPTION	OZ.	BAG QTY
AD-2P-10JEL	**GEL CA GLUE - THICKEST VISCOSITY**	8 OZ.	1 PC
	MOBILE SOLUTIONS INSTANT CA ADHESIVE IN A 8 OUNCE BOTTLE. INDUSTRIAL GRADE AND WILL NOT DRIP EVEN IF UPSIDE DOWN		
AD-2P-10SAA	**ACTIVATOR FOR CA GLUE - AEROSOL**	12 OZ.	1 PC
	INDUSTRIAL GRADE 2P-10 ACTIVATOR - TWO-PART 10 SECOND BOND ACCELERATOR		

ACCELERATORS FOR GLUE



PT-50



PT-15

ITEM #	DESCRIPTION	OZ.	BAG QTY
PT-50	**KICKER CA GLUE ACCELERATOR**	5 OZ.	1 PC
PT-15	**KICKER CA GLUE ACCELERATOR**	2 OZ.	1 PC
	ACCELERATES SUPER GLUE CURE TIME. BEST WORKING ACCELERATOR FOR ZAP AND ALL OTHER SUPER GLUES YOU'LL FIND! SETS IN JUST A FEW SECONDS.		

INSTANT SET ACCELERATOR



ITEM #	DESCRIPTION	OZ.	BAG QTY
INSTAC	**INSTANT SET ACCELERATOR**	2 OZ.	1 PC
	ACCELERATOR FOR QUICK CURING OF CA (CYANOACRYLATE) RESULTS IN FAST DRYING TIMES AND STRONG BONDS BETWEEN MATERIALS AND SURFACES OF ALL KINDS.		

3M DURAMIX & QUICK-CURE™



3M04240



QUICK-CURE

ITEM #	DESCRIPTION	OZ.	BAG QTY
3M04240	SEMI-RIGID PLASTIC REPAIR	6.25 OZ.	1 PC
	URETHANE PLASTIC REPAIR MATERIAL FOR REPAIRING DAMAGED BUMPERS AND RE-BUILDING TABS. CAN ALSO BE USED TO BOND MANY DISSIMILAR MATERIALS SUCH AS PLASTIC, FIBERGLASS, AND METAL. USED FOR BACKSIDE REINFORCEMENT REPAIR ON A VARIETY OF PLASTICS.		
QUICK-CURE	QUICK-CURE™	9 OZ.	1 PC
	EPOXY CURES TO A SLIGHTLY FLEXIBLE CONSISTENCY. THIS LACK OF BRITTLENESS ALLOWS IT TO FORM A LASTING BOND IN AREAS SUBJECTED TO HIGH VIBRATION OR STRESS. QUIK-CURE™ IS OUR ONLY EPOXY ON WHICH YOU CAN APPLY POLYESTER RESINS. IT CAN BE MIXED WITH MICRO BALLOONS TO FORM A QUICK SETTING PUTTY. ITEMS BONDED WITH QUIK-CURE™ CAN BE HANDLED AFTER 15 MINUTES. FULL STRENGTH IS REACHED IN 1 HOUR.		

3M DURAMIX NOZZLE



ITEM #	DESCRIPTION	BAG QTY
3M08193	DURAMIX NOZLLE	6 PCS
	3M™ STATIC MIXING NOZZLE IS A CASCADE MIX/METER NOZZLE FOR AN EASY SQUEEZE OF ADHESIVE RIGHT ON TARGET. OUR STATIC MIXING NOZZLE IS ENGINEERED FOR USE WITH 3M™ CARTRIDGES AND MANUAL OR PNEUMATIC APPLICATORS. A HIGH PERFORMANCE STATIC MIXING NOZZLE FOR USE WITH MANUAL AND PNEUMATIC APPLICATORS. NOZZLE EFFICIENTLY MIXES A VARIETY OF 3M TWO COMPONENT ADHESIVES, SEALERS AND FOAMS. MIXES TWO-PART COMPONENTS TO THE IDEAL RATIO. DISPOSABLE NOZZLES AND TUBES FOR EASY CLEANUP, NO MIXING AND STIRRING TOOLS TO CLEAN. NOZZLE MAY DOUBLE AS A STORAGE CAP.	

HOT MELT GLUE STICKS



HMGS



HMGSC



HMAHS

ITEM #	DESCRIPTION	SOFTENING POINT	COLOR	BAG QTY
HMGS	**7/16" X 10" HOT MELT STICK**	176° F	BLACK	**8 PCS**
HMGSC	**7/16" X 10" HOT MELT STICK**	176° F	CLEAR	**8 PCS**
HMAHS	**7/16" X 10" HIGH STRENGTH STICK**	185° F	AMBER	**8 PCS**

3M ADHESION PROMOTER & CLEANER



ITEM #	DESCRIPTION	BOX QTY
3M06396	**ADHESION PROMOTER** - *SPONGE APPLICATOR PACKET 2.5CC*	**25 PCS**
	LIQUID PRIMER USED TO IMPROVE THE ADHESION OF AUTOMOTIVE ATTACHMENT TAPES TO MOST LOW SURFACE ENERGY PLASTIC MATERIALS AS WELL AS INJECTION-MOLDED BODY SIDE MOLDINGS AND CLADDINGS USED FOR AUTOMOTIVE EXTERIOR TRIMS. RECOMMENDED FOR SURFACE PREP WHEN USING HEISE LED LIGHT STRIPS.	

SPRAY ADHESIVE



ITEM #	DESCRIPTION	BOX QTY
APSA	**ALL-PURPOSE SPRAY ADHESIVE - 12 OZ.**	**1 PCS**
	TEMPORARY OR PERMANENT BONDING, IS IDEAL FOR UNEVEN OR POROUS SURFACES AND WEIGHT MATERIALS. WATERPROOF, FLEXIBLE, TRANSPARENT AND NON-STAINING USE WITH LEATHER, CARDBOARD, MOST PLASTICS, AND CLOTH.	

FUSES

BLADE SIZE	BLADE GROUP	DIMENSIONS L x W x H	COMMON RATINGS *MAXIMUM CURRENT*
Micro2	APT, ATR	9.1 x 3.8 x 15.3 mm	5, 7.5, 10, 15, 20, 25, 30
Micro3	ATL	14.4 x 4.2 z 18.1 mm	5, 7.5, 10, 15
Low Profile Mini	APS, ATT	10.9 x 3.81 x 8.73 mm	2, 3, 4, 5, 7.5, 10, 15, 20, 25, 30
Mini	APM, ATM	10.9 x 3.6 x 16.3 mm	2, 3, 4, 5, 7.5, 10, 15, 20, 25, 30
Regular	APR, ATC, ATO, ATS	19.1 x 5.1 x 18.5 mm	0.5, 1, 2, 3, 4, 5, 7.5, 10, 15, 20, 25, 30, 35, 40
Maxi	APX	29.2 x 8.5 x 34.3 mm	20, 25, 20, 35, 40, 50, 60, 70, 80, 100, 120

COLOR	CURRENT RATING	Micro2	Micro3	LP-Mini	Mini	Reg	Maxi
DRK BLUE	0.5A	×	×	×	×	✓	×
BLACK	1A	×	×	×	×	✓	×
GRAY	2A	×	×	✓	✓	✓	×
VIOLET	3A	×	×	✓	✓	✓	×
PINK	4A	×	×	✓	✓	✓	×
TAN/AMBER	5A	✓	✓	✓	✓	✓	×
BROWN	7.5A	✓	✓	✓	✓	✓	×
RED	10A	✓	✓	✓	✓	✓	×
BLUE	15A	✓	✓	✓	✓	✓	✓
YELLOW	20A	✓	×	✓	✓	✓	✓
WHITE	25A	✓	×	✓	✓	✓	GRAY
GREEN	30A	✓	×	✓	✓	✓	✓
TEAL US COOPER BUSSMAN / LT. PURPLE IMPORT	35A	×	×	✓	✓	✓	BROWN
ORANGE US COOPER BUSSMAN / WINE IMPORT	40A	×	×	✓	✓	✓	✓
RED	50A	×	×	×	×	×	✓
BLUE	60A	×	×	×	×	×	✓
AMBER	70A	×	×	×	×	×	✓
WHITE	80A	×	×	×	×	×	✓
VIOLET	100A	×	×	×	×	×	✓
PURPLE	120A	×	×	×	×	×	✓

150-PIECE ATC FUSE KIT






ITEM #	DESCRIPTION	AMP	COLOR	A (mm)	B (mm)	C (mm)	QTY IN KIT
IBATCKIT	**150-PIECE ASSORTED ATC FUSE KIT**						**150 PCS**
1	*FUSE PULLER*		YELLOW	30	4.7		*(1 PC)*
2	*BRASS FUSE TAPS*		BRASS	19	6		*(20 PCS)*
3	*ATC FUSE*	**3A**	VIOLET	19.1	5.1	18.5	*(15 PCS)*
4	*ATC FUSE*	**5A**	AMBER	19.1	5.1	18.5	*(15 PCS)*
5	*ATC FUSE*	**7.5A**	BROWN	19.1	5.1	18.5	*(15 PCS)*
6	*ATC FUSE*	**10A**	RED	19.1	5.1	18.5	*(15 PCS)*
7	*ATC FUSE*	**15A**	BLUE	19.1	5.1	18.5	*(15 PCS)*
8	*ATC FUSE*	**20A**	YELLOW	19.1	5.1	18.5	*(15 PCS)*
9	*ATC FUSE*	**25A**	WHITE	19.1	5.1	18.5	*(15 PCS)*
10	*ATC FUSE*	**30A**	GREEN	19.1	5.1	18.5	*(15 PCS)*
11	*ATC FUSE*	**35A**	PURPLE	19.1	5.1	18.5	*(15 PCS)*
12	*ATC FUSE*	**40A**	WINE	19.1	5.1	18.5	*(15 PCS)*

** Fuse images shown close to size & actual colors may vary*

FUSE PRODUCTS ATM FUSE KIT

150-PIECE ATM FUSE KIT





ITEM #	DESCRIPTION	AMP	COLOR	A (mm)	B (mm)	C (mm)	QTY IN KIT
IBATMKIT	150-PIECE ASSORTED ATM FUSE KIT						150 PCS
1	*FUSE PULLER*		YELLOW	30	4.7		*(1 PC)*
2	*BRASS FUSE TAPS*		BRASS	30	6.3		*(20 PCS)*
3	*ATM FUSE*	3A	VIOLET	10.9	3.6	16.3	*(15 PCS)*
4	*ATM FUSE*	5A	AMBER	10.9	3.6	16.3	*(15 PCS)*
5	*ATM FUSE*	7.5A	BROWN	10.9	3.6	16.3	*(15 PCS)*
6	*ATM FUSE*	10A	RED	10.9	3.6	16.3	*(15 PCS)*
7	*ATM FUSE*	15A	BLUE	10.9	3.6	16.3	*(15 PCS)*
8	*ATM FUSE*	20A	YELLOW	10.9	3.6	16.3	*(15 PCS)*
9	*ATM FUSE*	25A	WHITE	10.9	3.6	16.3	*(15 PCS)*
10	*ATM FUSE*	30A	GREEN	10.9	3.6	16.3	*(15 PCS)*
11	*ATM FUSE*	35A	PURPLE	10.9	3.6	16.3	*(15 PCS)*
12	*ATM FUSE*	40A	WINE	10.9	3.6	16.3	*(15 PCS)*

** Fuse images shown close to size & actual colors may vary*

150-PIECE ATMLP FUSE KIT






ITEM #	DESCRIPTION	AMP	COLOR	A (mm)	B (mm)	C (mm)	QTY IN KIT
IBATMLPKIT	**150-PIECE ASSORTED ATMLP FUSE KIT**						**150 PCS**
1	*FUSE PULLER*		YELLOW	30	4.7		*(1 PC)*
2	*BRASS FUSE TAPS*		BRASS	30	6.3		*(20 PCS)*
3	*ATMLP FUSE*	3A	VIOLET	10.9	3.81	8.73	*(15 PCS)*
4	*ATMLP FUSE*	5A	AMBER	10.9	3.81	8.73	*(15 PCS)*
5	*ATMLP FUSE*	7.5A	BROWN	10.9	3.81	8.73	*(15 PCS)*
6	*ATMLP FUSE*	10A	RED	10.9	3.81	8.73	*(15 PCS)*
7	*ATMLP FUSE*	15A	BLUE	10.9	3.81	8.73	*(15 PCS)*
8	*ATMLP FUSE*	20A	YELLOW	10.9	3.81	8.73	*(15 PCS)*
9	*ATMLP FUSE*	25A	WHITE	10.9	3.81	8.73	*(15 PCS)*
10	*ATMLP FUSE*	30A	GREEN	10.9	3.81	8.73	*(15 PCS)*
11	*ATMLP FUSE*	35A	PURPLE	10.9	3.81	8.73	*(15 PCS)*
12	*ATMLP FUSE*	40A	WINE	10.9	3.81	8.73	*(15 PCS)*

** Fuse images shown close to size & actual colors may vary*


FUSE TAPS & DUAL ADD-A-FUSE




ATMDT




ATCDT



ATLDT



ATMLPDT



ATRDT

ITEM #	DESCRIPTION	BAG QTY
FUSE TAPS & DUAL ADD-A-FUSE		
ATMDT-1	*ATM MINI DUAL ADD-A-FUSE*	**1 PC**
ATMDT	*ATM MINI DUAL ADD-A-FUSE*	**10 PCS**
ATCDT	*ATC DUAL ADD-A-FUSE*	**10 PCS**
ATLDT-1	*MICRO ATL 3-BLADE DUAL ADD-A-FUSE*	**1 PC**
ATLDT	*MICRO ATL 3-BLADE DUAL ADD-A-FUSE*	**10 PCS**
ATMLPDT-1	*ATM LOW PROFILE DUAL ADD-A-FUSE*	**1 PC**
ATMLPDT	*ATM LOW PROFILE DUAL ADD-A-FUSE*	**10 PCS**
ATRDT-1	*ATR MICRO DUAL ADD-A-FUSE*	**1 PC**
ATRDT	*ATR MICRO DUAL ADD-A-FUSE*	**10 PCS**


ATC FUSES



ITEM #	DESCRIPTION	AMPS	COLOR	A (mm)	B (mm)	C (mm)	BAG QTY
ATC FUSES							
ATC1-25	*1A ATC FUSE*	1A	BLACK	19.1	5.1	18.5	**25 PCS**
ATC3-25	*3A ATC FUSE*	3A	VIOLET	19.1	5.1	18.5	**25 PCS**
ATC5-25	*5A ATC FUSE*	5A	TAN	19.1	5.1	18.5	**25 PCS**
ATC7.5-25	*7.5A ATC FUSE*	7.5A	BROWN	19.1	5.1	18.5	**25 PCS**
ATC10-25	*10A ATC FUSE*	10A	RED	19.1	5.1	18.5	**25 PCS**
ATC15-25	*15A ATC FUSE*	15A	BLUE	19.1	5.1	18.5	**25 PCS**
ATC20-25	*20A ATC FUSE*	20A	YELLOW	19.1	5.1	18.5	**25 PCS**
ATC25-25	*25A ATC FUSE*	25A	WHITE	19.1	5.1	18.5	**25 PCS**
ATC30-25	*30A ATC FUSE*	30A	GREEN	19.1	5.1	18.5	**25 PCS**
ATC40-25	*40A ATC FUSE*	40A	WINE	19.1	5.1	18.5	**25 PCS**

** Main image shown close to size & actual colors may vary*


ATC FUSES USA COOPER BUSSMANN



ITEM #	DESCRIPTION	AMPS	COLOR	A (mm)	B (mm)	C (mm)	BAG QTY
ATC FUSES							
USATC3-25	*3A ATC FUSE*	3A	VIOLET	19.1	5.1	18.5	**25 PCS**
USATC5-25	*5A ATC FUSE*	5A	TAN	19.1	5.1	18.5	**25 PCS**
USATC7.5-25	*7.5A ATC FUSE*	7.5A	BROWN	19.1	5.1	18.5	**25 PCS**
USATC10-25	*10A ATC FUSE*	10A	RED	19.1	5.1	18.5	**25 PCS**
USATC15-25	*15A ATC FUSE*	15A	BLUE	19.1	5.1	18.5	**25 PCS**
USATC20-25	*20A ATC FUSE*	20A	YELLOW	19.1	5.1	18.5	**25 PCS**
USATC25-25	*25A ATC FUSE*	25A	WHITE	19.1	5.1	18.5	**25 PCS**
USATC30-25	*30A ATC FUSE*	30A	GREEN	19.1	5.1	18.5	**25 PCS**
USATC40-25	*40A ATC FUSE*	40A	ORANGE	19.1	5.1	18.5	**25 PCS**

** Main image shown close to size & actual colors may vary*


ATC FUSE ASSORTMENT PACK - 7.5-40 AMP



ITEM #	DESCRIPTION	AMPS	COLOR	A (mm)	B (mm)	C (mm)	QTY	BAG
IBR25	**ATC FUSE ASSORTMENT PACK - 7.5-40 AMP**						**24 PCS**	SMALL
	7.5A ATC FUSE	7.5A	BROWN	19.1	5.1	18.5	*(4 PCS)*	
	10A ATC FUSE	10A	RED	19.1	5.1	18.5	*(4 PCS)*	
	15A ATC FUSE	15A	BLUE	19.1	5.1	18.5	*(4 PCS)*	
	20A ATC FUSE	20A	YELLOW	19.1	5.1	18.5	*(4 PCS)*	
	30A ATC FUSE	30A	GREEN	19.1	5.1	18.5	*(4 PCS)*	
	40A ATC FUSE	40A	WINE	19.1	5.1	18.5	*(4 PCS)*	

** Main image shown close to size & actual colors may vary*


ATM FUSES



ITEM #	DESCRIPTION	AMPS	COLOR	A (mm)	B (mm)	C (mm)	BAG QTY
ATM FUSES							
ATM2-25	*2A ATM FUSE*	2A	GRAY	10.9	3.6	16.3	**25 PCS**
ATM5-25	*5A ATM FUSE*	5A	TAN	10.9	3.6	16.3	**25 PCS**
ATM7.5-25	*7.5A ATM FUSE*	7.5A	BROWN	10.9	3.6	16.3	**25 PCS**
ATM10-25	*10A ATM FUSE*	10A	RED	10.9	3.6	16.3	**25 PCS**
ATM15-25	*15A ATM FUSE*	15A	BLUE	10.9	3.6	16.3	**25 PCS**
ATM20-25	*20A ATM FUSE*	20A	YELLOW	10.9	3.6	16.3	**25 PCS**
ATM25-25	*25A ATM FUSE*	25A	WHITE	10.9	3.6	16.3	**25 PCS**
ATM30-25	*30A ATM FUSE*	30A	GREEN	10.9	3.6	16.3	**25 PCS**
ATM40-25	*40A ATM FUSE*	40A	WINE	10.9	3.6	16.3	**25 PCS**

** Main image shown close to size & actual colors may vary*


ATM FUSES USA COOPER BUSSMANN



ITEM #	DESCRIPTION	AMPS	COLOR	A (mm)	B (mm)	C (mm)	BAG QTY
ATM FUSES							
USATM2-25	*2A ATM FUSE*	2A	GRAY	10.9	3.6	16.3	**25 PCS**
USATM10-25	*10A ATM FUSE*	10A	RED	10.9	3.6	16.3	**25 PCS**
USATM15-25	*15A ATM FUSE*	15A	BLUE	10.9	3.6	16.3	**25 PCS**

** Main image shown close to size & actual colors may vary*


ATM LOW-PROFILE FUSES USA COOPER BUSSMANN



ITEM #	DESCRIPTION	AMPS	COLOR	A (mm)	B (mm)	BAG QTY
ATM LOW PROFILE FUSES						
USATMLP2-5	*2A ATMLP FUSE*	2A	GRAY	10.9	8.73	**5 PCS**
USATMLP10-5	*10A ATMLP FUSE*	10A	RED	10.9	8.73	**5 PCS**
USATMLP15-5	*15A ATMLP FUSE*	15A	BLUE	10.9	8.73	**5 PCS**

** Main image shown to size & actual colors may vary*


ATM LOW PROFILE FUSES



ITEM #	DESCRIPTION	AMPS	COLOR	A (mm)	B (mm)	BAG QTY
ATM LOW PROFILE FUSES						
ATMLP7.5-25	*7.5A ATM LP FUSE*	**7.5A**	BROWN	10.9	8.73	**25 PCS**
ATMLP10-25	*10A ATM LP FUSE*	**10A**	RED	10.9	8.73	**25 PCS**
ATMLP15-25	*15A ATM LP FUSE*	**15A**	BLUE	10.9	8.73	**25 PCS**
ATMLP20-25	*20A ATM LP FUSE*	**20A**	YELLOW	10.9	8.73	**25 PCS**


** Main image shown close to size & actual colors may vary*

ATM FUSE HOLDER



ITEM #	DESCRIPTION	GAUGE	A (mm)	B (mm)	BAG QTY
ATM FUSE HOLDER					
ATFH18MC-10	*18GA ATM WITH COVER*	**18GA**	25	25	**10 PCS**
ATFH16MC-10	*16GA ATM WITH COVER*	**16GA**	25	25	**10 PCS**
ATFH12MC-10	*12GA ATM WITH COVER*	**12GA**	22	38	**10 PCS**


ATL DUAL CIRCUIT MICRO FUSES USA COOPER BUSSMANN



ITEM #	DESCRIPTION	AMPS	COLOR	A (mm)	B (mm)	BAG QTY
ATL DUAL CIRCUIT MICRO FUSES						
ATL5-5	*5A ATL DUAL CIRCUIT MICRO FUSE*	**5A**	TAN	14.4	18.1	**5 PCS**
ATL10-5	*10A ATL DUAL CIRCUIT MICRO FUSE*	**10A**	RED	14.4	18.1	**5 PCS**
ATL15-5	*15A ATL DUAL CIRCUIT MICRO FUSE*	**15A**	BLUE	14.4	18.1	**5 PCS**

** Main image shown close to size & actual colors may vary*


ATR MICRO FUSE PACKS USA COOPER BUSSMANN



ITEM #	DESCRIPTION	AMPS	COLOR	A (mm)	B (mm)	BOX QTY
ATR SINGLE CIRCUIT MICRO FUSES						
ATR5-5	*ATR SINGLE CIRCUIT MICRO FUSE*	**5A**	TAN	9.1	15.3	**5 PCS**
ATR7-5-5	*ATR SINGLE CIRCUIT MICRO FUSE*	**7.5A**	BROWN	9.1	15.3	**5 PCS**
ATR10-5	*ATR SINGLE CIRCUIT MICRO FUSE*	**10A**	RED	9.1	15.3	**5 PCS**
ATR15-5	*ATR SINGLE CIRCUIT MICRO FUSE*	**15A**	BLUE	9.1	15.3	**5 PCS**
ATR20-5	*ATR SINGLE CIRCUIT MICRO FUSE*	**20A**	YELLOW	9.1	15.3	**5 PCS**
ATR25-5	*ATR SINGLE CIRCUIT MICRO FUSE*	**25A**	WHITE	9.1	15.3	**5 PCS**
ATR30-5	*ATR SINGLE CIRCUIT MICRO FUSE*	**30A**	GREEN	9.1	15.3	**5 PCS**

** Main image shown close to size & actual colors may vary*


ATR MICRO FUSE PACKS



ITEM #	DESCRIPTION	AMPS	COLOR	A (mm)	B (mm)	BOX QTY
ATR SINGLE CIRCUIT MICRO FUSES						
E-ATR5	*5A ATR MICRO FUSE*	**5A**	TAN	9.1	15.3	**5 PCS**
E-ATR7-5	*7.5A ATR MICRO FUSE*	**7.5A**	BROWN	9.1	15.3	**5 PCS**
E-ATR10	*10A ATR MICRO FUSE*	**10A**	RED	9.1	15.3	**5 PCS**
E-ATR15	*15A ATR MICRO FUSE*	**15A**	BLUE	9.1	15.3	**5 PCS**
E-ATR20	*20A ATR MICRO FUSE*	**20A**	YELLOW	9.1	15.3	**5 PCS**

** Main image shown close to size & actual colors may vary*


AGU FUSES



ITEM #	DESCRIPTION	AMPS	A (mm)	B (mm)	BAG QTY
AGU FUSES					
AGU60	*50A AGU FUSE*	**60A**	10.3	38.1	**10 PCS**
AGU80	*80A AGU FUSE*	**80A**	10.3	38.1	**10 PCS**

** Image shown close to size*


AGU FUSE ASSORTMENT PACKS - 20-70 AMP



ITEM #	DESCRIPTION	AMPS	A (mm)	B (mm)	QTY	BAG
IBR47	AGU ASSORTED FUSE PACK - 60-80 AMP				6 PCS	SMALL
	60A AGU FUSE	60A	10.3	38.1	*(3 PCS)*	
	80A AGU FUSE	80A	10.3	38.1	*(3 PC)*	

** Image shown close to size*

MAXI FUSES



ITEM #	DESCRIPTION	AMPS	COLOR	A (mm)	B (mm)	BAG QTY
MAXI FUSES						
MAX20	*20A MAXI FUSE*	20A	YELLOW	29.2	34.3	1 PC
MAX30	*30A MAXI FUSE*	30A	GREEN	29.2	34.3	1 PC
MAX30-10	*30A MAXI FUSE*	30A	GREEN	29.2	34.3	10 PCS
MAX40	*40A MAXI FUSE*	40A	ORANGE	29.2	34.3	1 PC
MAX40-10	*40A MAXI FUSE*	40A	ORANGE	29.2	34.3	10 PCS
MAX50	*50A MAXI FUSE*	50A	RED	29.2	34.3	1 PC
MAX50-10	*50A MAXI FUSE*	50A	RED	29.2	34.3	10 PCS
MAX60	*60A MAXI FUSE*	60A	BLUE	29.2	34.3	1 PC
MAX60-10	*60A MAXI FUSE*	60A	BLUE	29.2	34.3	10 PCS
MAX70	*70A MAXI FUSE*	70A	TAN	29.2	34.3	1 PC
MAX80	*80A MAXI FUSE*	80A	CLEAR	29.2	34.3	1 PC
MAX80-10	*80A MAXI FUSE*	80A	CLEAR	29.2	34.3	10 PCS
MAX100	*100A MAXI FUSE*	100A	VIOLET	29.2	34.3	1 PC
MAX100-10	*100A MAXI FUSE*	100A	VIOLET	29.2	34.3	10 PCS

** Main image shown close to size & actual colors may vary*

MINI ANL FUSES



ITEM #	DESCRIPTION	AMPS	COLOR	A (mm)	B (mm)	BAG QTY
MINI ANL FUSES						
MANL15	*15A MINI ANL FUSE*	15A	BLUE	11.9	40.64	**2 PCS**
MANL20	*20A MINI ANL FUSE*	20A	YELLOW	11.9	40.64	**2 PCS**
MANL30	*30A MINI ANL FUSE*	30A	GREEN	11.9	40.64	**2 PCS**
MANL40	*40A MINI ANL FUSE*	40A	ORANGE	11.9	40.64	**2 PCS**
MANL50	*50A MINI ANL FUSE*	50A	RED	11.9	40.64	**2 PCS**
MANL60	*60A MINI ANL FUSE*	60A	BLUE	11.9	40.64	**2 PCS**
MANL60-10	*60A MINI ANL FUSE*					**10 PCS**
MANL70	*70A MINI ANL FUSE*	70A	BLACK	11.9	40.64	**2 PCS**
MANL80	*80A MINI ANL FUSE*	80A	WHITE	11.9	40.64	**2 PCS**
MANL80-10	*80A MINI ANL FUSE*					**10 PCS**
MANL100	*100A MINI ANL FUSE*	100A	YELLOW	11.9	40.64	**2 PCS**
MANL100-10	*100A MINI ANL FUSE*					**10 PCS**
MANL125	*125A MINI ANL FUSE*	125A	GREEN	11.9	40.64	**2 PCS**
MANL150	*150A MINI ANL FUSE*	150A	ORANGE	11.9	40.64	**2 PCS**
MANL150-10	*150A MINI ANL FUSE*					**10 PCS**
MANL175	*175A MINI ANL FUSE*	175A	YELLOW	11.9	40.64	**2 PCS**
MANL200	*200A MINI ANL FUSE*	200A	BLACK	11.9	40.64	**2 PCS**

** Main image shown close to size & actual colors may vary*

ANL FUSES



ITEM #	DESCRIPTION	AMPS	A (mm)	B (mm)	BAG QTY
ANL FUSES					
ANL100	*100A ANL FUSE*	100A	22.2	81	**2 PCS**
ANL150	*150A ANL FUSE*	150A	22.2	81	**2 PCS**
ANL200	*200A ANL FUSE*	200A	22.2	81	**2 PCS**
ANL250	*250A ANL FUSE*	250A	22.2	81	**2 PCS**
ANL300	*300A ANL FUSE*	300A	22.2	81	**2 PCS**
ANL500	*500A ANL FUSE*	500A	22.2	81	**2 PCS**
ANL80-10	*80A ANL FUSE*	80A	22.2	81	**10 PCS**
ANL100-10	*100A ANL FUSE*	100A	22.2	81	**10 PCS**
ANL150-10	*150A ANL FUSE*	150A	22.2	81	**10 PCS**
ANL200-10	*200A ANL FUSE*	200A	22.2	81	**10 PCS**
ANL250-10	*250A ANL FUSE*	250A	22.2	81	**10 PCS**
ANL300-10	*300A ANL FUSE*	300A	22.2	81	**10 PCS**
ANL400-10	*400A ANL FUSE*	400A	22.2	81	**10 PCS**
ANL500-10	*500A ANL FUSE*	500A	22.2	81	**10 PCS**

** Image shown close to size*

ANL FUSE ASSORTMENT PACK - 80-300 AMP




ITEM #	DESCRIPTION	AMPS	COLOR	A (mm)	B (mm)	QTY	BAG
IBR29	**ANL FUSE ASSORTMENT PACK - 80-300 AMP**					**6 PCS**	SMALL
	80A ANL FUSE	80A	BLACK	22.2	81	*(1 PC)*	
	100A ANL FUSE	100A	BLACK	22.2	81	*(1 PC)*	
	150A ANL FUSE	150A	BLACK	22.2	81	*(1 PC)*	
	200A ANL FUSE	200A	BLACK	22.2	81	*(1 PC)*	
	250A ANL FUSE	250A	BLACK	22.2	81	*(1 PC)*	
	300A ANL FUSE	300A	BLACK	22.2	81	*(1 PC)*	

** Image shown close to size*

FUSE PRODUCTS FUSE HOLDERS


FMX FUSES USA COOPER BUSSMANN





ITEM #	DESCRIPTION	AMPS	COLOR	A (mm)	B (mm)	BAG QTY
FMX FUSES						
FMX-20	*20A FMX FUSE*	20A	BLUE	18	34	1 PC
FMX-30	*30A FMX FUSE*	30A	RED	18	34	1 PC
FMX-40	*40A FMX FUSE*	40A	GREEN	18	34	1 PC
FMX-50	*50A FMX FUSE*	50A	RED	18	34	1 PC


MICRO TIME DELAY FUSES USA COOPER BUSSMANN






ITEM #	DESCRIPTION	AMPS	COLOR	A (mm)	B (mm)	BAG QTY
MICRO TIME DELAY FUSES						
FMM-15	*15A MICRO FUSE*	15A	GRAY	13	18	1 PC
FMM-20	*20A MICRO FUSE*	20A	BLUE	13	18	1 PC
FMM-25	*25A MICRO FUSE*	25A	BEIGE	13	18	1 PC
FMM-30	*30A MICRO FUSE*	30A	RED	13	18	1 PC
FMM-40	*40A MICRO FUSE*	40A	GREEN	13	18	1 PC

ATC FUSE HOLDER




ATFH16-10



ATFH3M-10

ITEM #	DESCRIPTION	GAUGE	A (mm)	B (mm)	BAG QTY
ATC FUSE HOLDER					
ATFH18C-10	*18GA ATC WITH COVER*	18GA	25	43	10 PCS
ATFH16C	*16GA ATC WITH COVER*	16GA	28	44	1 PCS
ATFH16C-10	*16GA ATC WITH COVER*	16GA	28	44	10 PCS
ATFH16-10	*16GA ATC NO COVER*	16GA	25	28	10 PCS
ATFH14C-10	*14GA ATC WITH COVER*	14GA	28	44	10 PCS
ATFH12C-10	*12GA ATC WITH COVER*	12GA	28	44	10 PCS
ATFH10C-10	*ATC WITH COVER*	10GA	28	44	10 PCS
ATFH3M-10	*16/14GA WIRELESS ATC*	16/14GA	35	35	10 PCS

MAXI FUSE HOLDER



ITEM #	DESCRIPTION	AMPS	A (mm)	B (mm)	BAG QTY
MAXI FUSE HOLDER					
MAXIFH	*WATER-RESISTANT MAXI FUSE HOLDER WITH COVER*	8GA	38	66	1 PC
MAXIFH-10					10 PCS

MAXI HEAVY-DUTY FUSE HOLDER



ITEM #	DESCRIPTION	GAUGE	BAG QTY
MAXIHDH	**MAXI HEAVY-DUTY FUSE HOLDER**	*4/8GA INPUT/OUTPUT*	**1 PC**

ATC FUSE HOLDERS



IBR62



IBR63

ITEM #	DESCRIPTION	WIRE	BAG QTY
IBR62	**ATC FUSE HOLDER**	12GA	**1 PC**
	WATER-RESISTANT DESIGN WITH MOUNTING TAB ON COVER		
IBR63	**DUAL ATC SINGLE-CIRCUIT FUSE HOLDER**	8GA	**1 PC**
	SUPPORTS UP TO 8GA WIRE IN WATER-RESISTANT CONNECTOR		

MINI ANL/MAXI FUSE HOLDER



IBR141



IBR81

ITEM #	DESCRIPTION	BAG QTY
IBR141	0/2/4GA MINI ANL WATER-RESISTANT FUSE HOLDER	1 PC
	• SILICONE GASKET ACCEPTS 0, 2, 4 AWG POWER WIRE • POWER HANDLING UP TO 300 AMPS • HEAVY-DUTY BRASS FOR DEPENDABLE MAX POWER TRANSFER • MARINE CERTIFIED • FUSES INCLUDED	
IBR81	4/8GA WATER-RESISTANT DUAL ATC OR MINI ANL FUSE HOLDER	1 PC
	UP TO 80A WITH DUAL ATC FUSES OR 100A CAPACITY WITH MINI ANL FUSE (4GA WIRE) SWAPPABLE 4/8GA WATER-RESISTANT GROMMETS AND WIRE INSERTS PLATED BRASS CONNECTORS FOR MAXIMUM POWER TRANSFER INCLUDES: 30A MINI ANL FUSE, 60A MINI ANL FUSE, ALLEN WRENCH	

MINI ANL & AGU FUSE HOLDERS



FHMANL



MANLFH



WFHAGU / FHAGU

ITEM #	DESCRIPTION	BAG QTY
FHMANL	4/8GA ADJUSTABLE NICKEL MINI ANL FUSE HOLDER	1 PC
MANLFH	4/8GA MINI ANL FUSE HOLDER	1 PC
MANLFH-10	4/8GA MINI ANL FUSE HOLDER	10 PCS
WFH-MANL	4/8GA ADJUSTABLE NICKEL MINI ANL FUSE HOLDER	10 PCS
WFHAGU	BULK 4/8GA ADJUSTABLE MINI AGU FUSE HOLDER	10 PCS
FHAGU	4/8GA ADJUSTABLE MINI AGU FUSE HOLDER	1 PC

ANL FUSE HOLDER



ANLFH / ANLFH-10



IBBDHLDR

ITEM #	DESCRIPTION	BAG QTY
ANLFH	ANL NICKEL FUSE HOLDER - STUD SIZE 5/16	1 PC
ANLFH-10	BULK ANL NICKEL FUSE HOLDER - STUD SIZE 5/16	10 PCS
IBBDHLDR	ANL FUSE HOLDER FOR BOLT DOWN FUSES	1 PC

FUSE HOLDERS



IBR51



IBR52

ITEM #	DESCRIPTION	INPUT/OUTPUT	REDUCERS	BAG QTY
IBR51	MINI ANL FUSE HOLDER	4GA	8GA	1 PC
IBR52	ANL & MINI ANL FUSE HOLDER	1/0GA	4GA	1 PC

TERMINAL STUD



ITEM #	DESCRIPTION	SIZE	COLOR	BAG QTY
IB-DBCM8	M8 DUAL TERMINAL STUD WITH LINK	5/16”	BLACK	1 PC

STACKABLE FUSE PANELS



ATMFP



TOPVIEW - NO LID



MANLFP

ITEM #	DESCRIPTION	BAG QTY
ATMFP	**ATC/ATM STACKABLE FUSE PANEL**	**1 PC**
	ACTS AS AN IN-LINE FUSE HOLDER WITH JUMPERS TO CREATE ANY DISTRIBUTION BLOCK. FUSED DISTRIBUTION OR POWER/ GROUND AS YOU NEED. MAXIMUM AMPERAGE - 40 AMPS PER CIRCUIT. MAXIMUM VOLTAGE - 32 VOLTS DC	
MANLFP	**MINI ANL STACKABLE FUSE PANEL**	**1 PC**
	NICKEL-PLATED ANL AND MANL FUSE HOLDER. CAN HANDLE 10-0GA.	

Single in-line ATC fuseholder



1 x in/2 x out distribution block



Power and Ground 2-in-1 block




1 x in/ 3 x out fused distribution block




Single in-line ATC fuseholder




1 x in/ 3 x out fused distribution block




1 x in/3 x out distribution block




Power and Ground 2-in-1 block



ATC FUSE PANELS USA COOPER BUSSMANN



15600-06-20



15600-06-21

ITEM #	DESCRIPTION	AMP	POSITIONS	BAG QTY
15600-06-20	ATC FUSE PANEL WITH SHORT BASE	30A	6	1 PC
15600-06-21	ATC FUSE PANEL WITH LONG BASE	30A	6	1 PC


ATC FUSE BLOCKS



BLC-106 / BLC-106-C



BLC-106-G / BLC-106-C



BLC-108-G / BLC-108-C

ITEM #	DESCRIPTION	POSITIONS	QTY
BLC-106	ATC FUSE BLOCK - *USE WITH REGULAR AUTO BLADE FUSES*	6	1 PC
BLC-106-G	ATC FUSE BLOCK + GROUNDING PAD - *USE WITH REGULAR AUTO BLADE FUSES*	6	1 PC
BLC-106-C	DUST-PROOF COVER FOR BLC-106 AND BLC-106-G		1 PC
BLC-108-G	ATC FUSE BLOCK + GROUNDING PAD - *USE WITH REGULAR AUTO BLADE FUSES*	8	1 PC
BLC-108-C	DUST-PROOF COVER FOR BLC-108-G		1 PC

ATC FUSE BLOCKS



BLC-110-G / BLC-110-C



BLC-112-G

ITEM #	DESCRIPTION	POSITIONS	QTY
BLC-110-G	**ATC FUSE BLOCK + GROUNDING PAD** - *USE WITH REGULAR AUTO BLADE FUSES*	10	**1 PC**
BLC-110-C	**DUST-PROOF COVER FOR BLC-110-G**		**1 PC**
BLC-112-G	**ATC FUSE BLOCK + GROUNDING PAD** - *USE WITH REGULAR AUTO BLADE FUSES*	12	**1 PC**

FUSED DISTRIBUTION & DISTRIBUTION BLOCKS



IBR53



IBR54

ITEM #	DESCRIPTION	INPUT	REDUCERS	OUTPUT	REDUCERS	LENGTH	WIDTH	QTY	BAG
IBR53	**2-POSITION MINI ANL FUSE DISTRIBUTION BLOCK**							**1 PC**	MEDIUM
	DISTRIBUTION BLOCK	1/0GA	4GA	4GA	8GA	3.75"	2.125"		
IBR54	**2-POSITION POWER DISTRIBUTION BLOCK**							**1 PC**	SMALL
	DISTRIBUTION BLOCK	1/0GA	4GA	4GA	8GA	1.75"	2"		

LED ATC FUSE BLOCK



ITEM #	DESCRIPTION	POSITIONS	QTY
BLR-I-304	**ATC FUSE BLOCK WITH LED INDICATORS** - *USE WITH REGULAR AUTO BLADE FUSES*	4	**1 PC**

LED ATC FUSE BLOCK



BLR-I-306



BLR-I-506

ITEM #	DESCRIPTION	POSITIONS	QTY
BLR-I-306	**ATC FUSE BLOCK WITH LED INDICATORS** - *USE WITH REGULAR AUTO BLADE FUSES*	6	**1 PC**
BLR-I-506	**ATC FUSE BLOCK WITH LED INDICATORS & SCREW TERMINALS** - *USE WITH REGULAR AUTO BLADE FUSES*	6	**1 PC**

LED ATC FUSE BLOCK



BLR-I-510



BLR-I-310

ITEM #	DESCRIPTION	POSITIONS	QTY
BLR-I-310	**ATC FUSE BLOCK WITH LED INDICATORS** - *USE WITH REGULAR AUTO BLADE FUSES*	10	**1 PC**
BLR-I-510	**ATC FUSE BLOCK WITH LED INDICATORS & SCREW TERMINALS** - *USE WITH REGULAR AUTO BLADE FUSES. SCREWS INCLUDED.*	10	**1 PC**

AUTO RESET CIRCUIT BREAKERS USA COOPER BUSSMANN



ITEM #	DESCRIPTION	AMP	BAG QTY
CB30AR	**30A CIRCUIT BREAKER**	30A	**1 PC**
CB50AR	**50A CIRCUIT BREAKER**	50A	**1 PC**

MANUAL RESET CIRCUIT BREAKERS USA COOPER BUSSMANN



ITEM #	DESCRIPTION	VOLTAGE	AMP	BAG QTY
CB100MR	**100A CIRCUIT BREAKER WITH IGNITION PROTECTION**	42V MAX	100A	**1 PC**
CB150MR	**150A CIRCUIT BREAKER WITH IGNITION PROTECTION**	42V MAX	150A	**1 PC**
	CIRCUIT BREAKER WITH PUSH BUTTON TO DISABLE CIRCUIT POWER. RESET LEVER SHOWS FAULT/TRIPPED CONDITION. IGNITION PROTECTED. WATER-RESISTANT DESIGN FOR USE IN ENGINE COMPARTMENT OR WET AREA APPLICATIONS. IP67 RATED			

MANUAL RESET CIRCUIT BREAKERS



ITEM #	DESCRIPTION	AMP	BAG QTY
E-CB50MR	50A CIRCUIT BREAKER WITH IGNITION PROTECTION	50A	1 PC
E-CB60MR	60A CIRCUIT BREAKER WITH IGNITION PROTECTION	60A	1 PC
E-CB80MR	80A CIRCUIT BREAKER WITH IGNITION PROTECTION	80A	1 PC
E-CB100MR	100A CIRCUIT BREAKER WITH IGNITION PROTECTION	100A	1 PC
E-CB135MR	135A CIRCUIT BREAKER WITH IGNITION PROTECTION	135A	1 PC
E-CB150MR	150A CIRCUIT BREAKER WITH IGNITION PROTECTION	150A	1 PC
E-CB200MR	200A CIRCUIT BREAKER WITH IGNITION PROTECTION	200A	1 PC

RESETTABLE CIRCUIT BREAKERS WITH LED INDICATOR



ITEM #	DESCRIPTION	AMP	BAG QTY
EL-CB100MR	100A CIRCUIT BREAKER WITH TRIP LED INDICATOR	100A	1 PC
EL-CB150MR	150A CIRCUIT BREAKER WITH TRIP LED INDICATOR	150A	1 PC
EL-CB200MR	200A CIRCUIT BREAKER WITH TRIP LED INDICATOR	200A	1 PC

SMART BATTERY ISOLATOR



The smart battery isolator is designed specifically for use in multi-battery applications as a solenoid priority system to protect the start battery from being excessively discharged by auxiliary loads, while still allowing the auxiliary battery to supply non-essential loads. Once the battery has a charge from the alternator, the smart battery isolator will connect an auxiliary battery to the circuit. If the start battery voltage drops too low, the smart battery isolator will disconnect any auxiliary batteries or loads from the start battery to conserve charge.

ITEM #	DESCRIPTION	QTY
IB-SRL500	*500 AMP SMART BATTERY ISOLATOR*	1 PC
	CHARGE YOUR AUXILIARY POWER WHILE DRIVING. COST EFFECTIVE PROTECTION AGAINST A FLAT START BATTERY. PROFESSIONAL INSTALLATION RECOMMENDED.	

WIRE + CABLE AMP KITS

3600 WATT AMP KIT



ITEM #	DESCRIPTION	QTY
AK01	3600 WATT DUAL 1/0GA VALUE AMP KIT CCA	1 KIT

- *1/0GA 17' BLUE POWER WIRE*
- *1/0GA 2' BLACK POWER WIRE*
- *4GA 8' BLUE POWER WIRE*
- *4GA 8' BLACK ROUND WIRE*
- *(2) RIGHT ANGLE RCA CABLES*
  - *17' BLUE, SIDE-BY-SIDE*
  - *SINGLE INJECTION ENDS*
  - *NICKEL-PLATED*
- *20' BLUE REMOTE TURN-ON WIRE*
- *(1) ANL FUSE HOLDER*
  - *NICKEL-PLATED WITH 150 AMP FUSE*
- *(1) MINI-ANL FUSE HOLDER*
  - *2-POSITION / NICKEL-PLATED*
  - *(1) 1/0GA INPUT WITH (2) 4GA OUTPUT WITH (2) 80 AMP FUSES*
- *(1) NICKEL-PLATED BATTERY TERMINAL*
- *(1) NICKEL-PLATED DISTRIBUTION BLOCK*
- *(2) NICKEL-PLATED RING TERMINALS*
  - *BLACK/BLUE BOOTS*
- *(1) HARDWARE BAG*
- *PROFESSIONAL INSTALLATION RECOMMENDED*

2000 WATT AMP KIT



ITEM #	DESCRIPTION	QTY
AK02	2000 WATT 1/0GA VALUE AMP KIT CCA	1 KIT

- *1/0GA 17' BLUE POWER WIRE*
- *1/0GA 3' BLACK POWER WIRE*
- *(1) RIGHT ANGLE RCA CABLE*
  - *17' BLUE, SIDE-BY-SIDE*
  - *SINGLE INJECTION NICKEL-PLATED ENDS*
- *18GA 17' BLUE REMOTE TURN-ON WIRE*
- *(1) NICKEL-PLATED ANL FUSE HOLDER*
  - *150 AMP FUSE*
- *(2) NICKEL-PLATED RING TERMINALS*
  - *BLACK/BLUE BOOTS*
- *(1) HARDWARE BAG*
- *PROFESSIONAL INSTALLATION RECOMMENDED*

1600 WATT AMP KIT



ITEM #	DESCRIPTION	QTY
AK4ANL	**1600 WATT AMP KIT CCA**	**1 KIT**

- *4GA 17' BLUE POWER WIRE*
- *4GA 3' BLACK POWER WIRE*
- *(1) RIGHT ANGLE RCA CABLE*
  - *17' BLUE, SIDE-BY-SIDE*
  - *SINGLE INJECTION ENDS*
  - *NICKEL-PLATED*
- *18GA 17' BLUE REMOTE TURN-ON WIRE*
- *(1) NICKEL-PLATED ANL FUSE HOLDER*
  - *60 AMP FUSE*
- *(2) NICKEL-PLATED RING TERMINALS*
  - *BLACK/BLUE BOOTS*
- *(1) HARDWARE BAG*
- *PROFESSIONAL INSTALLATION RECOMMENDED*

1600 WATT AMP KIT



ITEM #	DESCRIPTION	QTY
AK4	**1600 WATT 4GA VALUE COMPLETE AMP KIT CCA**	**1 KIT**

- *4GA 17' BLUE POWER WIRE*
- *4GA 3' BLACK POWER WIRE*
- *(1) RIGHT ANGLE RCA CABLE*
  - *17' BLUE, SIDE-BY-SIDE*
  - *SINGLE INJECTION ENDS*
  - *NICKEL-PLATED*
- *18GA 17' BLUE REMOTE TURN-ON WIRE*
- *1 MINI-ANL FUSE HOLDER*
  - *NICKEL-PLATED*
  - *60 AMP FUSE*
- *(2)NICKEL-PLATED RING TERMINALS*
  - *BLACK/BLUE BOOTS*
- *(1) HARDWARE BAG*
- *PROFESSIONAL INSTALLATION RECOMMENDED*

WIRE + CABLE AMP KITS + RCA CABLES


1000 WATT AMP KIT




ITEM #	DESCRIPTION	QTY
AK8	1000 WATT 8GA COMPLETE AMP KIT CCA	1 KIT

- *8GA 17' BLUE POWER WIRE*
- *8GA 3' BLACK POWER WIRE*
- *(1) RIGHT ANGLE RCA CABLE*
  - *17' BLUE, SIDE-BY-SIDE*
  - *SINGLE INJECTION ENDS*
  - *NICKEL PLATED*
- *18GA 17' BLUE REMOTE TURN-ON WIRE*
- *(1) NICKEL-PLATED MINI-ANL FUSE HOLDER - 40 AMP FUSE*
- *(2) NICKEL-PLATED RING TERMINALS - BLACK/BLUE BOOTS*
- *1 HARDWARE BAG*
- *PROFESSIONAL INSTALLATION RECOMMENDED*


COPPER RCA AUDIO CABLES



RCA AUDIO CABLE



IBRCA600-Y1



IBRCA600-Y2

ITEM #	DESCRIPTION	LENGTH	COLOR	BAG QTY
IBRCA600-3	COPPER RCA AUDIO CABLE	3'	RED/BLK	1 PC
IBRCA600-6	COPPER RCA AUDIO CABLE	6'	RED/BLK	1 PC
IBRCA600-10	COPPER RCA AUDIO CABLE	10'	RED/BLK	1 PC
IBRCA600-17	COPPER RCA AUDIO CABLE	17'	RED/BLK	1 PC
IBRCA600-Y1	COPPER RCA Y CABLE - 1 FEMALE TO 2 MALE	6"	RED/BLK	1 PC
IBRCA600-Y2	COPPER RCA Y CABLE - 1 MALE TO 2 FEMALE	6"	RED/BLK	1 PC

OFC COPPER FOR EXCELLENT QUALITY, DYNAMIC RANGE AND FREQUENCY RESPONSE. 24 HARD, GOLD-PLATED CONNECTORS. HIGH-QUALITY CLEAR, FLEXIBLE JACKET. INNOVATIVE MOLDED STRAIN RELIEF PROVIDES PROTECTION FROM SHORT CIRCUITS. EXCELLENT NOISE REDUCTION.

NICKEL-PLATED RCA AUDIO CABLES



RCA AUDIO CABLE



IBRCAY1



IBRCA-S




IBRCAY2

ITEM #	DESCRIPTION	LENGTH	COLOR	BAG QTY
IBRCA1M	NICKEL-PLATED RCA AUDIO CABLE	3’	BLU/CLR	1 PC
IBRCA2M	NICKEL-PLATED RCA AUDIO CABLE	6’	BLU/CLR	1 PC
IBRCA-S	SPEAKER WIRE TO RCA ADAPTER	1’	BLK/GRY	1 PC
IBRCAY1	NICKEL-PLATED RCA Y CABLE - 1 FEMALE TO 2 MALE	6”	BLU/CLR	1 PC
IBRCAY2	NICKEL-PLATED RCA Y CABLE - 1 MALE TO 2 FEMALE	6”	BLU/CLR	1 PC

NICKEL-PLATED CONNECTORS. HIGH QUALITY BLUE, FLEXIBLE JACKET. EXCELLENT NOISE REDUCTION.

ALL COPPER TRAILER WIRE RECOMMENDED FOR RV, BOATS, AND UTILITY TRAILERS



ITEM #	DESCRIPTION	GAUGE	COLOR	REEL
TWBKRD14100	14GA 2-CONDUCTOR TRAILER WIRE	14GA	BLK/RED	100 FT
TWBKRD16100	16GA 2-CONDUCTOR TRAILER WIRE	16GA	BLK/RED	100 FT

BARREL CONNECTORS



RCAMRA-1 /RCAMRA-10



RCA100-BM10



RCA100-BF10

ITEM #	DESCRIPTION	COLOR	BAG QTY
RCAMRA-1	MINI RIGHT-ANGLE RCA BARREL CONNECTOR	RED/BLK	2 PCS
RCAMRA-10	MINI RIGHT-ANGLE RCA BARREL CONNECTOR	RED/BLK	10 PCS
RCA100-BM10	MALE NICKEL BARREL CONNECTOR	BLACK	10 PCS
RCA100-BM50	RCA100-BM10 BULK PACK OF 50		50 PCS
RCA100-BF10	FEMALE NICKEL BARREL CONNECTOR	BLACK	10 PCS
RCA100-BF50	RCA100-BF10 BULK PACK OF 50		50 PCS

3.5MM TO RCA CABLES



IB3.5RCA



IB3.5MM

ITEM #	DESCRIPTION	LENGTH	COLOR	BAG QTY
IB3.5RCA	RIGHT-ANGLE 3.5MM MALE TO RCA CABLE	6’	RED/WHT	10 PCS
IB3.5MM	RIGHT-ANGLE 3.5MM MALE TO MALE CABLE	6’	BLACK	10 PCS

ALL COPPER PRIMARY WIRE



PWBK12500



PWRD12500



PWRD14500



PWOR16500

ITEM #	DESCRIPTION	GAUGE	COLOR	REEL
12GA COPPER PRIMARY WIRE				
PWBK12500	**12GA COPPER PRIMARY WIRE**	12GA	BLACK	**500 FT**
PWRD12500	**12GA COPPER PRIMARY WIRE**	12GA	RED	**500 FT**
14GA COPPER PRIMARY WIRE				
PWBK14500	**14GA COPPER PRIMARY WIRE**	14GA	BLACK	**500 FT**
PWRD14500	**14GA COPPER PRIMARY WIRE**	14GA	RED	**500 FT**
PWBL14500	**14GA COPPER PRIMARY WIRE**	14GA	BLUE	**500 FT**
PWGN14500	**14GA COPPER PRIMARY WIRE**	14GA	GREEN	**500 FT**
PWOR14500	**14GA COPPER PRIMARY WIRE**	14GA	ORANGE	**500 FT**
PWPL14500	**14GA COPPER PRIMARY WIRE**	14GA	PURPLE	**500 FT**
PWYL14500	**14GA COPPER PRIMARY WIRE**	14GA	YELLOW	**500 FT**
PWWT14500	**14GA COPPER PRIMARY WIRE**	14GA	WHITE	**500 FT**
16GA COPPER PRIMARY WIRE				
PWBK16500	**16GA COPPER PRIMARY WIRE**	16GA	BLACK	**500 FT**
PWRD16500	**16GA COPPER PRIMARY WIRE**	16GA	RED	**500 FT**
PWBL16500	**16GA COPPER PRIMARY WIRE**	16GA	BLUE	**500 FT**
PWBN16500	**16GA COPPER PRIMARY WIRE**	16GA	BROWN	**500 FT**
PWGN16500	**16GA COPPER PRIMARY WIRE**	16GA	GREEN	**500 FT**
PWGY16500	**16GA COPPER PRIMARY WIRE**	16GA	GRAY	**500 FT**
PWOR16500	**16GA COPPER PRIMARY WIRE**	16GA	ORANGE	**500 FT**
PWPL16500	**16GA COPPER PRIMARY WIRE**	16GA	PURPLE	**500 FT**
PWPK16500	**16GA COPPER PRIMARY WIRE**	16GA	PINK	**500 FT**
PWWT16500	**16GA COPPER PRIMARY WIRE**	16GA	WHITE	**500 FT**
PWYL16500	**16GA COPPER PRIMARY WIRE**	16GA	YELLOW	**500 FT**

*Continued on next page

ALL COPPER PRIMARY WIRE CONTINUED


PWBL18500


PWGN18500


PWBK181000


PWRD181000

ITEM #	DESCRIPTION	GAUGE	COLOR	REEL
18GA COPPER PRIMARY WIRE				
PWBK18500	18GA COPPER PRIMARY WIRE	18GA	BLACK	500 FT
PWRD18500	18GA COPPER PRIMARY WIRE	18GA	RED	500 FT
PWBL18500	18GA COPPER PRIMARY WIRE	18GA	BLUE	500 FT
PWBR18500	18GA COPPER PRIMARY WIRE	18GA	BROWN	500 FT
PWGN18500	18GA COPPER PRIMARY WIRE	18GA	GREEN	500 FT
PWGY18500	18GA COPPER PRIMARY WIRE	18GA	GRAY	500 FT
PWOR18500	18GA COPPER PRIMARY WIRE	18GA	ORANGE	500 FT
PWPL18500	18GA COPPER PRIMARY WIRE	18GA	PURPLE	500 FT
PWWT18500	18GA COPPER PRIMARY WIRE	18GA	WHITE	500 FT
PWYL18500	18GA COPPER PRIMARY WIRE	18GA	YELLOW	500 FT
PWBK181000	18GA COPPER PRIMARY WIRE	18GA	BLACK	1000 FT
PWRD181000	18GA COPPER PRIMARY WIRE	18GA	RED	1000 FT
PWBL181000	18GA COPPER PRIMARY WIRE	18GA	BLUE	1000 FT

ALL COPPER SPEAKER WIRE


SW12-500


SWRB14100


SWRB14500


SWRB18500

ITEM #	DESCRIPTION	GAUGE	COLOR	REEL
SWRB8100	8GA COPPER SPEAKER WIRE	8GA	RED/BLK	100 FT
SWRB10100	10GA COPPER SPEAKER WIRE	10GA	RED/BLK	100 FT
SW12-500	12GA COPPER SPEAKER WIRE	12GA	CLEAR	500 FT
SWRB12100	12GA COPPER SPEAKER WIRE	12GA	RED/BLK	100 FT
SWRB12500	12GA COPPER SPEAKER WIRE	12GA	RED/BLK	500 FT
SWRB14100	14GA COPPER SPEAKER WIRE	14GA	RED/BLK	100 FT
SWRB14500	14GA COPPER SPEAKER WIRE	14GA	RED/BLK	500 FT
SW16-500	16GA COPPER SPEAKER WIRE	16GA	CLEAR	500 FT
SWRB16-500	16GA COPPER SPEAKER WIRE	16GA	RED/BLK	500 FT
SW18-1000	18GA CLEAR SPEAKER WIRE	18GA	CLEAR	1000 FT
SWRB18500	18GA COPPER SPEAKER WIRE	18GA	RED/BLK	500 FT

ALL COPPER US GPT PRIMARY WIRE CONTINUED



US8250R | US14500BK | US16500BK | US16500BL

ITEM #	DESCRIPTION	GAUGE	COLOR	REEL
8GA COPPER US GPT PRIMARY WIRE OE/SAE SPEC.				
US8250R	8GA COPPER US GPT PRIMARY WIRE OE/SAE SPEC.	8GA	RED	250 FT
10GA COPPER US GPT PRIMARY WIRE OE/SAE SPEC.				
US10250R	10GA COPPER US GPT PRIMARY WIRE OE/SAE SPEC.	10GA	RED	250 FT
US10250BK	10GA COPPER US GPT PRIMARY WIRE OE/SAE SPEC.	10GA	BLACK	250 FT
12GA COPPER US GPT PRIMARY WIRE OE/SAE SPEC.				
US12500R	12GA COPPER US GPT PRIMARY WIRE OE/SAE SPEC.	12GA	RED	500 FT
US12500BK	12GA COPPER US GPT PRIMARY WIRE OE/SAE SPEC.	12GA	BLACK	500 FT
14GA COPPER US GPT PRIMARY WIRE OE/SAE SPEC.				
US14500R	14GA COPPER US GPT PRIMARY WIRE OE/SAE SPEC.	14GA	RED	500 FT
US14500BK	14GA COPPER US GPT PRIMARY WIRE OE/SAE SPEC.	14GA	BLACK	500 FT
16GA COPPER US GPT PRIMARY WIRE OE/SAE SPEC.				
US16500R	16GA COPPER US GPT PRIMARY WIRE OE/SAE SPEC.	16GA	RED	500 FT
US16500BK	16GA COPPER US GPT PRIMARY WIRE OE/SAE SPEC.	16GA	BLACK	500 FT
US16500BL	16GA COPPER US GPT PRIMARY WIRE OE/SAE SPEC.	16GA	BLUE	500 FT

ALL COPPER US GPT PRIMARY WIRE CONTINUED



US1850OR | US18500WBL | US18500WOR | US18500YL

ITEM #	DESCRIPTION	GAUGE	COLOR	REEL
18GA COPPER US GPT PRIMARY WIRE				
US18500R	18GA COPPER US GPT PRIMARY WIRE	18GA	RED	500 FT
US18500BK	18GA COPPER US GPT PRIMARY WIRE	18GA	BLACK	500 FT
US18500BL	18GA COPPER US GPT PRIMARY WIRE	18GA	BLUE	500 FT
US18500WBK	18GA COPPER US GPT PRIMARY WIRE	18GA	WHT/BLK	500 FT
US18500WBL	18GA COPPER US GPT PRIMARY WIRE	18GA	WHT/BLU	500 FT
US18500WGN	18GA COPPER US GPT PRIMARY WIRE	18GA	WHT/GRN	500 FT
US18500WGY	18GA COPPER US GPT PRIMARY WIRE	18GA	WHT/GRY	500 FT
US18500WOR	18GA COPPER US GPT PRIMARY WIRE	18GA	WHT/OR	500 FT
US18500WYL	18GA COPPER US GPT PRIMARY WIRE	18GA	WHT/YEL	500 FT
US18500YL	18GA COPPER US GPT PRIMARY WIRE	18GA	YELLOW	500 FT

WIRE + CABLE MULTI-CONDUCTOR CABLE + MULTI-CONDUCTOR PRIMARY WIRE


MULTI-CONDUCTOR CABLE



MC918-20 /MC918-250




SWLED6-250




FLAT5R

ITEM #	DESCRIPTION	GAUGE	COLOR	REEL
MC918-20	18GA 9-CONDUCTOR EIA COLOR-CODED COPPER CABLE	18GA	BLUE	20 FT
MC918-250	18GA 9-CONDUCTOR EIA COLOR-CODED COPPER CABLE	18GA	BLUE	250 FT
SWLED6-250	16GA PR SPEAKER COPPER CABLE + 20GA RGB/YELLOW	16GA	BLACK	200 FT
FLAT5R	5 CONDUCTOR FLAT SPEAKER WIRE WITH TURN-ON LEAD		EIA	200 FT


COPPER-JACKETED MULTI-CONDUCTOR PRIMARY WIRE



JPWBW14100 / JPWBW16100



JPWBGW16100



JPWBGRW16100

ITEM #	DESCRIPTION	GAUGE	COLOR	REEL
JPWBW14100	2-CONDUCTOR 14GA MULTI-CONDUCTOR PRIMARY WIRE	14GA	BLK/WHT	100 FT
JPWBW16100	2-CONDUCTOR 16GA MULTI-CONDUCTOR PRIMARY WIRE	16GA	BLK/WHT	100 FT
JPWBGW16100	3-CONDUCTOR 16GA MULTI-CONDUCTOR PRIMARY WIRE	16GA	BLK/GRN/WHT	100 FT
JPWBGRW16100	4-CONDUCTOR 16GA MULTI-CONDUCTOR PRIMARY WIRE	16GA	BLK/GRN/ RED/WHT	100 FT

WIRE RECOMMENDED FOR AUTO /TRUCK /CONSTRUCTION AND LIGHT MARINE. HEAVY DUTY PVC OUTER JACKET IS ABRASION RESISTANT AND PROTECTS AGAINST MOISTURE, OIL, ACID, AND SALT.

CCA VALUE LINE POWER CABLE



IBPC04R-125 | IBPC08R-250 | IBPC10-50 | IBPC04-125

ITEM #	DESCRIPTION	GAUGE	COLOR	REEL
IBPC04R-125	4GA CCA POWER CABLE	4GA	RED	125 FT
IBPC08R-250	8GA CCA POWER CABLE	8GA	RED	250 FT
IBPC10-50	1/0GA CCA POWER CABLE	1/0GA	BLUE	50 FT
IBPC04-125	4GA CCA POWER CABLE	4GA	BLUE	125 FT
IBPC08-250	8GA CCA POWER CABLE	8GA	BLUE	250 FT
IBGN10-50	1/0GA CCA POWER CABLE	1/0GA	BLACK	50 FT
IBGN04-125	4GA CCA POWER CABLE	4GA	BLACK	125 FT
IBGN08-250	8GA CCA POWER CABLE	8GA	BLACK	250 FT


CCA VALUE LINE SPEAKER WIRE



IBSW12-250 | IBSW14-250 | IBSW16-500 | IBSW18-1000


ITEM #	DESCRIPTION	GAUGE	COLOR	REEL
IBSW12-250	12GA CCA VALUE LINE SPEAKER WIRE	12GA	CLEAR	250 FT
IBSW14-250	14GA CCA VALUE LINE SPEAKER WIRE	14GA	CLEAR	250 FT
IBSW16-500	16GA CCA VALUE LINE SPEAKER WIRE	16GA	CLEAR	500 FT
IBSW18-1000	18GA CCA VALUE LINE SPEAKER WIRE	18GA	CLEAR	1000 FT

SPEAKER WIRE



ITEM #	DESCRIPTION	LENGTH	GAUGE	MATERIAL	QTY	BAG
IBR98	BLACK/RED SPEAKER WIRE	25'	18GA	COPPER	1 PC	MEDIUM
IBR97	BLACK/RED SPEAKER WIRE	25'	16GA	COPPER	1 PC	MEDIUM
IBR96	BLACK/RED SPEAKER WIRE	25'	12GA	COPPER	1 PC	LARGE

BATTERY POST ADAPTERS



GM38 | GM38-10 | BT305-10 | BT305 | BT305L

ITEM #	DESCRIPTION	BAG QTY
GM38	SIDE POST ADAPTER STUD/NUT STYLE	1 SET
GM38-10	GM38 BULK PACK	10 PACK
BT305	SIDE POST ADAPTER BOLT STYLE	1 SET
BT305-10	BT305 BULK PACK	10 PACK
BT305L	LONG SIDE POST ADAPTER BOLT STYLE	1 SET


DUAL INPUT WIRE REDUCERS



IBWRD00 | IBWRD04 | IBWRD04P

ITEM #	DESCRIPTION	IN	OUT	REEL
IBWRD00	1/0 AWG TO 1/0 AWG WIRE REDUCERS	1/0 AWG	1/0 AWG	2 PCS
IBWRD04	1/0 AWG TO 4 AWG WIRE REDUCERS	1/0 AWG	4 AWG	2 PCS
IBWRD04P	0GA TO 4GA WIRE REDUCERS	0GA	4GA	2 PCS

GAUGE REDUCERS



IBCPLR1 | IBCPLR2

ITEM #	DESCRIPTION	IN	OUT	REEL
IBCPLR1	0GA IN / 4GA OUT NICKEL GAUGE REDUCERS	0GA	4GA	1 PC
IBCPLR2	4GA IN / 8GA OUT NICKEL GAUGE REDUCERS	4GA	8GA	1 PC

PLUG-IN CONNECTOR



IBWTH18



IBWTH16



IBWTH12

ITEM #	DESCRIPTION	GAUGE	BAG QTY
IBWTH18	**18GA MALE/FEMALE WATER-RESISTANT PLUG-IN CONNECTOR**	18GA	**1 PC**
IBWTH16	**16GA MALE/FEMALE WATER-RESISTANT PLUG-IN CONNECTOR**	16GA	**1 PC**
IBWTH12	**12GA MALE/FEMALE WATER-RESISTANT PLUG-IN CONNECTOR**	12GA	**1 PC**
	FLUSH AND SURFACE MOUNT		

2-WIRE QUICK DISCONNECTS



IBTH18



IBTH16



IBTH12


ITEM #	DESCRIPTION	GAUGE	LENGTH	COLOR	BAG QTY
IBTH18	**18GA 2-PIN/2-PIN 2-WIRE QUICK DISCONNECT**	18GA	1’	RED/BLK	**1 PC**
IBTH16	**16GA 2-PIN/2-PIN 2-WIRE QUICK DISCONNECT**	16GA	1’	RED/BLK	**1 PC**
IBTH12	**12GA 2-PIN/2-PIN 2-WIRE QUICK DISCONNECT**	12GA	1’	RED/BLK	**1 PC**

SPEAKER & ACCESSORIES *SPEAKER BAFFLES + RINGS + DISPLAY*


Featuring a newly designed silicone speaker baffle with egg wave foam, it eliminates trimming or cutting and improves sealing for better sound. Patent-pending and foldable, these speaker baffles improve the directional flow of sound waves and focus them inside. They seal the speaker against the interior pane, offering water-resistant protection. The foldable ring fits different depths.




(1) The rear foldable ring protects speaker and improves sound.



(2) Silicone material is soft to seal between speaker and door panel.



(3) Silicone material is durable for harsh environment.



(4) The egg wave foam behind speaker improves sound by preventing sound wave bounced back.

SILICONE SPEAKER BAFFLES



IBSBF65



IBSBF65-B



IBSBF69



IBSBF80

ITEM #	DESCRIPTION	SIZE	BOX QTY
IBSBF65	**6.5" 2-PIECE SILICONE BAFFLE KIT**	**6.5"**	**PAIR**
IBSBF65-B	**IBSBF65 BULK PACK**		**10 PAIRS**
IBSBF69	**6" X 9" 2-PIECE SILICONE BAFFLE KIT**	**6" X 9"**	**PAIR**
IBSBF80	**8" 2-PIECE SILICONE BAFFLE KIT**	**8"**	**PAIR**

FOAM SPEAKER RING SET




ITEM #	DESCRIPTION	QTY
IBFSR65	**6.5" FOAM SPEAKER RING SET**	**1 SET**
	EGG CRATE FOAM HELPS ABSORB UNWANTED ECHOES AND REVERBERATION. REDUCES PANEL VIBRATION. SIMPLE PEEL AND STICK APPLICATION	

SILICONE BAFFLE DISPLAY



ITEM #	DESCRIPTION	QTY
IBSBFDISP	**SILICONE BAFFLE DISPLAY - CLEAR PLEXI**	**1 PC**
	COMES WITH 6.5" SILICON BAFFLE WITH EGG-WAVE FOAM. DISPLAY TAGS INCLUDED. PROVIDES THE SALESMAN WITH THE ABILITY TO DISPLAY THE DESIGN AND DYNAMIC ABILITY OF THE SILICON BAFFLES	

VERTEK/XTC ACOUSTIC BAFFLES



VXT55



VXT62



VXT69

ITEM #	DESCRIPTION	SIZE	BOX QTY
VXT55	ROUND VERTEK/XTC ACOUSTIC BAFFLE	5"-5.25"	PAIR
VXT57	OVAL VERTEK/XTC ACOUSTIC BAFFLE	5" X 7"	PAIR
VXT60	ROUND LARGE FRAME VERTEK/XTC ACOUSTIC BAFFLE	6.5"	PAIR
VXT62	SHALLOW ROUND LARGE FRAME VERTEK/XTC ACOUSTIC BAFFLE	6"	PAIR
VXT65	ROUND SMALL FRAME VERTEK/XTC ACOUSTIC BAFFLE	6.5"	PAIR
VXT69	OVAL VERTEK/XTC ACOUSTIC BAFFLE	6" X 9"	PAIR

IB ACOUSTIC BAFFLES



IBBAF46



IBBAF65




IBBAF69

ITEM #	DESCRIPTION	SIZE	BOX QTY
IBBAF462	OVAL SMALL FRAME ACOUSTIC BAFFLE	4" X 6"	PAIR
IBBAF46	OVAL ACOUSTIC BAFFLE	4" X 6"	PAIR
IBBAF52	SHALLOW ROUND ACOUSTIC BAFFLE	5"	PAIR
IBBAF55	ROUND ACOUSTIC BAFFLE	5.25"	PAIR
IBBAF57	OVAL ACOUSTIC BAFFLE	5" X 7"	PAIR
IBBAF62	SHALLOW ROUND LARGE FRAME ACOUSTIC BAFFLE	6"	PAIR
IBBAF65	ROUND SMALL FRAME ACOUSTIC BAFFLE	6.5"	PAIR
IBBAF68	OVAL ACOUSTIC BAFFLE	6" X 8"	PAIR
IBBAF60	ROUND LARGE ACOUSTIC BAFFLE	6.5"	PAIR
IBBAF69	OVAL ACOUSTIC BAFFLE	6" X 9"	PAIR
IBBAF80	ROUND ACOUSTIC BAFFLE	8"	PAIR

SPEAKER & ACCESSORIES *GRILLES+ PLUGS + MAGNETS*

WAFFLE GRILLES



ITEM #	DESCRIPTION	SIZE	BAG QTY
85-9008	8” WAFFLE GRILLE WITH HARDWARE	8”	1 PC
85-9010	10” WAFFLE GRILLE WITH HARDWARE	10”	1 PC
85-9012	12” WAFFLE GRILLE WITH HARDWARE	12”	1 PC

MESH SNAP-ON GRILLES



SMG4 | SMG525 | SMG65 | SMG8 | SMG10

ITEM #	DESCRIPTION	SIZE	BAG QTY
SMG4	4” METAL MESH SILICONE SPEAKER BAFFLE WITH PLASTIC RING	4”	1 PC
SMG525	5.25” METAL MESH SILICONE SPEAKER BAFFLE WITH PLASTIC RING	5.25”	1 PC
SMG65	6.5” METAL MESH SILICONE SPEAKER BAFFLE WITH PLASTIC RING	6.5”	1 PC
SMG8	8” METAL MESH SILICONE SPEAKER BAFFLE WITH PLASTIC RING	8”	1 PC
SMG10	10” METAL MESH SILICONE SPEAKER BAFFLE WITH PLASTIC RING	10”	1 PC

SPEAKER PLUGS



ITEM #	DESCRIPTION	QTY
JW4136	18GA INPUT WATER-RESISTANT SPEAKER PLUGS	1 PC
	18GA MALE AND FEMALE	

TERMINAL CUPS



TCRB2



TCRBG2



TCRB



TCRBG



TCRS



TCRC



TCSS



TCSBG2



TCSB2



TCSBG



TCSB

ITEM #	DESCRIPTION	INNER DIAMETER	DEPTH	BAG QTY
TCRB2	ROUND BINDING POST NICKEL TERMINAL CUP	2”	1”	1 PC
TCRBG2	ROUND BINDING POST GOLD TERMINAL CUP	2”	1”	1 PC
TCRB	ROUND BINDING POST NICKEL TERMINAL CUP	3”	1”	1 PC
TCRBG	ROUND BINDING POST GOLD TERMINAL CUP	3”	1”	1 PC
TCRS	ROUND SPRING TERMINAL CUP	2”	1”	1 PC
TCRC	ROUND SPRING COMPRESSION FIT TERMINAL CUP	2”	1”	1 PC
TCSS	SQUARE SPRING POST TERMINAL CUP	2”	1”	1 PC
TCSBG2	SQUARE BINDING POST GOLD TERMINAL CUP	2”	1”	1 PC
TCSB2	SQUARE BINDING POST NICKEL TERMINAL CUP	2”	1”	1 PC
TCSBG	SQUARE BINDING POST GOLD TERMINAL CUP	3”	1”	1 PC
TCSB	SQUARE BINDING POST NICKEL TERMINAL CUP	3”	1”	1 PC


SPEAKER & ACCESSORIES *MDF RINGS + BARRIER STRIPS + TERMINAL STRIPS*

BARRIER STRIPS



ITEM #	DESCRIPTION	POSITION	GAUGE	SPADE	CURRENT	BAG QTY
IBBS12P	**12-POSITION BARRIER STRIP**	**12**	**12-22GA**	#8	20A	**10 PCS**

MDF SPEAKER RINGS



SR6 | SR8 | SR10 | SR12

ITEM #	DESCRIPTION	INNER DIAMETER	OUTSIDE	THICKNESS	BAG QTY
SR6	**6” X 0.75” MDF SPEAKER RING PAIR**	**5.43”**	**7”**	**0.75”**	**PAIR**
SR8	**8” X 0.75” MDF SPEAKER RING PAIR**	**7”**	**8.5”**	**0.75”**	**PAIR**
SR10	**10” X 0.75” MDF SPEAKER RING PAIR**	**9.125”**	**11”**	**0.75”**	**1 PC**
SR12	**12” X 0.75” MDF SPEAKER RING PAIR**	**11.125”**	**13”**	**0.75”**	**1 PC**

RUBBER FEET



ITEM #	DESCRIPTION	QTY
IBRF38	**RUBBER FEET FOR SPEAKERS**	**4 PCS**
	1.5” X 1.5”	

FLARED/AERO PORT TUBE KITS



PSP3 | PSP4 | PSP6

ITEM #	DESCRIPTION	SIZE	BOX QTY
PSP3	**COMPLETE PORT TUBE KIT**	**3" X 17"**	**1 SET**
PSP4	**COMPLETE PORT TUBE KIT**	**4" X 17"**	**1 SET**
PSP6	**COMPLETE PORT TUBE KIT**	**6" X 17"**	**1 SET**
	Greater sound pressure levels with cleaner sound - less distortion. Cosmetically appealing with high adaptability. High-quality ABS construction with mounting hole variations. Easy installation. Designed in the USA.		

SPEAKER GASKET TAPE



ITEM #	DESCRIPTION	QTY
IBSPKGTP	**ADHESIVE FOAM SPEAKER GASKET TAPE**	**1 PC**
	1/8" X 1/2" X 50'	

DUAL CONE SPEAKERS



AW-630SP | AW-640SP | AW-646SP | AW-650SP | AW-660SP | AW-668SP | AW-669SP

ITEM #	DESCRIPTION	SIZE	BOX QTY
AW-630SP	**3.5" DUAL CONE**	**3.5"**	**1 PC**
AW-640SP	**4" DUAL CONE**	**4"**	**1 PC**
AW-646SP	**4" X 6" DUAL CONE** - *WORKS WITH 4" X 10" (ADAPTER INCLUDED)*	**4" X 6"**	**1 PC**
AW-650SP	**5.25" DUAL CONE**	**5.25"**	**1 PC**
AW-660SP	**6.5" DUAL CONE**	**6.5"**	**1 PC**
AW-668SP	**6" X 8" DUAL CONE** - *WORKS WITH 5" X 7" (ADAPTER INCLUDED)*	**6" X 8"**	**1 PC**
AW-669SP	**6" X 9" DUAL CONE**	**6" X 9"**	**1 PC**

VOLTAGE METERS




ITEM #	DESCRIPTION	QTY
IBR143	**LEVEL CONTROLLER WITH VOLTAGE METER**	**1 PC**
	DASH MOUNTED AMPLIFIER LEVEL CONTROL FOR VOLUME & BASS LEVEL ADJUSTMENT *COMPATIBLE WITH MOST HEAD UNIT/AMPLIFIER COMBINATIONS*	

MINI VOLTAGE METER






TOP VIEW




ITEM #	DESCRIPTION	QTY
IBR56	**MINI VOLTAGE (30V) METER**	**1 PC**
	28.5MM (1-1/8") MOUNTING HOLE REQUIRED *FLUSH MOUNT* *0.250" POWER AND GROUND LUGS ON BACK WITH RED LEDS* *USE WITH OPTIONAL MOUNTS IBR59, IBR60, AND IBR61*	

USB 3.0 + USB-C ROUND SOCKET WITH LED VOLTAGE DISPLAY





TOP VIEW



ITEM #	DESCRIPTION	LED COLOR	QTY
IBR117	**USB 3.0 + USB-C ROUND SOCKET WITH VOLTAGE DISPLAY + WATER-RESISTANT COVER**	BLUE/RED	**1 PC**
	26.4MM (1.05") MOUNTING HOLE REQUIRED *QUICK CHARGE - 4X FASTER THAN NORMAL* *WILL NOT ACTIVATE SPECIAL RAPID OR SUPER CHARGE ON DEVICE* *CHARGE ONLY*		

DUAL USB SOCKETS




IBR57




IBR85 / IBR86 / IBR87

ITEM #	DESCRIPTION	LED COLOR	QTY
IBR57	**DUAL USB ROUND SOCKET WITH LED INDICATOR**	BLUE	**1 PC**
	28.5MM (1-1/8") MOUNTING HOLE REQUIRED *OUTPUT: 5V/3.1A (2.1A + 1A)* *FLUSH MOUNTED & WATER-RESISTANT* *CHARGE ONLY* *0.250" POWER AND GROUND LUGS ON BACK*		*USE WITH OPTIONAL MOUNTS IBR59, IBR60, AND IBR61*




ITEM #	DESCRIPTION	LED COLOR	QTY
IBR85	**ILLUMINATED DUAL 2.1A USB ROUND SOCKET**	RED	**1 PC**
IBR86	**ILLUMINATED DUAL 2.1A USB ROUND SOCKET**	WHITE	**1 PC**
IBR87	**ILLUMINATED DUAL 2.1A USB ROUND SOCKET**	BLUE	**1 PC**
	29.2MM (1.15") MOUNTING HOLE REQUIRED *DUAL USB 2.1A* *CHARGE ONLY*		



USB SOCKET




ITEM #	DESCRIPTION	QTY
IBR142	**USB TYPE-C ROUND SOCKET**	**1 PC**
	22MM (0.86") MOUNTING HOLE REQUIRED *INPUT: 12V/24V / OUTPUT: 5V/3.1A, 9V:2A, 12V:1.5A* *CHARGE ONLY*	



3.5MM AUX ROUND SOCKETS WITH USB



ITEM #	DESCRIPTION	QTY
IBR91	**3.5MM AUX + USB-A ROUND SOCKET WITHOUT COVER**	**1 PC**
	27MM (1.06") MOUNTING HOLE REQUIRED *SNAP-IN EXTENSION CABLE* *CABLE LENGTH: 5'*	



USB EXTENSION ROUND SOCKETS



IBR135



IBR136



IBR137





IBR73



IBR74

ITEM #	DESCRIPTION	QTY
IBR135	**1' TYPE C/HDMI® TO TYPE C/HDMI® EXTENSION CABLE**	**1 PC**
	26.4MM (1-1/16") MOUNTING HOLE REQUIRED *OXYGEN-FREE COPPER FOR MAXIMUM SIGNAL TRANSFER* *MULTIPLE MOUNTING OPTIONS* *CABLE LENGTH: 1'*	
IBR136	**1' USB A 3.0 FEMALE TO USB A 3.0 MALE**	**1 PC**
	26.4MM (1-1/16") MOUNTING HOLE REQUIRED *OXYGEN-FREE COPPER FOR MAXIMUM SIGNAL TRANSFER* *MULTIPLE MOUNTING OPTIONS* *CABLE LENGTH: 1'*	
IBR137	**3' TYPE C/HDMI® TO TYPE C/HDMI® EXTENSION CABLE**	**1 PC**
	26.4MM (1-1/16") MOUNTING HOLE REQUIRED *OXYGEN-FREE COPPER FOR MAXIMUM SIGNAL TRANSFER* *MULTIPLE MOUNTING OPTIONS* *CABLE LENGTH: 3'*	
IBR73	**HDMI® + USB PASS-THROUGH EXTENSION ROUND SOCKET**	**1 PC**
	28.5MM (1-1/8") MOUNTING HOLE REQUIRED *CAN BE SURFACE OR FLUSH MOUNTED* *WATER-RESISTANT COVER* *CABLE LENGTH: 3'*	
IBR74	**DUAL USB EXTENSION ROUND SOCKET**	**1 PC**
	28.5MM (1-1/8") MOUNTING HOLE REQUIRED *CAN BE SURFACE OR FLUSH MOUNTED* *WATER-RESISTANT COVER* *CABLE LENGTH: 3'*	





DUAL USB SOCKET



ITEM #	DESCRIPTION	QTY
IBR144	**1 METER USB 4.0 TYPE-C EXTENSION CABLE**	**1 PC**
IBR145	**1 FOOT USB 4.0 TYPE-C EXTENSION CABLE**	**1 PC**
	DATA TRANSFER SPEEDS UP TO 40GBPS *SUPPORTS 8K/5K/4K VIDEO RESOLUTION* *20MM (13/16") MOUNTING HOLE REQUIRED*	



USBD KIT - USB-A MALE / USB-A FEMALE



ITEM #	DESCRIPTION	QTY
IBR138	**USBD KIT - USB-A MALE / USB-A FEMALE**	**1 PC**
	DUAL 3' USB EXTENSION CABLES *UNIVERSAL PLATE INCLUDED AS WELL AS PLATES FOR VARIOUS TOYOTA, NISSAN, HONDA, AND MITSUBISHI MODELS* *LED INDICATORS ON USB PORTS*	

HDMI® CABLES & ADAPTERS



IBR76 / IBR77



IBR118

ITEM #	DESCRIPTION	QTY
IBR76	**1M HDMI® CABLE**	**1 PC**
	SLIM CABLE DESIGN WITH LOW PROFILE HEADSHELL	
IBR118	**HDMI® TO MICRO HDMI® ADAPTER**	**1 PC**
	RIGHT ANGLE MICRO HDMI® *CHARGE + DATA*	

CHARGE + DATA ROUND SOCKETS



IBR113



IBR114





IBR115




IBR116

ITEM #	DESCRIPTION	QTY
IBR113	**DUAL USB-C ROUND SOCKET**	**1 PC**
	26.5MM (1.04") MOUNTING HOLE REQUIRED - FLUSH OR SURFACE MOUNTABLE *WATER-RESISTANT COVER* *CHARGE + DATA (NOTE: FAST CHARGING MAY NOT BE SUPPORTED IN ALL DEVICES WHEN THE USB C TO USB A ANGLE ADAPTER IS UTILIZED)* *DUAL USB-C IN / DUAL USB-C MALE OUT* *(2) RIGHT-ANGLE USB-C FEMALE TO USB-A MALE ADAPTERS*	
IBR114	**USB-A + USB-C ROUND SOCKET**	**1 PC**
	26.5MM (1.04") MOUNTING HOLE REQUIRED - FLUSH OR SURFACE MOUNTABLE *WATER-RESISTANT COVER* *CHARGE + DATA (NOTE: FAST CHARGING MAY NOT BE SUPPORTED IN ALL DEVICES WHEN THE USB C TO USB A ANGLE ADAPTER IS UTILIZED.)* *USB-A + USB-C IN / USB-A MALE + USB-C MALE OUT* *RIGHT-ANGLE USB-C FEMALE TO USB-A MALE ADAPTER*	
IBR115	**USB-A + HDMI® ROUND SOCKET**	**1 PC**
	36MM (1.4") MOUNTING HOLE REQUIRED - FLUSH OR SURFACE MOUNTABLE *WATER-RESISTANT COVER* *CHARGE + DATA* *DUAL USB-A + HDMI IN* *DUAL USB-A MALE + HDMI MALE OUT*	
IBR116	**USB-A 3.0 ROUND SOCKET**	**1 PC**
	26.5MM (1.04") MOUNTING HOLE REQUIRED - FLUSH OR SURFACE MOUNTABLE *WATER-RESISTANT COVER* *CHARGE + DATA* *USB 3.0 TYPE A FEMALE IN* *USB 3.0 TYPE A MALE EXT 1 METER OUT*	








12V POWER SOCKET



ITEM #	DESCRIPTION	QTY
IBR58	**12V POWER ROUND SOCKET**	**1 PC**
	28.5MM (1-1/8") MOUNTING HOLE REQUIRED *FLUSH MOUNTED* *WATER-RESISTANT COVER* *0.250" POWER AND GROUND LUGS ON BACK* *USE WITH OPTIONAL MOUNTS IBR59. IBR60, IBR61*	



12V MARINE DUAL 5V USB SOCKET



ITEM #	DESCRIPTION	QTY
IBR79	**12V MARINE DUAL 5V USB SOCKET**	**1 PC**
	INCLUDES (1) DUAL USB AND (1) 12V SOCKET *1 AMP USB / 2.1 AMP USB* *IP65 RATED* *WATER-RESISTANT* *USB IS CHARGE ONLY*	

POWER SOCKETS



CLA



CIGF



CIGM



IBR109

ITEM #	DESCRIPTION	QTY
CLA	**FEMALE POWER SOCKET**	**1 PC**
	HIGHER QUALITY WITH RED/BLACK POLARIZED LEADS	
CIGF	**FEMALE 12V POWER SOCKET**	**1 PC**
	STANDARD QUALITY	
CIGM	**MALE 10 AMP POWER PLUG**	**1 PC**
	12" LEADS	
IBR109	**FEMALE 12V POWER SOCKET WITH "L" BRACKET**	**1 PC**
	"L" BRACKET FOR UNDER DASH MOUNT	

UNIVERSAL SEAT HEATERS RETAIL PACK



IBHS1



IBHS2

ITEM #	DESCRIPTION	SIZE	BOX QTY
IBHS1	SINGLE SEAT HEATER WITH ILLUMINATED 3-POSITION SWITCH	18" X 19"	1 PC
IBHS2	SINGLE SEAT HEATER WITH ILLUMINATED 5-POSITION SWITCH	18" X 19"	1 PC

SEAT HEATERS POLYBAG PACK




IBHS1-B1




IBHS1-B

ITEM #	DESCRIPTION	SIZE	BAG QTY
IBHS1-B1	SINGLE SEAT HEATER WITH ILLUMINATED 3-POSITION SWITCH	18" X 19"	1 PC
IBHS1-B	SINGLE SEAT HEATER WITH ILLUMINATED 3-POSITION SWITCH	18" X 19"	3 PC

POWER WINDOWS




JW-9000



JW-93ED

ITEM #	DESCRIPTION	BAG QTY
JW-9000	UNIVERSAL AEW POWER WINDOW SET WITH ACCESSORIES	1 PC
JW-93ED	UNIVERSAL AEW POWER WINDOW SET WITH JW-33ED KIT (2-DOOR)	1 PC
	PROFESSIONAL INSTALLATION RECOMMENDED	

POWER LOCK ACTUATORS




T-DLA



DLA



E-DLA



SL-DLA


ITEM #	DESCRIPTION	BAG QTY
T-DLA	2-WIRE PREMIUM DOOR LOCK ACTUATOR - 8.8 LBS. OF PULL CAPACITY	1 PC
DLA	2-WIRE DOOR LOCK ACTUATOR	1 PC
E-DLA	ECONOMY 2-WIRE DUAL LOCK ACTUATOR	1 PC
SL-DLA	SLIM DOOR LOCK ACTUATOR KIT - *SLIM DESIGN, PREMIUM QUALITY, EASY INSTALL*	1 PC

ACTUATOR KIT




ITEM #	DESCRIPTION	BAG QTY
DLA-CK2	CABLE STYLE ACTUATOR KIT	PAIR
2-DOOR NEWER VEHICLES WITH CABLE LOCKDOOR SYSTEMS		

DOOR LOCK BRACKET



ITEM #	DESCRIPTION	BAG QTY
CDLK1	USE WITH CABLE TYPE ACTUATORS - *ELIMINATES THE NEED TO SPLICE INTO CABLE*	PAIR

LINEAR ACTUATORS



FLIN6 | FLIN8 | FLIN10 | FLIN12

ITEM #	DESCRIPTION	BAG QTY
FLIN6	**6” 110 LB. 10.75” EXTENDED LINEAR ACTUATOR**	**1 PC**
FLIN8	**8” 110 LB. 12.75” EXTENDED LINEAR ACTUATOR**	**1 PC**
FLIN10	**10” 110 LB. 14.875” EXTENDED LINEAR ACTUATOR**	**1 PC**
FLIN12	**12” 110 LB. 17” EXTENDED LINEAR ACTUATOR**	**1 PC**
	INPUT VOLTAGE: 12V *MAX SPEED: 10MM/SEC* *MAX LOAD: 113 LBS* *PROFESSIONAL INSTALLATION RECOMMENDED*	

Metra®

THE INSTALLER'S CHOICE

BE PART OF OUR EXCLUSIVE DEALER WEBSITE!

MetraDealer.com

Register online today!



- Order at anytime. Day or Night!
- Always up to date with all the latest products!
- All the Metra Brands in one location for your ordering convenience.

For more information please call your sales representative at 386-257-2956

AUDIO RECEIVER WITH *BLUETOOTH*® WIRELESS TECHNOLOGY



Bluetooth®

ITEM #	DESCRIPTION	QTY
IBR64	**AUDIO RECEIVER WITH BLUETOOTH® WIRELESS TECHNOLOGY**	**1 PC**
	REMOTE TURN-ON COMES ON WHEN STREAMING MEDIA *WATER-RESISTANT* *AUTO RECONNECT TO LAST DEVICE CONNECTED* *RCA OUTPUT*	

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc., and any use of such marks by Metra Electronics is under license. Other trademarks and trade names are those of their respective owners.

FLUSH MOUNT AUDIO RECEIVER WITH *BLUETOOTH*® WIRELESS TECHNOLOGY



Bluetooth®

ITEM #	DESCRIPTION	QTY
IBR65	**FLUSH MOUNT AUDIO RECEIVER WITH BLUETOOTH® WIRELESS TECHNOLOGY**	**1 PC**
	1-1/8" MOUNTING HOLE REQUIRED *REMOTE TURN-ON COMES ON WHEN STREAMING MEDIA* *INDEPENDENT VOLUME AND TRACK CONTROLS* *WATER-RESISTANT* *AUX INPUT*	

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc., and any use of such marks by Metra Electronics is under license. Other trademarks and trade names are those of their respective owners.

SWITCHES & ELECTRICAL COMPONENTS

SMART BATTERY ISOLATOR



IB-SRL200



IB-SRL500

ITEM #	DESCRIPTION	QTY
IB-SRL200	**200 AMP SMART BATTERY ISOLATOR**	**1 PC**
IB-SRL500	**500 AMP SMART BATTERY ISOLATOR**	**1 PC**
	CHARGE YOUR AUXILIARY POWER WHILE DRIVING.	

2-CHANNEL CONTROL KNOB







ITEM #	DESCRIPTION	QTY
IBR70	**REMOTE FLUSH MOUNT 2-CHANNEL CONTROL KNOB**	**1 PC**
	FLUSH AND SURFACE MOUNTABLE *ADJUST RCA LEVEL SIGNAL* *7/8" MOUNTING HOLE REQUIRED* *GREAT FOR USE WITH SUBWOOFER AMP*	

LEVEL CONTROLLER WITH VOLTMETER





ITEM #	DESCRIPTION	QTY
IBR143	**LEVEL CONTROLLER WITH VOLTMETER**	**1 PC**
	DASH MOUNT AMPLIFIER LEVEL CONTROL FOR VOLUME ADJUSTMENT *ADJUST THE BASS LEVEL EVEN WHILE DRIVING* *IN-DASH OR UNDER-DASH MOUNTABLE* *ROTARY PUSH TURN ON/OFF SWITCH FOR VOLTMETER (10V~15.9V)* *BLUE LED DISPLAY*	

CE CERTIFIED UPGRADED PANEL SWITCHES @24V = 10A / @12V = 20A



IBSS



IBSSL

ITEM #	DESCRIPTION	QTY
IBSS	**2-PIN ON/OFF SWITCH** - *NO LED*	**1 PC**
IBSSL	**3-PIN ON/OFF SWITCH WITH RED LED**	**1 PC**

ROUND ILLUMINATED LATCHING SWITCHES 3A / IP65 RATED



LB12B-2 | LB12W-2 | LS12B-2 | LS12W-2

ITEM #	DESCRIPTION	COLOR	QTY
LB12B-2	12MM ROUND LATCHING SWITCH	BLUE	2 PCS
LB12W-2	12MM ROUND LATCHING SWITCH	WHITE	2 PCS
LS12B-2	12MM STAINLESS ROUND LATCHING SWITCH	BLUE	2 PCS
LS12W-2	12MM STAINLESS ROUND LATCHING SWITCH	WHITE	2 PCS
	DC3A/12V CONTACT RESISTANCE: ≤50MΩ / INSULATION RESISTANCE: ≥1000MΩ DIELECTRIC STRENGTH: 2000VAC. 1MIN OPERATING TEMPERATURE: -4°F - +131°F (-20°C - 55°C)		

STAINLESS ILLUMINATED MOMENTARY SWITCH INCLUDES HARNESS / 2A / IP65 RATED



ITEM #	DESCRIPTION	BAG QTY
MIBRSSW16	16MM WHITE ILLUMINATED MOMENTARY SWITCH	1 PC
	DC2A/12V *CONTACT RESISTANCE: <50Mff* *INSULATION RESISTANCE: >1000Mff* *DIELECTRIC STRENGTH: 2000VAC. 1MIN* *OPERATING TEMPERATURE: -4°F - +131°F (-20°C - 55°C)*	

Switch Wiring Chart

RED **= LED 12V**
BLACK **= GROUND**
BLUE **= "NO" NORMALLY OPEN**
BROWN **= "NC" NORMALLY CLOSED**
WHITE **= "C" COMMON TERMINAL TO BOTH FUNCTIONS**

ILLUMINATED LATCHING SWITCHES INCLUDES HARNESS / 3A / IP65 RATED


IBRBSB16


IBRBSB19


IBRBSG16



IBRBSG19


IBRBSA16


IBRBSA19


IBRBSW16


IBRBSW19


IBRBSY19


IBRSSB16


IBRSSB19


IBRSSG19


IBRSSR16


IBRSSR19


IBRSSW16


IBRSSW19


IBRSSY19


ITEM #	DESCRIPTION	COLOR	QTY
IBRBSB16	16MM ILLUMINATED LATCHING SWITCH	BLUE	1 PC
IBRBSB19	19MM ILLUMINATED LATCHING SWITCH	BLUE	1 PC
IBRBSA16	16MM ILLUMINATED LATCHING SWITCH	RED	1 PC
IBRBSA19	19MM ILLUMINATED LATCHING SWITCH	RED	1 PC
IBRBSW16	16MM ILLUMINATED LATCHING SWITCH	WHITE	1 PC
IBRBSW19	19MM ILLUMINATED LATCHING SWITCH	WHITE	1 PC
IBRSSB19	19MM STAINLESS ILLUMINATED LATCHING SWITCH	BLUE	1 PC
IBRSSR19	19MM STAINLESS ILLUMINATED LATCHING SWITCH	RED	1 PC
IBRSSW16	16MM STAINLESS ILLUMINATED LATCHING SWITCH	WHITE	1 PC
IBRSSW19	19MM STAINLESS ILLUMINATED LATCHING SWITCH	WHITE	1 PC
IBRSSY19	19MM STAINLESS ILLUMINATED LATCHING SWITCH	YELLOW	1 PC

DC2A/12V
CONTACT RESISTANCE: <50MΩ
INSULATION RESISTANCE: >1000MΩ
DIELECTRIC STRENGTH: 2000VAC. 1MIN
OPERATING TEMPERATURE: -4°F - +131°F (-20°C - 55°C)

ROUND ROCKER SWITCHES NO LEADS



IBRRS



IBRRSR



IBRRSB



IBRRSG



IBRRSO



IBRRLULD




IBRRMOM



IBRRSM

ITEM #	DESCRIPTION	LED COLOR	BAG QTY
21MM (13/16") MOUNTING HOLE REQUIRED			
IBRRS	**13 AMP ON/OFF ROCKER SWITCH**		**5 PCS**
IBRRSR	**20 AMP ON/OFF ROCKER SWITCH**	RED	**5 PCS**
IBRRSB	**20 AMP ON/OFF ROCKER SWITCH**	BLUE	**5 PCS**
IBRRSG	**20 AMP ON/OFF ROCKER SWITCH**	GREEN	**5 PCS**
IBRRSO	**20 AMP ON/OFF ROCKER SWITCH**	ORANGE	**5 PCS**
IBRRMOM	**MOMENTARY ON (ONE WAY)**		**5 PCS**
IBRRLULD	**LATCHED UP, LATCHED DOWN**		**5 PCS**
15MM (19/32") MOUNTING HOLE REQUIRED			
IBRRSM	**13 AMP ON/OFF PRE-WIRED ROCKER SWITCH**		**5 PCS**

TOGGLE SWITCHES



IBMTS



IBVSW

ITEM #	DESCRIPTION	AMP	BAG QTY
IBMTS	**MINI ON/OFF 20" LEADS TOGGLE SWITCH**	6A	**5 PCS**
IBVSW	**PLUG-IN VALET SWITCH WITH LEADS TOGGLE SWITCH**		**5 PCS**

RELAYS



RL3040



24VRL3040



RLM1020A



IB80



IB200



IB500


ITEM #	DESCRIPTION	AMP	BAG QTY
RL3040	**ECONOMY RELAY**	30/40A	**1 PC**
24VRL3040	**24V RELAY ONLY**	30/40A	**1 PC**
RLM1020A	**10/20A PRE-WIRED MINI RELAY WITH 18: LEADS**	10/20A	**1 PC**
IB80	**IP67 RATED RELAY - UP TO 150A SURGES** - *PERFECT FOR "SHOW SYSTEMS"*	80A	**1 PC**
IB200	**IP67 RATED RELAY - UP TO 300A SURGES** - *PERFECT FOR "SHOW SYSTEMS"*	200A	**1 PC**
IB500	**IP67 RATED RELAY** - *UP TO 500 AMP SURGES. PERFECT FOR "SHOW SYSTEMS"*	500A	**1 PC**

WATER-RESISTANT RELAY & HARNESS KITS



ITEM #	DESCRIPTION	BAG QTY
IBW-E123H	12V 5-PIN 12/16GA IP65 WATER-RESISTANT RELAY & HARNESS	1 PC

RELAY SOCKETS



ERS-123



ERS-124


ITEM #	DESCRIPTION	BAG QTY
ERS-123	LOCKING RELAY SOCKET WITH 12" LEADS	1 PC
ERS-124	ECONOMY RELAY SOCKET WITH 12" LEADS	25 PCS

MAGNETIC SWITCH



ITEM #	DESCRIPTION	BAG QTY
IBMS-150	MAGNETIC REED SWITCH	1 PC
	NORMALLY OPEN, CLOSES WHEN SEPARATED	

PIN SWITCHES



ITEM #	DESCRIPTION	BAG QTY
PS	UNIVERSAL PIN SWITCH	1 PC
PS-10	PS BULK PACK OF 10	10 PCS

PIN SWITCH BRACKETS



PSBL / PSBL-10



PSB / PSB-10

ITEM #	DESCRIPTION	BAG QTY
PSBL	PIN SWITCH "L" BRACKET	1 PC
PSBL-10	PSBL BULK PACK OF 10	10 PCS
PSB	PIN SWITCH FLAT BRACKET	1 PC
PSB-10	PSB BULK PACK OF 10	10 PCS

PIN SWITCH BOOT



ITEM #	DESCRIPTION	BAG QTY
FMPSR	FLANGE-MOUNT PIN SWITCH RUBBER BOOT	1 PC

TILT SWITCHES



IBBTS-1




IBMS-3




IBMS-5

ITEM #	DESCRIPTION	BAG QTY
IBBTS-1	BALL BEARING TILT SWITCH 12V 20MA CLEAR	1 PC
	PRE-WIRED HEAVY-DUTY WATER-RESISTANT BALL BEARING SWITCH PROTECTS ENTRY POINTS PERFECT FOR HOODS, TRUNKS, CAMPER SHELL DOORS, AND MOTORCYCLES	
IBMS-3	DOUBLE-SIDED TAPE MOUNTED MERCURY SWITCH	1 PC
IBMS-5	CLEAR VIEW MERCURY SWITCH	1 PC
	USE WITH CAR ALARMS OR LIGHTING IN TRUNKS. CAN BE USED IN CUSTOM INSTALLATIONS	

LOAD RESISTORS




IBLR2-20



IBLR3-60

ITEM #	DESCRIPTION	BAG QTY
IBLR2-20	20 OHM LOAD RESISTOR	2 PCS
IBLR3-60	60 OHM LOAD RESISTOR	2 PCS
	DESIGNED TO GENERATE A LOAD ON FACTORY WIRING WHEN REMOVING OEM SPEAKERS. STABILIZES THE SIGNAL FROM THE OEM SYSTEM. USED IN FACTORY SYSTEMS THAT MUTE OR CAUSE DISTORTION WHEN REPLACING OEM SPEAKERS. IDEAL FOR LATE-MODEL DODGE/ CHRYSLER/JEEP/RAM/FIAT VEHICLES EQUIPPED WITH A SEPARATELY AMPLIFIED OEM "PREMIUM" SYSTEM.	

RESISTOR KIT



ITEM #	DESCRIPTION	BAG QTY
GMVATS	VATS BYPASS RESISTORS - *10 PER VALUE*	170 PCS


392 OHM	*1/4WATT 5%*	*3.74K*	*1/4WATT 5%*
523 OHM	*1/4WATT 5%*	*4.75 K*	*1/4WATT 5%*
681 OHM	*1/4WATT 5%*	*6.04 K*	*1/4WATT 5%*
887 OHM	*1/4WATT 5%*	*7.5 K*	*1/4WATT 5%*
1.13 K	*1/4WATT 5%*	*9.53 K*	*1/4WATT 5%*
1.47 K	*1/4WATT 5%*	*11.8 K*	*1/4WATT 5%*
1.8 K	*1/4WATT 5%*	*1 K*	*1/4WATT 5%*
2.37 K	*1/4WATT 5%*	*10 K*	*1/4WATT 5%*
3.01 K	*1/4WATT 5%*		

VARIABLE RESISTOR KIT




ITEM #	DESCRIPTION	BAG QTY
IBVR	UNIVERSAL VARIABLE RESISTOR KIT	5 PCS
	UNIVERSAL VARIABLE RESISTOR KIT CAN BE USED TO INTERFACE WITH POPULAR MULTIPLEXED DOOR LOCK SYSTEMS AND SECURITY SYSTEMS FOUND IN: CHRYSLER, TOYOTA, MAZDA, ETC. EASY DIALING OF RESISTOR VALUE IS A HUGE TIME SAVER! 0 TO 5K ADJUSTABLE.	

DIODES



ITEM #	DESCRIPTION	BAG QTY
D1	DIODES - 1 AMP	20 PCS
D3	DIODES - 3 AMP	20 PCS
D6	DIODES - 6 AMP	20 PCS
	TAPE AND REEL	

ELECTROLYTIC CAPACITORS



ITEM #	DESCRIPTION	MDF	QTY
CAP2	CAP 18KHZ@4Ω / 2.2 MDF / 100V	2.2	4 PCS
CAP3	CAP 12KHZ@4Ω / 3.3 MDF / 100V	3.3	4 PCS
CAP4	CAP 8450HZ@4Ω / 4.7 MDF / 100V	4.7	4 PCS

6DB BASS BLOCKERS - NON-POLAR



ITEM #	DESCRIPTION	UF	VOLT	SPEAKER	QTY
BB398	10% CAP 100HZ@4 OHM	398	100V	6" X 9"	PAIR
BB199	10% CAP 200HZ@4 OHM	199	100V	6" X 9"	PAIR
BB133	10% CAP 300HZ@4 OHM	133	50V	6"	PAIR
BB99	10% CAP 400HZ@4 OHM	99	100V	5.25"	PAIR
BB14	10% CAP 2800HZ@4 OHM	14	50V	TWEETERS	PAIR
BB66	10% CAP 600HZ@4 OHM	66	50V	4"	PAIR
BB33	10% CAP 1.2KHZ@4 OHM	33	50V	3.5"	PAIR
BB7	10% CAP 5.6KHZ@4 OHM	7	50V	TWEETERS	PAIR

NOISE FILTERS



IBNF5



IBNF10



IBNF30



IBNF50



IBGLI

ITEM #	DESCRIPTION	AMP	QTY
IBNF5	5 AMP NOISE FILTER	5A	1 PC
IBNF10	10 AMP NOISE FILTER	10A	1 PC
IBNF30	30 AMP NOISE FILTER	30A	1 PC
IBNF50	50 AMP NOISE FILTER	50A	1 PC
IBGLI	GROUND LOOP INSULATOR. FOR REMOVING POPS, CLICKS, AND ENGINE NOISE WHEN USING AFTERMARKET AMPS		1 PC
	FOR FILTERING 12V CAR AUDIO PRODUCTS WITH INDUCED NOISE FROM ALTERNATORS & OTHER IGNITION SOURCES.		

LINE OUTPUT CONVERTERS



IBLOC01



IBLOC02



IBMLOC2



IBLOC03



IBLOC04



IBMLOC4

ITEM #	DESCRIPTION	WATT	CHANNELS	BAG QTY
IBLOC01	**2-CHANNEL ADJUSTABLE LEVEL CONVERTER**	40W	2	1 PC
	HANDLES UP TO 40-WATT INPUT POWER. FULLY ADJUSTABLE DUAL OUTPUT LEVEL CONTROLS. TRANSFORMER DESIGN ISOLATES GROUND LOOPS.			
IBLOC02	**2-CHANNEL ADJUSTABLE LEVEL CONVERTER**	80W	2	1 PC
	HANDLES UP TO 80-WATT INPUT POWER. FULLY ADJUSTABLE DUAL OUTPUT LEVEL CONTROLS. TRANSFORMER DESIGN ISOLATES GROUND LOOPS. WIRED INPUT TO 2 RCA FEMALE OUT.			
IBMLOC2	**2-CHANNEL MIRO LINE OUTPUT CONVERTER**	80W	2	1 PC
	TAKES AS MUCH AS 80W OF INPUT SIGNAL AND DELIVERS UP TO 10V OF OUTPUT. FLAT 20 HZ-20KHZ FREQUENCY RANGE AT ALL VOLUMES PROVIDES 12 VOLTS FOR AMP REMOTE TURN-ON WITH LED INDICATOR. 60 OHM LOADS TO ENSURE UNINTERRUPTED AUDIO PLAYBACK WHEN USED WITH MOST OEM SMART RADIOS. SUPER COMPACT DESIGN ALLOWS EASY INSTALLATION.			
IBLOC03	**2-CHANNEL ADJUSTABLE LEVEL CONVERTER + REMOTE**	60W	2	1 PC
	HANDLES UP TO 60-WATT INPUT POWER. FULLY ADJUSTABLE OUTPUT LEVEL CONTROLS. TRANSFORMER DESIGN ISOLATES GROUND LOOPS. WIRED INPUT TO 2 RCA FEMALE OUT. REMOTE BASS LEVEL KNOB - SIGNAL SENSE REMOTE TURN-ON OUTPUT.			
IBLOC04	**4-CHANNEL ADJUSTABLE LEVEL CONVERTER**	60W	4	1 PC
	HANDLES UP TO 60-WATT INPUT POWER. FULLY ADJUSTABLE 4-CHANNEL OUTPUT LEVEL CONTROLS. TRANSFORMER DESIGN ISOLATES GROUND LOOPS. WIRED INPUT TO 4 RCA FEMALE OUT.			
IBMLOC4	**4-CHANNEL CONVERTER MIRO LINE OUTPUT CONVERTER**	80W	4	1 PC
	TAKES AS MUCH AS 80W OF INPUT SIGNAL AND DELIVERS UP TO 10V OF OUTPUT. FLAT 20 HZ-20KHZ FREQUENCY RANGE AT ALL VOLUMES PROVIDES 12 VOLTS FOR AMP REMOTE TURN-ON WITH LED INDICATOR. 60 OHM LOADS TO ENSURE UNINTERRUPTED AUDIO PLAYBACK WHEN USED WITH MOST OEM SMART RADIOS. SUPER COMPACT DESIGN ALLOWS EASY INSTALLATION.			

LINE OUTPUT CONVERTERS CONTINUED



IBR67



IBR69

ITEM #	DESCRIPTION	QTY
IBR67	**2-CHANNEL LINE DRIVER / LINE OUTPUT CONVERTER**	**1 PC**
	HIGH LEVEL/LOW LEVEL INPUT. MANUAL SELECTOR SWITCH FOR RCA AND SPEAKER INPUTS. ADJUSTABLE GAIN OUTPUT. CAN BE USED TO CONVERT SPEAKER INPUT TO RCA OUTPUT. 10 VOLT MAXIMUM OUTPUT.	
IBR69	**2-CHANNEL MINI LINE OUTPUT CONVERTER**	**1 PC**
	AUTO REMOTE AMP TURN-ON WITH 6:1 STEP DOWN WITH ADJUSTABLE OUTPUT. 50 WATTS MAX PER CHANNEL.	

12V COOLING FAN



ITEM #	DESCRIPTION	BAG QTY
CF3	**9.6" X 1.89" X 1.89" CROSS FLOW FAN 35 CFM - 20,000 HOUR LIFE EXPECTANCY**	**1 PC**

STROBE FLASH CONTROLLER



ITEM #	DESCRIPTION	BAG QTY
IBLEDBLF	**STROBE FLASH CONTROLLER**	**1 PC**
	• FOR USE WITH LED THIRD BRAKE LIGHTS *• FLASHES THIRD BRAKE LIGHT FOR GREATER VISIBILITY*	

SIRENS



ITEM #	DESCRIPTION	BAG QTY
IBSIRENM	**MINI PIEZO SINGLE TONE 1.75 W" X 1.625 H" X 2.25" D**	**1 PC**

POWER ACCESSORIES CONVERTER + POWER SUPPLY

DC/DC VOLTAGE CONVERTER



L-IBVSTABL




IBVSTABL



IBVI100A

ITEM #	DESCRIPTION	BAG QTY
L-IBVSTABL	**DC/DC VOLTAGE STABILIZER**	**1 PC**
	8-40V INPUT / 12V OUTPUT / 10A OUTPUT / IP67 RATED	
IBVSTABL	**DC/DC VOLTAGE 2 AMP STABILIZER**	**1 PC**
	12V OUTPUT / 2A OUTPUT	
IBVI30A	**36/48V TO 12V 30A 360W CONVERTER**	**1 PC**
IBVI100A	**36/48V TO 12V 100A 1200W CONVERTER WITH ACC SIGNAL**	**1 PC**
	• WIDE INPUT VOLTAGE FROM 30-60V • STABLE OUTPUT VOLTAGE IS 12V • 100% FULL RATED POWER • 100% FULL STABLE OUTPUT CURRENT • 100% BURN-IN TEST • TYPICAL EFFICIENCY IS 95% • WATER-RESISTANT • SURFACE MOUNTABLE • OVER-CURRENT, OVER VOLTAGE PROTECTIONS • OVER-TEMP PROTECTIONS	

DC/DC CONVERTER



ITEM #	DESCRIPTION	BAG QTY
IBVRUSB125	**12V TO 5V USB VOLTAGE REDUCER**	**1 PC**

POWER SUPPLY



IBPS55



IBPS75



IBPS100

ITEM #	DESCRIPTION	POWER SUPPLY FEATURES	BAG QTY
IBPS55	**55 AMP POWER SUPPLY**		1 PC
	780 WATTS MAX OUTPUT DC OUTPUT VOLTAGE 13.2/13.6/14.4V 7 AMPS MAX AC CURRENT @ 108VAC INPUT RANGE 105-135 VAC 60 HZ.	*• LED LIGHT, SWITCHABLE OUTPUTS BETWEEN SMART CHARGING AND SINGLE FIXED VOLTAGE (WHICH CAN BE SET BETWEEN 13V AND 16.5V) • DC OUTPUT VOLTAGE: 13.6V/14.4 (D C) • BUILT-IN 4-STAGE SMART CHARGER • DECK MOUNT CONVERTER • UL-CUL APPROVED • QUIET INTERNAL COOLING FAN • OVERTEMP PROTECTION • REVERSE POLARITY PROTECTION • (PFC) POWER FACTOR CORRECTION*	
IBPS75	**75 AMP POWER SUPPLY** - *10.5" D X 3.5" H X 7.2" W*		1 PC
	1065 WATTS MAX OUTPUT OUTPUT VOLTAGE TOLERANCE: + OR - .7% 12 AMPS MAX AC CURRENT @ 108VAC INPUT VOLTAGE RANGE: 105-135 AC		
IBPS100	**100 AMP POWER SUPPLY** - *10.5" D X 3.5" H X 7.2" W*		1 PC
	1440 WATTS MAX OUTPUT OUTPUT VOLTAGE TOLERANCE: + OR - .7% 13 AMPS MAX AC CURRENT @ 108VAC INPUT VOLTAGE RANGE: 105-135 AC		

POWER INVERTERS



PMX-400MS




PMX-800MS



PMX-3000

ITEM #	DESCRIPTION	BAG QTY
PMX-400MS	**POWER INVERTER** - *6" D X 4.5" H X 2.75" W*	1 PC
	• MODIFIED SINE WAVE • 400 WATTS • 12V DC INPUT • 120V AC OUTPUT, 60HZ • 2 AC OUTLETS/1 USB 2.1 AMP	
PMX-800MS	**POWER INVERTER** - *7" D X 5" H X 3" W*	1 PC
	• MODIFIED SINE WAVE • 800 WATTS • 12V DC INPUT • 120V AC OUTPUT, 60HZ • 2 AC OUTLETS/1 USB 2.1 AMP	
PMX-3000	**PURE SINE WAVE POWER INVERTER**	1 PC
	• PURE SINE WAVE OUTPUT • GFCI AND USB OUTLETS • LED STATUS INDICATOR LIGHTS • INTERNALLY MOUNTED COOLING FAN • INCLUDES WIRED REMOTE ON/OFF SWITCH	

AIR SAW BLADES



ITEM #	DESCRIPTION	QTY
ASB24-5	ASB24 BULK PACK OF 5	5 PCS
	BI-METAL BLADES DESIGNED FOR AUTOMOTIVE AND SHEET METAL WORK. 10 TPI BLADE IS FOR SCROLL CUTS IN FIBERGLASS AND HEAVY GAUGE METAL. 18 AND 24 TPI BLADES ARE FOR SCROLL CUTS IN LIGHTER GAUGE METAL.	

STAINLESS STEEL KNIFES



OLFA



OL9282/ GT116

ITEM #	DESCRIPTION	QTY
OLFA	STAINLESS STEEL KNIFE	1 PC
	AUTO LOCKING BLADE, STAINLESS STEEL HANDLE AND BUILT-IN SAFETY BLADE STRIPPER	
OL9282	OLFA ABS STAINLESS STEEL SNAP BLADES	50 PCS
GT116	OLFA AB-50S 9MM STAINLESS STEEL SNAP BLADES	50 PCS



ECONOMY CUTTER



ITEM #	DESCRIPTION	QTY
114-58	13 PT. SNAP BLADE KNIFE	1 PC

UTILITY REPLACEMENT BLADES DISPENSER PACK



ITEM #	DESCRIPTION	QTY
120-01	UTILITY BLADES DISPENSER PACK	100 PCS

RAZOR BLADES



ITEM #	DESCRIPTION	QTY
IBBLADE	#12 SINGLE EDGE STEEL-BACK RAZOR BLADES	100 PCS

RED DOT KNIFE



ITEM #	DESCRIPTION	QTY
GT027	NT PRO A-1 RED DOT KNIFE	1 PC
	REGARDED BY MANY INSTALLERS AS THE FINEST PROFESSIONAL KNIFE AVAILABLE. THE BLADE CAN BE ADVANCED IN 1/2" SEGMENT INCREMENTS FOR PRECISION CONTROL. RIGHT- OR LEFT-HANDED USE.	

TOOLS

BOJO HAND TOOLS



ITEM #	DESCRIPTION	COLOR	KIT QTY
ATHMNGL	MASTER INSTALLER KIT	BLUE	7 PCS

USAGE APPLICATIONS

AUTOMOTIVE INTERIORS:
- *STEREO INSTALLATIONS*
- *DASH AND TRIM REMOVAL*
- *DOOR PANEL REMOVAL*

AUTOMOTIVE EXTERIORS:
- *EMBLEM REMOVAL*
- *TRIM REMOVAL*
- *RUBBER GROMMET REMOVAL*




APPLICATION TOOLS



ITEM #	DESCRIPTION	QTY
GT1064-1	4" BUMP CARD WITH FELT EDGE	1 PC
	FOUR INCH HARD CARD WITH TWO RIDGES OR "BUMPS." ONE EDGE IS WRAPPED IN FELT.	

WHITE SCRUB PAD



ITEM #	DESCRIPTION	QTY
GT085	WHITE SCRUB PAD	1 PC
	GREAT FOR CLEANING WINDOWS PRIOR TO INSTALLATION	

HAMMER CRIMPER



ITEM #	DESCRIPTION	QTY
IBHDCRIMP	LARGE GAUGE HAMMER CRIMPER	1 PC

SOLDER



ASDR1



SDR1




SDR14



ESDR-1

ITEM #	DESCRIPTION	SIZE	LB.	QTY
ASDR1	1/16" ALUMINUM SOLDER 91SN/9ZN	0.062	1	1 PC
SDR1	ROSEN CORE 60/40 SOLDER	0.040	1	1 PC
SDR14	ROSEN CORE 60/40 SOLDER	0.062	0.25	1 PC
ESDR-1	ROSEN CORE 60/40 ECONOMY SOLDER	0.040	1	1 PC

FERRULE CRIMP TOOLS




IBLUGT




IBFCRIMPER

ITEM #	DESCRIPTION	QTY
IBLUGT	HYDRAULIC LUG CRIMP TOOL	1 PC
	9 DIE SETS WITH PLASTIC CARRYING CASE	
IBFCRIMPER	FERRULE CRIMP TOOL	1 PC
	7 TO 23 GAUGE AND SELF ADJUSTS TO THE DESIRED FERRULE SIZE	

CRIMPING / CUTTING TOOLS




IB1006



IB1005

ITEM #	DESCRIPTION	QTY
IB1006	**NON-INSULATED TERMINALS / CONNECTORS 10-22 AWG CRIMPER/CUTTER**	**1 PC**
	SPECIALLY HARDENED WIRE CUTTER WITH TAPERED NOSE FOR WORKING IN CONFINED SPACES. DOUBLE-DIPPED COMFORT GRIPS WITH CURVED HANDLES. FORGED STEEL FOR MAXIMUM DURABILITY.	
IB1005	**INSULATED & NON-INSULATED TERMINALS / CONNECTORS 10-22 AWG CRIMPER/CUTTER**	**1 PC**
	SPECIALLY HARDENED WIRE CUTTER WITH TAPERED NOSE FOR WORKING IN CONFINED SPACES. DOUBLE-DIPPED COMFORT GRIPS WITH CURVED HANDLES. FORGED STEEL FOR MAXIMUM DURABILITY.	

CRIMPING / CUTTING TOOLS



HW-9013



HW-9006



TTT08

ITEM #	DESCRIPTION	QTY
HW-9013	**AUTOMATIC WIRE STRIPPER FOR 22-12 AWG WIRE**	**1 PC**
	FOR STRIPPING WIRES FROM 22-12 AWG. PROFESSIONAL, FOR CRIMPING INSULATED TERMINALS. CRIMPER MADE OF CARBON STEEL AND HARDENED. CRIMPS RED 22-18 AWG, BLUE 16-14 AWG, YELLOW 12-10 AWG.	
HW-9006	**5" STRIPPER & CUTTER**	**1 PC**
	MADE OF CARBON STEEL AND HARDENED WITH BLACK-OXIDE FINISH	
TTT08	**8" T-TAP CRIMPER & CUTTER**	**1 PC**
	PATENTED 2-IN-1 WIRE QUICK SPLICE T-TAP CLIPPER AND WIRE CUTTER. HOT FORGED AND SPECIALLY HEAT-TREATED ALLOY FOR EXTRA DURABILITY.	

POLARITY PHASE METER / TESTER



ITEM #	DESCRIPTION	QTY
IB-FH168	POLARITY PHASE METER/TESTER	1 PC
	SPEAKER POLARITY PHASE METER/ TESTER RETAIL PACK	

TONE GENERATOR



ITEM #	DESCRIPTION	QTY
IBR68	SPEAKER POLARITY / RCA CABLE TESTER	1 PC
	• *RCA CABLE SPEAKER TESTER WITH 9V* • *EASY TO USE CONTROL KNOBS* • *AUTO-OFF FUNCTION*	

FABRICATION & TINT SUPPLIES CARPET + TRUNK LINER

UNBACKED AUTOMOTIVE CARPET



AC301




AC337-5




AC362

ITEM #	DESCRIPTION	WIDTH	COLOR	YDS
AC301-5	BLACK AUTOMOTIVE CARPET	40”	BLACK	5 YDS
AC301	BLACK AUTOMOTIVE CARPET	40”	BLACK	50 YDS
AC337-5	MEDIUM PRAIRIE TAN AUTOMOTIVE CARPET	40”	TAN	5 YDS
AC337	MEDIUM PRAIRIE TAN AUTOMOTIVE CARPET	40”	TAN	50 YDS
AC362-5	CHARCOAL AUTOMOTIVE CARPET	40”	CHARCOAL	5 YDS
AC362	CHARCOAL AUTOMOTIVE CARPET	40”	CHARCOAL	50 YDS

UNBACKED AUTOMOTIVE TRUNK LINER



TL301



TL360



TL364


ITEM #	DESCRIPTION	WIDTH	COLOR	YDS
TL301-5	BLACK AUTOMOTIVE TRUNK LINER	54”	BLACK	5 YDS
TL301	BLACK AUTOMOTIVE TRUNK LINER	54”	BLACK	50 YDS
TL360-5	CHARCOAL AUTOMOTIVE TRUNK LINER	54”	CHARCOAL	5 YDS
TL360	CHARCOAL AUTOMOTIVE TRUNK LINER	54”	CHARCOAL	50 YDS
TL362-5	HEATHER CHARCOAL AUTOMOTIVE TRUNK LINER	54”	SILVER	5 YDS
TL362	HEATHER CHARCOAL AUTOMOTIVE TRUNK LINER	54”	SILVER	50 YDS
TL364-5	SILVER AUTOMOTIVE TRUNK LINER	54”	SILVER	5 YDS
TL364	SILVER AUTOMOTIVE TRUNK LINER	54”	SILVER	50 YDS

BACKED AUTOMOTIVE TRUNK LINER



ITEM #	DESCRIPTION	WIDTH	COLOR	YDS
BC301-5	BLACK AUTOMOTIVE TRUNK LINER	48”	BLACK	5 YDS
BC301	BLACK AUTOMOTIVE TRUNK LINER	48”	BLACK	50 YDS


GRILLE CLOTH




ITEM #	DESCRIPTION	WIDTH	COLOR	YDS
GCBLK	BLACK GRILLE CLOTH	54”	BLACK	1 YDS

FABRICATION & TINT SUPPLIES *MESH GRILLE + FILLERS + SPRAY PAINT*

METAL MESH GRILLE MATERIAL



IBGMHC18



IBGMSC18

ITEM #	DESCRIPTION	SIZE	PATTERN	QTY
IBGMHC18	7MM HONEYCOMB PATTERN METAL MESH	18” X 18”	HONEYCOMB	1 PC
IBGMSC18	3/16” CIRCLE PATTERN METAL MESH	18” X 18”	CIRCLE	1 PC
	THICK, MOLDABLE, BENDABLE, FLEXIBLE METAL MESH MATERIAL USED TO MAKE SPEAKER GRILLES			

SPRAY PAINT



ITEM #	DESCRIPTION	QTY
IBSPFBK	FLAT BLACK SPRAY PAINT	10 OZ.

APPLICATION TOOLS




GT1064



SPREAD4

ITEM #	DESCRIPTION	QTY
GT1064	4” BUMP CARD WITH FELT EDGE	1 PC
	FOUR INCH HARD CARD WITH TWO RIDGES OR “BUMPS.” ONE EDGE IS WRAPPED IN FELT.	
SPREAD4	4” PLASTIC SPREADER	1 PC

CUPS



ITEM #	DESCRIPTION	QTY
CUP	1 QUART MARKED MIXING CUP	1 PC

FLOCK




ITEM #	DESCRIPTION	QTY
FLKBLK	BLACK SUEDE FLOCK & ADHESIVE	1 PC

RED DOT KNIFE



ITEM #	DESCRIPTION	QTY
GT027	NT PRO A-1 RED DOT KNIFE	I PC
	REGARDED BY MANY INSTALLERS AS THE FINEST PROFESSIONAL KNIFE AVAILABLE. THE BLADE CAN BE ADVANCED IN 1/2" SEGMENT INCREMENTS FOR PRECISION CONTROL. RIGHT- OR LEFT-HANDED USE.	


WHITE SCRUB PAD



ITEM #	DESCRIPTION	QTY
GT085	WHITE SCRUB PAD	1 PC
	GREAT FOR CLEANING WINDOWS PRIOR TO INSTALLATION	

MERCHANDISE

PRODUCT DISPLAYS



RACK750 | **XL DISPLAY RACK**

- *Black, powder-coated metal*
- *Metal pegboard for high strength*
- *Dimensions: 78”H x 39.5”W x 13.5”D*


IB-750HDR

RACK750 XL TOP DECAL

- *Dimensions: 8.875”H x 30”W*



(product not included)



RACK700 | **SKINNY DISPLAY RACK**

- *Black, powder-coated metal*
- *Metal pegboard for high strength*
- *Dimensions: 72”H x 20”W x 13.5”D*

IB-700TOP

RACK700 TOP DECAL

- *Dimensions: 4.75”H x 16”W*

IB-700BOT

RACK700 BOTTOM DECAL

- *Dimensions: 11.875” x 11.875”*



(product not included)

PRODUCT DISPLAYS



(product not included)

SPOOLRACK-TSRP	SPOOL DISPLAY RACK

- *Black, powder-coated metal frame*
- *Graphics included*
- *Dimensions: 57”H x 32”W x 28”D*



(product AND WALL SLATS not included)

IB-SLATWALL15
SLATWALL HEADER

- *Dimensions: 57”H x 32”W x 28”D*

MERCHANDISE



IB-BANNER14	VINYL BANNER

- *48” X 24” high-quality printed banner*
- *Includes reinforced holes for hanging*




IB-OUTOFSTCKCD
OUT OF STOCK CARD

- *Out of stock hanging card*



IB-SHRT-L	T-SHIRT - BLACK
IB-SHRT-XL	• *Black shirt with white and green screen print*
IB-SHRT-XXL	



VISIT US ONLINE

- Catalogs
- Manuals
- Product Sheets

TheInstallBay.com

SOCIAL MEDIA

- Featured Installs
- Q & A

Share Your Project Photos With Us
Tag @Metraelectronics In Your Posts!

SUBSCRIBE ON YOUTUBE

- New Products
- Instruction Videos

WELCOME TO METRA ELECTRONICS

THE INSTALLER'S CHOICE

For over 80 years, Metra has designed, engineered, and produced innovative products for the aftermarket industry. Every solution is developed with both the installer and end user in mind, delivering time-saving products and factory-quality results.

METRA ELECTRONICS

TECH SUPPORT

We're here to help. Whether you have pre-sale questions about vehicle applications or need assistance during an installation, our knowledgeable technical support team is ready to assist every step of the way.

SUPPORT FROM THE SOURCE

Our technical support team is based at Metra Electronics' corporate headquarters in Holly Hill, Florida, where they work closely with the engineers who design and develop our products. That direct collaboration allows us to provide accurate answers, efficient troubleshooting, and the knowledgeable support professionals have come to expect from Metra.

AVAILABLE 7 DAYS A WEEK
1.386.257.1186
techsupport@metra-autosound.com

TERMS:
NET 30 DAYS FROM DATE OF INVOICE ON APPROVED ACCOUNTS. MINIMUM ORDER: $50 PER INVOICE, ORDERS LESS THAN REQUIRED MINIMUM INCUR A $20 SERVICE CHARGE.

FREIGHT:
FREIGHT ON BOARD (F.O.B.) FROM POINT OF SHIPMENT. FREIGHT WILL BE CHARGED ON ALL DROP-SHIPMENT ORDERS.

CREDIT:
IN ORDER TO ESTABLISH A CREDIT LINE WITH METRA, AN APPLICATION FOR CREDIT MUST BE SUBMITTED LISTING A MINIMUM OF FIVE (5) TRADE REFERENCES AND A BANK WITH THEIR ADDRESSES AND PHONE NUMBERS AND MUST BE SIGNED BY A PRINCIPAL OR AUTHORIZED OFFICER OF THE COMPANY. A CREDIT LINE WILL BE ESTABLISHED BY OUR CREDIT MANAGER AND MUST BE MAINTAINED IN A CURRENT STATUS ACCORDING TO OUR TERMS (NET 30 DAYS). CREDIT NOT ESTABLISHED OR REVOKED REQUIRES REMITTANCE WITH ORDER. RETURNED CHECKS ARE SUBJECT TO A FEE OF $32.00.

RESALE TAX EXEMPTION CERTIFICATE:
CA, TX, KY, NJ & FL CUSTOMERS MUST PROVIDE A VALID RESALE CARD BEFORE AN ORDER CAN BE PLACED.

CLAIMS:
TITLE AND RISK OF LOSS PASSES TO BUYER AT F.O.B. SHIPPING POINT AND ALL CLAIMS MUST BE FILED WITH CARRIER. ANY DISCREPANCIES MUST BE REPORTED TO METRA WITHIN TEN (10) DAYS OF RECEIPT OF SHIPMENT.

RETURNS:
ALL SALES ARE FINAL. NO RETURNS OR EXCHANGES WILL BE ALLOWED WITHOUT PRIOR WRITTEN AUTHORIZATION FROM METRA. ALL RETURNS ARE SUBJECT TO A 20% HANDLING CHARGE, MUST BE IN A SALEABLE CONDITION, AND MUST HAVE BEEN PURCHASED WITHIN SIXTY (60) DAYS OF RETURN REQUEST. NO STOCK BALANCING PERMITTED. COPIES OF INVOICES MUST BE MAILED IN ADVANCE FOR ANY RETURN AUTHORIZATION (R.A.).

LIMITED WARRANTY:
THIS LIMITED WARRANTY IS PROVIDED BY METRA ELECTRONICS CORPORATION AND THERE ARE NO OTHER WARRANTIES, EXPRESSED OR IMPLIED, EXCEPT AS REQUIRED BY LAW, INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A SPECIFIC PURPOSE, THAT ARE PROVIDED FOR HEREIN, HOWEVER ALL SUCH IMPLIED WARRANTIES, IF ANY, ARE LIMITED TO THE DURATION OF THIS SPECIFIC LIMITED PRODUCT WARRANTY. SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS, SO THE ABOVE LIMITATIONS MAY NOT APPLY TO YOU.

METRA ELECTRONICS CORPORATION SHALL NOT BE LIABLE, UNDER ANY CIRCUMSTANCES, FOR INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL OR MULTIPLE DAMAGES AS A RESULT OF THE SALE OR USE OF THIS PRODUCT. SOME STATES/COUNTRIES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY TO YOU.

1-YEAR LIMITED WARRANTY
WARRANTY PERIOD: WARRANTED FOR 1 YEAR FROM THE ORIGINAL PURCHASE DATE FOR MANUFACTURING DEFECTS. RUST AND CORROSION ARE NOT COVERED. DAMAGED, MODIFIED OR CUT HARNESSES VOID THIS WARRANTY.

THIS IS A LIMITED WARRANTY, SUBJECT TO THE CONDITIONS, LIMITATIONS AND EXCLUSIONS IDENTIFIED HEREIN. METRA ELECTRONICS CORPORATION WARRANTS TO THE ORIGINAL PURCHASER OF THE REGISTERED FOR THE PERIOD OF TIME SPECIFIED FOR EACH PRODUCT FROM THE DATE OF PURCHASE, THAT THE PRODUCT SHALL BE FREE OF DEFECTS IN DESIGN, MATERIAL AND WORKMANSHIP, AND SUBJECT TO THE LIMITATIONS SET FORTH BELOW, METRA ELECTRONICS CORPORATION WILL REPAIR OR REPLACE, AT ITS OPTION, ANY DEFECTIVE UNIT.

CONDITIONS AND LIMITATIONS:
1. PROOF OF PURCHASE IS REQUIRED (I.E. THE SALES RECEIPT OR OTHER PROOF OF PAYMENT)
2. DAMAGE CAUSED BY ACCIDENTS, ABUSE, MISUSE OR MODIFICATION OF THE PRODUCT WILL RENDER THIS WARRANTY NULL AND VOID.
3. THIS WARRANTY IS APPLICABLE ONLY TO THE ORIGINAL PURCHASER AND IS NOT ASSIGNABLE OR TRANSFERABLE.
4. THE PURCHASER IS REQUIRED TO SEND THE PRODUCT BACK TO METRA ELECTRONICS IN ACCORDANCE WITH THE INSTRUCTIONS SET FORTH IN THE WARRANTY INFORMATION ENCLOSED WITH THE PRODUCT

NOTICE: THE WARRANTY DOES NOT COVER ANY DAMAGE OR MALFUNCTIONS OCCUR DUE TO SHIPPING; IMPROPER INSTALLATION OR REMOVAL; IMPROPER REPAIR; COSMETIC DAMAGE DUE TO WEAR AND TEAR, AND OTHER CAUSES NOT ASSOCIATED WITH THE MANUFACTURING AND ASSEMBLY OF THE PRODUCT.

BACKORDERS:
IF AN ITEM IS TEMPORARILY UNAVAILABLE FOR IMMEDIATE SHIPMENT, WE WILL BACK-ORDER THE ITEM AND SHIP AS SOON AS POSSIBLE FROM THE NEAREST AVAILABLE WAREHOUSE, UNLESS OTHERWISE INSTRUCTED.

METRA RESERVES THE RIGHT TO MAKE CHANGES IN OR DELETIONS OF PRODUCTS OR PRICES WITHOUT PRIOR NOTICE.

*METRA WILL NOT ASSUME ANY RESPONSIBILITY FOR DAMAGES TO PERSON OR PROPERTY DUE TO INCORRECT INTERPRETATION OF THE MATERIAL IN THIS PUBLICATION. METRA IS NOT RESPONSIBLE FOR TYPOGRAPHICAL OR PRINTING ERRORS. REPRODUCTIONS OF EDITORIAL OR PICTORIAL CONTENT IS STRICTLY PROHIBITED WITHOUT PRIOR CONSENT FROM METRA.

WARNING: This catalog does not advise whether a State of California Proposition 65 warning is required for a particular item of merchandise. To learn whether a particular item of merchandise requires a California Proposition 65 warning, please be sure to look up and read the particular merchandise's listing on Metra's website www.MetraOnline.com, as well as read the particular merchandise's packaging. When a California Proposition 65 warning is present on Metra's website listing for the particular merchandise, or on the particular merchandise's packaging, a compliant California Proposition 65 warning is to be provided to the purchasing California consumer prior to the sale of the particular merchandise.

facebook.com/MetraElectronics

instagram.com/MetraElectronics

youtube.com/MetraElectronics

Order Anytime Day or Night at MetraDealer.com

Download all our New Catalogs at MetraOnline.com

InstallBay
INSTALLATION HARDWARE

TheInstallBay.com

MetraDealer.com

Corporate Headquarters
Metra Electronics Corporation
460 Walker Street
Holly Hill, FL 32117-2699

Metra Corporate: 386.257.1186
Metra 12volt & International Sales: 386.257.2956
Sales Fax: 386.258.3940

©Copyright 2026 Metra Electronics Corporation
REV 9/1/26