



TSUNAMI®

Clean Wire Solutions

Tsunami® Brand

Metra Electronics® has announced the revival of their popular Tsunami® brand, to be sold exclusively to brick and mortar dealers for in-store sales only. New clean wire solutions are available now. Products from this brand will include audio connections, power, ground, and speaker wire, amp installation kits, battery terminals, distribution blocks, fuse holders, and more. Tsunami® is also offering an economy series with RCA audio cables, fuse holders, amp kits, and speaker wire that integrators will find to be a cost-effective solution for their everyday wiring needs. These new products will be serialized using unique labeling, with no online sales permitted, for better supply chain control.



TOC

TSUNAMI

Audio**Connections**

4-5

Power+Ground+
Speaker**Wire**

6-7

AmpInstallation**Kits**

8

Battery**Terminals**

9

Power+Ground
Distribution

10-11

Fuse**Holders**

12-13

Tsunami**Economy**

14-15

CleanWireInstallation**Kits**

16-19

Clean**Install**Tools

20-21

POP+Merchandise

22-23

01

TSUNAMI


AudioConnections

The TSX line of RCA cables are the benchmark for fidelity, utilizing a pair of OFC mini 59 coax, optimized for ultimate noise rejection and clean signal transfer. By using the mini 59, it allows for the flat cable construction, which is easier to run and conceal. The performance doesn't stop there. We wanted to push the boundaries of what an RCA cable is, and our engineering team went to work creating a RCA XLR hybrid. This hybrid takes the advantages of true left, right, and drain, while maintaining the transfer format of an RCA. Simply connect the 22AWG OFC drain to the amplifier's ground to engage the XLR system. This fusion of technology also creates a cable that is functionally directional, and performs with crystal clarity.



2-CHANNEL DIRECTIONAL RCA Audio Cables

- Directional with Shield Ground Lug
- OFC
- Brass Machined Split Barrel with Gold Finish
- Head Shell is Brass Machined with Black Finish
- Red & Black Heatshrink Tubes with Silkscreened Logo Ring for Easy Channel Identification
- Metal Union is Zinc Alloy with Black Finish
- 12" 22awg OFC Black Jacket Grounding Wire with Ring Terminal Connects with Braiding on the Union



2 FT CABLE	TSX-RCA2
6 FT CABLE	TSX-RCA6
10 FT CABLE	TSX-RCA10
17 FT CABLE	TSX-RCA17
21 FT CABLE	TSX-RCA21




Y ADAPTER

RCA Audio Cables

1 FEMALE - 2 MALE TSX-Y1

1 MALE - 2 FEMALE TSX-Y2



02

TSUNAMI

Power+Ground+SpeakerWire

Efficiently designed for the install bay, elegant enough for the showroom floor. Whether you require power, ground, or speaker wire, you won't find a faster bulk wire setup. All versions start with an easy pull box, which houses sleeved cable with 2-tone braiding. The box includes all the connectors and heat shrink needed to complete the cable and to make the installation seamless.



OXYGEN FREE COPPER EZ-PULL POWER/ GROUND WIRE

- Easy Pull Box
- Meets CEA/ANSI Specs for Wire Gauge
- Full Virgin Copper Construction
- High Strand Count for Maximum Flex
- Ultra-Flexible PVC Blended Jacket
- Fully Braided Wrap
- BC-5W2 Marine Compliant



Wire Accessory Kit Includes

- Nickel-Plated Crimp Ring Terminal
- Tsunami Labeled Heat Shrink Tubing
- Ferrules



1/0 GAUGE

50FT RED - PULL BOX	TSX-PWR0
50FT BLACK - PULL BOX	TSX-PWB0

4 GAUGE

50FT RED - PULL BOX	TSX-PWR4
50FT BLACK - PULL BOX	TSX-PWB4

8 GAUGE

50FT RED - PULL BOX	TSX-PWR8
50FT BLACK - PULL BOX	TSX-PWB8





OXYGEN FREE COPPER EZ-PULL SPEAKER WIRE

- Easy Pull Box
- Meets CEA/ANSI Specs for Wire Gauge
- Full Virgin Copper Construction
- High Strand Count for Maximum Flex
- Ultra-Flexible PVC blended jacket
- Fully Braided Wrap
- BC-5W2 Marine Compliant



Wire Accessory Kit Includes

- Tsunami Labeled Heat Shrink Tubing
- Red/Black Ferrules

12 GAUGE

100FT PULL BOX

TSX-SW12

16 GAUGE

100FT PULL BOX

TSX-SW16



OXYGEN FREE COPPER 18GA SPEAKER WIRE

- 9 Conductor Black Frosted Cable
- Ultra-Flexible PVC Blended Jacket
- Fully Braided Wrap

Wire Accessory Kit Includes

- Tsunami Labeled Heat Shrink Tubing
- Red/Black Ferrules
- Speaker Location Heat Shrink Labels

25FT WIRE

TSX-SPEED



03

TSUNAMI

Amp Installation Kits

For those who are after a more straightforward solution to charging per foot, amp installation kits are for you. A single line item on the customer quote covers all the power and ground products needed for a single amplifier installation. Two ground cables, used for grounding the aftermarket amplifier and upgrading the vehicle's battery's ground, and eighteen feet of power wire give the peace of mind of knowing there is enough even for large SUV installations. Using amp kits is not a quality sacrifice, as all the items included are identical to their a la carte counterparts. Kits are available in 8, 4, and 1/0 GA options.



OXYGEN FREE COPPER

OFC Amp Kits

- Oxygen-free copper
- 18ft of power wire for larger vehicles
- Ground cables for upgrading the ground on the vehicle's battery and grounding the aftermarket amplifier
- (2) 3ft OFC Ground Cable
- 17FT Turn-On Wire
- MANL Fuse Holder
- 3 Nickel Plated Ring Terminals
- Installation Hardware

3000W 1/0GA

AMP KIT (300A ANL) **TSX-AMP0**

1500W 4GA

AMP KIT (150A MANL) **TSX-AMP4**

800W 8GA

AMP KIT (80A MANL) **TSX-AMP8**



Battery Terminals

Quality battery terminals are crucial to the longevity of an installation. With a solid brass construction, maximum current can flow with minimum resistance being added to the system. The brass is finished with satin nickel plating that improves the appearance and durability of the components. The futuristic design of the TSX models allows for the Tsunami logo to be added after the part has been installed so that it can be orientated perfectly. All T20 Torx® set screws can be installed using a single tool.

POSITIVE / NEGATIVE

Battery Terminal

- (1) 0/1GA + (1) 4GA + (2) 8GA
- Solid Brass Construction
- Satin Nickel Finish
- Smoked Cover
- 360° Positionable Logo
- T20 Torx® Screws
- Negative Post Sleeve Included



4 POSITION TERMINAL

TSX-BAT1

POSITIVE / NEGATIVE

GM Short Battery Post

- Solid Brass Construction
- Satin Nickel Finish
- Stacked Screw Design



FOR GM VEHICLES

TSX-GMBATS

04

TSUNAMI

Power+GroundDistribution

Building a multi-amp system or adding high-powered accessories? Tsunami solid brass power and ground distribution blocks are a perfect solution. Power blocks have independently fused outputs to protect the different loads that are connected, while the ground blocks are a single solid piece to consolidate returns to a unified grounding point. These distribution blocks perfectly match the futuristic design of the Tsunami battery terminal and fuse holders. The logo can also be positioned to match the block's orientation.

FUSED 2 & 4 POSITION

Power Distribution

- Solid Brass Construction
- Satin Nickel Finish
- Dual Sizes Gasket Set
- T20 Torx® Screws
- 2 Tone Futuristic Design
- Compact Footprint
- 360° Positionable Logo
- Water Resistant


4 POSITION MANL BLOCK

(1) 0/4GA IN / (4) 4/8GA OUT **TSX-4FDB**

2 POSITION MANL BLOCK

(1) 0/4GA IN / (2) 4/8GA OUT **TSX-2FDB**





2 & 4 POSITION

Ground Distribution

- Solid Brass Construction
- Satin Nickel Finish
- Dual Sizes Gasket Set
- T20 Torx® Screws
- 2 Tone Futuristic Design
- Compact Footprint
- 360° Positionable Logo
- Water Resistant

4 POSITION BLOCK

(1) 0/4GA IN / (4) 4/8GA OUT **TSX-4GDB**

2 POSITION BLOCK

(1) 0/4GA IN / (2) 4/8GA OUT **TSX-2GDB**



05

TSUNAMI

Fuse Holders

Tsunami's Inline and Rotating Inline fuse holders help build a strong, professional-looking audio system installation. Solid brass components finished with satin nickel plating create an aesthetic and durable link between your amp and your vehicle's battery. These contacts ensure high conductivity while protecting your audio system. The sturdy, impact-resistant housing protects fuses from heat and moisture and easily mounts to your vehicle. All of the included T20 Torx® set screws can be installed using a single tool, while forward-thinking design allows for the Tsunami logo to be applied after completing the installation to ensure perfect positioning.



ROTATING INLINE Fuse Holders

- Rotatable Body to Hide Mount
- Solid Brass Construction
- Satin Nickel Finish
- 2 Tone Futuristic Design
- 360° Positionable Logo
- T20 Torx® Screws
- Dual Sizes Gasket Set
- Water Resistant



ANL - 0/4GA IN / 0/4GA OUT **TSX-ANL**
MANL - 4/8GA IN / 4/8GA OUT **TSX-MANL**




INLINE

Fuse Holders

- Solid Brass Construction
- Satin Nickel Finish
- 2 Tone Futuristic Design
- Compact Footprint
- 360° Positionable Logo
- T20 Torx® Screws
- Dual Sizes Gasket Set
- Water Resistant

ANL - 0/4GA IN / 0/4GA OUT **TSX-SANL**

MANL - 0/4GA IN / 0/4GA OUT **TSX-SMANL**



06

TSUNAMI

TsunamiEconomy

Tsunami's TSB Economy series is an affordable and reliable solution made of high-quality materials. These products are designed to provide impressive conductivity and durability for their price point, making them a popular choice for DIY enthusiasts and professionals alike.



2-CHANNEL DIRECTIONAL RCA Audio Cables

- Directional with Shield Ground Lug
- OFC
- Brass Machined Split Barrel with Gold Finish
- Head Shell is Brass Machined with Black Finish
- Red & Black Heatshrink Tubes with Silkscreened Logo Ring for Easy Channel Identification
- Metal Union is Zinc Alloy with Black Finish
- 12" 22awg OFC Black Jacket Grounding Wire with Ring Terminal Connects with Braiding on the Union

Bulk 10 Pack

17 FT CABLES

TSB-RCA17



BULK PACK

Fuse Holders

- Compact AGU
- 4/8GA IN/OUT

10 PACK **TSB-AGU**



COPPER CLAD ALUMINUM CCA Amp Kits

- 17FT Twisted Pair RCA Cable
- 18FT CCA Power Cable
- 3FT CCA Ground Cable
- 17FT Turn-On Wire
- 8FT CCA Speaker Wire
- Fuse Holder + Fuse
- 3 Nickel Plated Ring Terminals
- Installation Hardware

1800W 1/0GA

AMP KIT (150A ANL)
TSB-AMP0

1200W 4GA

AMP KIT (100A MANL)
TSB-AMP4

600W 8GA

AMP KIT (60A AGU)
TSB-AMP8



COPPER CLAD ALUMINUM SPEAKER WIRE

- Matte Red Bulk Wire

50FT WIRE **TSX-SW18**

07

TSUNAMI

CleanWireInstallationKits

This 380-piece kit from Tsunami's® premium TSX line includes the ferrules and heat shrink labels needed to make your clean wire audio installation seamless. These easy-to-use clean wire solutions will elevate your installation to showroom quality by helping you perfect every last detail. Convenient refill packs are available to allow installers to replenish specific heat shrink or ferrules that they use more quickly than others without the need to purchase an entirely new kit.




ROTATING INLINE

Fuse Holders

- (20) 10GA heat shrink labels (TSX-10GA-20)
- (20) 8GA heat shrink labels (TSX-8GA-20)
- (20) 4GA heat shrink labels (TSX-4GA-20)
- (20) 0/1GA heat shrink labels (TSX-0GA-20)
- (120) Speaker wire heat shrink labels (TSX-SPHS-PK)
- (10) Blue 16/18GA ferrules (TSX-1618BL-FERR)
- (50) Red and (50) black 16/18GA ferrules (TSX-1618GA-FERR)
- (10) Red and (10) black 10GA ferrules (TSX-10GA-FERR)
- (10) Red and (10) black 8GA ferrules (TSX-8GA-FERR)
- (10) Red and (10) black 4GA ferrules (TSX-4GA-FERR)
- (10) Red and (10) black 0/1GA ferrules (TSX-0GA-FERR)
- Convenient refill packs available
- Universal applications
- 1-year warranty

TSX-CLEAN-KT



RefillPacks

Replenish your clean wire audio installation components without the need to purchase a whole new kit. This convenient refill pack is meant to supplement Tsunami's® premium TSX-CLEAN-KT Clean Wire Installation Heat Shrink Label and Ferrule Kit so that installers always have the solutions on-hand that they need to elevate their installations to showroom quality.



10GA Heat Shrink Labels **TSX-10GA-20**



8GA Heat Shrink Labels **TSX-8GA-20**



4GA Heat Shrink Labels **TSX-4GA-20**



0/1GA Heat Shrink Labels **TSX-0GA-20**

REFILL PACK

20-Piece Heat Shrink Labels

- (20) Heat shrink labels
- Convenient refill pack for Clean Wire Installation Heat Shrink Label and Ferrule Kit (TSX-CLEAN-KT)
- Universal applications
- 1-year warranty

REFILL PACK

120-Piece Heat Shrink Labels

- (120) Heat shrink labels
- Convenient refill pack for Clean Wire Installation Heat Shrink Label and Ferrule Kit (TSX-CLEAN-KT)
- Universal applications
- 1-year warranty

TSX-SPHS-PK

RL+	RL+	RL+	RL+	RL+	RL-	RL-	RL-	RL-	RL-
RL+	RL+	RL+	RL+	RL+	RL-	RL-	RL-	RL-	RL-
FL+	FL+	FL+	FL+	FL+	FL-	FL-	FL-	FL-	FL-
FL+	FL+	FL+	FL+	FL+	FL-	FL-	FL-	FL-	FL-
FR+	FR+	FR+	FR+	FR+	FR-	FR-	FR-	FR-	FR-
FR+	FR+	FR+	FR+	FR+	FR-	FR-	FR-	FR-	FR-
RR+	RR+	RR+	RR+	RR+	RR-	RR-	RR-	RR-	RR-
RR+	RR+	RR+	RR+	RR+	RR-	RR-	RR-	RR-	RR-
SUB+	SUB+	SUB+	SUB+	SUB+	SUB-	SUB-	SUB-	SUB-	SUB-
SUB+	SUB+	SUB+	SUB+	SUB+	SUB-	SUB-	SUB-	SUB-	SUB-

REM	REM	REM	REM	REM
REM	REM	REM	REM	REM




REFILL PACK

10-Piece Blue 16/18GA Ferrules

- (10) Blue 16/18GA ferrules
- Convenient refill pack for Clean Wire Installation Heat Shrink Label and Ferrule Kit (TSX-CLEAN-KT)
- Universal applications
- 1-year warranty

TSX-1618BL-FERR



REFILL PACK

100-Piece Red and Black 16/18GA Ferrules

- (50) Red 16/18GA ferrules
- (50) Black 16/18GA ferrules
- Convenient refill pack for Clean Wire Installation Heat Shrink Label and Ferrule Kit (TSX-CLEAN-KT)
- Universal applications
- 1-year warranty

TSX-1618GA-FERR



10GA Ferrules

TSX-10GA-FERR



8GA Ferrules

TSX-8GA-FERR



4GA Ferrules

TSX-4GA-FERR



0/1GA Ferrules

TSX-0GA-FERR

REFILL PACK

20-Piece Red and Black Ferrules

- (10) Red ferrules
- (10) Black ferrules
- Convenient refill pack for Clean Wire Installation Heat Shrink Label and Ferrule Kit (TSX-CLEAN-KT)
- Universal applications
- 1-year warranty

07

TSUNAMI

CleanInstallTools

We know that the better tools integrators have to work with, the faster they can complete installations. In an industry where time is money, we offer ferrule crimpers, grounding kits, shaft spacer trees, harness wraps, and more to help installers minimize the time it takes to complete an impressive clean wire audio installation.



ASSORTED SIZES

Shaft Spacer Tree

- Black
- Shaft Spacer Tree
- Assorted Sizes:

x2 each of the following dimensions

A .433in (11MM) ID – .610in (15.5MM) OD – .71in (18MM) H


B .433in (11MM) ID – .610in (15.5MM) OD – .69in (15MM) H

C .433in (11MM) ID – .610in (15.5MM) OD – .0788in (2MM) H

D .433in (11MM) ID – .610in (15.5MM) OD – .315in (8MM) H

E .433in (11MM) ID – .610in (15.5MM) OD – .807in (20.5MM) H

10 PACK SST



PROFESSIONAL HIGH CURRENT Grounding Kit

- Kit Contains Enough Parts For 50 Grounds
- Replacement Parts Can Be Purchased

EA PZGGRKT



HYDRAULIC LUG

Ferrule Crimp Tool

- 9 die sets
- Plastic carrying case


EA IBLUGT



Ferrule Crimp Tool

- 7 to 23 gauge
- Self adjusts to the desired ferrule size

EA IBFCRIMPER



8 INCH

Cable Tie

- Black
- 40 lb

1000 PACK BCT8-1

Wire Clips

- 4 pack



1/0AWG IBCLIP1

4AWG IBCLIP4

8AWG IBCLIP8

10AWG IBCLIP10



INTERIOR

Harness Wrap Sleeve

- 3/4" width x 25M length
- Spiral interior harnessing for visible serviceability of wire colors as they are bundled
- Universal tape for wire harness wrapping in the interior compartment
- Noise dampening with abrasion resistance
- Bundling strength while keeping harnesses flexible

8 PACK 12508-19



12-22 GA NO.8 SPADE

Barrier Strip

- 12-22 gauge
- No.8 spade
- 10 Pack

4 POSITION IBBS4P

6 POSITION IBBS6P

8 POSITION IBBS8P

12 POSITION IBBS12P

POP+Merchandise



DISPLAY

Rack 700

- Black Powder-Coated Metal
- Metal Pegboard for Strength
- Dimensions Each:
72" H x 20" W x 13.5" D

TS-RACK700

TSX-RCA21

TSX-RCA17

TSX-RCA10

TSX-RCA6

TSX-RCA2

TSX-Y1

TSX-Y2

TSX-PWR4

TSX-PWB4

TSX-SW16

TSX-SPEED

TSX-BAT1

TSX-GMBATS

TSX-MANL

TSX-2FDB

TSX-2GDB

TSX-AMP0

TSX-AMP4

TSX-AMP8

TSB-AMP8C

TSB-AMP4C

TSB-AMP0C

LARGE DISPLAY

Rack 750

- Black Powder-Coated Metal
- Metal Pegboard for Strength
- Dimensions Each:
78" H x 39.5" W x 13.5" D

TS-RACK750

TSX-RCA21

TSX-RCA17

TSX-RCA10

TSX-RCA6

TSX-RCA2

TSX-Y1

TSX-Y2

TSX-PWR8

TSX-PWB8

TSX-PWR4

TSX-PWB4

TSX-SW16

TSX-SPEED

TSX-BAT1

TSX-GMBATS

TSX-MANL

TSX-ANL

TSX-SMANL

TSX-SANL

TSX-2FDB

TSX-4FDB

TSX-2GDB

TSX-4GDB

TSX-AMP0

TSX-AMP4

TSX-AMP8

TSB-AMP8C

TSB-AMP4C

TSB-AMP0C



TSUNAMI

Decals

RACK 700 HEADER

15" X 4"

TS-700TOP

RACK 750 HEADER DECAL

30" X 7"

TS-750HDR

RACK 700 BOTTOM DECAL

12" X 12"

TS-700BOT



Sticker

- Dimensions: 10.6" x 2"

TS-STICKER



Out of Stock Card

- Don't Be Left With Empty Shelves!
- 25 pack

TS-STKCD



Banner

- High-Quality Printed Banner
- Includes Reinforced Holes for Hanging
- Dimensions: 48" x 24"


TS-BANNER



Slatwall Header

- High-Quality Printed Logo Graphic
- Lightweight Rigid Material
- Dimensions: 48" x 8"

TS-SLATHDR



Shelf Talker

- Call to Action for Your Display

TS-AMPSTKR

Terms+Conditions

TERMS

Net 30 days from date of invoice on approved accounts. Minimum order: \$50 per invoice, orders less than required minimum incur a \$20 service charge.

FREIGHT

Freight on board (F.O.B.) from point of shipment. Freight will be charged on all drop-shipment orders.

CREDIT

In order to establish a credit line with Metra, an application for credit must be submitted listing a minimum of five (5) trade references and a bank with their addresses and phone numbers and must be signed by a principal or authorized officer of the company. A credit line will be established by our credit manager and must be maintained in a current status according to our terms (net 30 days). Credit not established or revoked requires remittance with order. Returned checks are subject to a fee of \$32.00.

RESALE TAX EXEMPTION CERTIFICATE

CA, AZ, TX, KY, NJ & FL customers must provide a valid resale card before an order can be placed.

CLAIMS

Title and risk of loss passes to buyer at F.O.B. shipping point and all claims must be filed with carrier. Any discrepancies must be reported to Metra within ten (10) days of receipt of shipment.

RETURNS

All sales are final. No returns or exchanges will be allowed without prior written authorization from Metra. All returns are subject to a 20% handling charge, must be in a salable condition and must have been purchased within sixty (60) days of return request. No stock balancing permitted. Copies of invoices must be mailed in advance for any return authorization (R.A.).

LIMITED WARRANTY

Metra warrants all of its products to be free from defects in material and workmanship for a period of 1 Year from date of shipment. Metra will, at its option, repair, replace, or allow credit on any part which, in Metra's opinion, is found defective under normal use. Warranty void on any items misused, altered in any way, tampered with or serviced by anyone other than Metra Electronics. This warranty of merchantability of fitness neither assumes or authorizes any other person to assume for it, any other liability in connection with its products. In no event shall we be liable for any incidental or consequential damages, or do we assume any other liability for any incidental or consequential damages, or do we assume any other liability except provided herein.

Metra Electronics® warrants this product only to the original purchaser.

BACKORDERS

If an item is temporarily unavailable for immediate shipment, we will backorder the item & ship as soon as possible from the nearest available warehouse, unless otherwise instructed. Metra reserves the right to make changes in or deletions of products or prices without prior notice.

WARNING: This catalog does not advise whether a State of California Proposition 65 warning is required for a particular item of merchandise. To learn whether a particular item of merchandise requires a California Proposition 65 warning, please be sure to look up and read the particular merchandise's listing on Metra's website www.MetraOnline.com, as well as read the particular merchandise's packaging. When a California Proposition 65 warning is present on Metra's website listing for the particular merchandise, or on the particular merchandise's packaging, a compliant California Proposition 65 warning is to be provided to the purchasing California consumer prior to the sale of the particular merchandise.



TSUNAMI®
METRADEALER.COM

METRA ELECTRONICS
460 WALKER STREET
HOLLY HILL, FL 32117-2699
386-257-2956

TSU-CAT23



© COPYRIGHT 2023 - METRA ELECTRONICS CORPORATION - REV 07/10/24