



THE INSTALLER'S CHOICE



ELEVATING
YOUR IN-CAR AUDIO
EXPERIENCE



ELEVATING YOUR IN-CAR AUDIO EXPERIENCE

Metra Electronics and VIBE have partnered to create an exceptional lineup of plug-and-play audio systems, speakers, and subwoofer enclosures that combine premium sound with effortless installation. Each plug-and-play audio kit is meticulously engineered and acoustically tuned for its specific vehicle application, blending Metra's expertise in vehicle integration with VIBE's advanced audio technology. The result is seamless integration, factory-quality fit, and an immersive listening experience with crisp highs, rich midrange, and powerful bass.

WELCOME TO METRA ELECTRONICS

THE INSTALLER'S CHOICE

For over 80 years, Metra has designed, engineered, and produced innovative products for the aftermarket industry. Every solution is developed with both the installer and end user in mind, delivering time-saving products and factory-quality results.

METRA ELECTRONICS

TECH SUPPORT

We're here to help. Whether you have pre-sale questions about vehicle applications or need assistance during an installation, our knowledgeable technical support team is ready to assist every step of the way.

SUPPORT FROM THE SOURCE

Our technical support team is based at Metra Electronics' corporate headquarters in Holly Hill, Florida, where they work closely with the engineers who design and develop our products. That direct collaboration allows us to provide accurate answers, efficient troubleshooting, and the knowledgeable support professionals have come to expect from Metra.



AVAILABLE 7 DAYS A WEEK

1.386.257.1186

techsupport@metra-autosound.com

COMPLETE AUDIO KITS:

FORD

FD-PPKT-1 4

FD-PPKT-2 5

GM

GM-PPKT-1 6

JEEP

JP-PPKT-1 7

JP-PPKT-2 8

JP-PPKT-3 9

JP-PPKT-4 10

JP-PPKT-5 11

JP-PPKT-6 12

JP-PPKT-7 13

JP-PPKT-8 14

TOYOTA

TY-PPKT-1 15

COMPLETE AUDIO KIT VIDEOS 16-17

LOADED SUBWOOFER ENCLOSURES:

FORD

FD-F150-10 18

GM

GM-SL1-10 18

LOADED SUBWOOFER ENCLOSURES (CONT.):

JEEP

BAMIT12-V4 19

JP-GL1-12

TOYOTA

TY-TAC1-10 20

DIRECT SPEAKER REPLACEMENTS:

BMW

OS-BMW82V3 21

OS-BMW84V3 21

OS-BMW4V4 21

OS-BMW4RV2 21

MERCEDES

OS-MERC4 22

OS-MERC4C 22

OS-MERC8WL 22

TESLA

OS-TESLA8W 23


OS-TESLA1T 23

OS-TESLA4M 23


OS-TESLACTR 23



THIS CATALOG IS INTERACTIVE! Clicking any red product part number opens the product page on MetraOnline.com. You can also click the QR codes throughout to view instructions or product videos.



VISIT US ONLINE



SUBSCRIBE

COMPLETE AUDIO KIT **FITS FORD**

AMPLIFIED & NON-AMPLIFIED



**INSTALLATION
INSTRUCTIONS**



FD-PPKT-1

FITS FORD F-150 2015-2017* (AMPLIFIED) AND F-150 2015-2025* (NON-AMPLIFIED)

This complete, all-in-one premium audio kit includes every component required to install a fully integrated aftermarket sound system, eliminating the need to source parts individually. The kit features matched amplifiers, a total of six speakers for the front and rear of the vehicle, and a 10" subwoofer in a ported enclosure, along with Metra's vehicle-specific installation solutions designed to simplify the upgrade process. Integration components such as the plug-n-play T-harness, speaker adapters, amplifier brackets, and mounting solutions ensure seamless compatibility and straightforward installation. Each component in this kit has been engineered and tuned to work together as a unified system, delivering crystal-clear highs, rich midrange, and deep, controlled bass tailored to the truck's interior. Because the system is designed as a complete package, all included components are required for proper performance and are not intended to be sold or installed separately.

Complete All-In-One Kit

The complete premium audio system includes the following part numbers, which together provide all components required for installation:

- **BLK-FD-PPKT-1A:** Vehicle-specific installation and integration components
- **FD-F150-10:** 10" subwoofer enclosure

Plug-n-play audio system includes:

- Pair 400-watt 4-channel 100x4 amplifiers
- Pair 1" front dash tweeters
- Pair 6" x 9" front door speakers
- Pair 6.5" rear door speakers
- 10" subwoofer with down-firing ported sub enclosure
- Axxess DSP is pre-tuned, no downloading required
- T-Spec RCA cables (6-Ch & 2-Ch)
- Vehicle-specific amp mounting rack
- Detailed step-by-step instructions

PB100.4M-V0 Amplifiers

- Max power: 960W
- Power output @ 2 ohms: 120W x 4
- Power output @ 4 ohms: 100W x 4
- Power output @ 4 ohms bridged: 240W x 2
- System delivers up to 1920W maximum power
- Dimensions: 1.9" H x 9.1" W x 5.3" D
- Class D

SLICK-V4 1" Front Dash Tweeters

- 1" speaker size
- Peak: 150W RMS, 50W
- Sensitivity: 94dB
- Frequency response: 1.5kHz - 25kHz
- Impedance: 4 ohms
- Metra tweeter dash harness (non-amplified)
- Metra 72-5603 speaker harness (amplified)

CVEN69MW-V4 6" x 9" Front Door Speakers

- 6" x 9" speaker size
- Peak: 260W RMS, 130W
- Sensitivity: 91dB
- Frequency response: 40Hz - 20kHz
- Impedance: 4 ohms
- Metra 82-5606 door speaker adapter plates
- Metra 72-5602 door speaker harnesses
- IBSBF69: 2-piece 6" x 9" speaker baffle kit

OPTI6-V4 6.5" Rear Door Speakers

- 6.5" speaker size
- Peak: 270W RMS, 90W
- Sensitivity: 94dB
- Frequency response: 55Hz - 20kHz
- Impedance: 4 ohms
- Metra 82-5605 door speaker adapter plates
- Metra 72-5602 door speaker harnesses
- IBSBF65: 2-piece 6.5" speaker baffle kit

FD-150-10 10" Subwoofer & Ported Enclosure

- 10" speaker size
- Peak: 900W RMS, 300W
- Sensitivity: 85dB
- Frequency response: 30Hz - 1kHz
- Impedance: dual 2 ohms

Metra Amplifier Installation Kit

- 18.5' 4GA OFC power wire
- 21' 8GA OFC ground wire
- 12' 12GA OFC speaker wire
- T-Spec MANL water-tight fuse holder
- 100A MANL fuse
- Distribution block
- Mounting hardware

Metra Vehicle-specific Amp Mounting Rack

- Vehicle-specific design
- CNC machine-cut with pre-drilled holes
- Designed to mount to OE bolt locations for easy installation behind the rear seat

B&O® AMPLIFIED



INSTALLATION INSTRUCTIONS



FD-PPKT-2

FITS FORD F-150 2018-2024* (B&O® OEM AMPLIFIED)

This complete, all-in-one premium audio kit includes every component required to install a fully integrated aftermarket sound system, eliminating the need to source parts individually. The kit features matched amplifiers, a total of six speakers for the front and rear of the vehicle, and a 10" subwoofer in a ported enclosure, along with Metra's vehicle-specific installation solutions designed to simplify the upgrade process. Integration components such as the plug-n-play T-harness, speaker adapters, amplifier brackets, and mounting solutions ensure seamless compatibility and straightforward installation. Each component in this kit has been engineered and tuned to work together as a unified system, delivering crystal-clear highs, rich midrange, and deep, controlled bass tailored to the truck's interior. Because the system is designed as a complete package, all included components are required for proper performance and are not intended to be sold or installed separately.

Complete All-In-One Kit

The complete premium audio system includes the following part numbers, which together provide all components required for installation:

- **BLK-FD-PPKT-2A:** Vehicle-specific installation and integration components
- **FD-F150-10:** 10" subwoofer enclosure

Plug-n-play audio system includes:

- Pair 400-watt 4-channel 100x4 amplifiers
- Pair 1" front dash tweeters
- Pair 6" x 9" front door speakers
- Pair 6.5" rear door speakers
- 10" subwoofer with down-firing ported sub enclosure
- Axxess DSP is pre-tuned, no downloading required
- Vehicle-specific amp mounting rack
- Detailed step-by-step instructions

PB100.4M-V0 Amplifiers

- Max power: 960W
- Power output @ 2 ohms: 120W x 4
- Power output @ 4 ohms: 100W x 4
- Power output @ 4 ohms bridged: 240W x 2
- System delivers up to 1920W maximum power
- Dimensions: 1.9" H x 9.1" W x 5.3" D
- Class D

SLICK-V4 1" Front Dash Tweeters

- 1" speaker size
- Peak: 150W RMS, 50W
- Sensitivity: 94dB
- Frequency response: 1.5kHz - 25kHz
- Impedance: 4 ohms
- Metra 72-5603 speaker harness

CVEN69MW-V4 6" x 9" Front Door Speakers

- 6" x 9" speaker size
- Peak: 260W RMS, 130W
- Sensitivity: 91dB
- Frequency response: 40Hz - 20kHz
- Impedance: 4 ohms
- Metra 82-5606 door speaker adapter plates
- Metra 72-5602 door speaker harnesses
- IBSBF69: 2-piece 6" x 9" speaker baffle kit

OPT16-V4 6.5" Rear Door Speakers

- 6.5" speaker size
- Peak: 270W RMS, 90W
- Sensitivity: 94dB
- Frequency response: 55Hz - 20kHz
- Impedance: 4 ohms
- Metra 82-5605 door speaker adapter plates
- Metra 72-5602 door speaker harnesses
- IBSBF65: 2-piece 6.5" speaker baffle kit

FD-150-10 10" Subwoofer & Ported Enclosure

- 10" speaker size
- Peak: 900W RMS, 300W
- Sensitivity: 85dB
- Frequency response: 30Hz - 1KkHz
- Impedance: dual 2 ohms

Metra Amplifier Installation Kit

- 18.5' 4GA OFC power wire
- 21' 8GA OFC ground wire
- 12' 12GA OFC speaker wire
- T-Spec MANL water-tight fuse holder
- 100A MANL fuse
- Distribution block
- Mounting hardware

Metra Vehicle-specific Amp Mounting Rack

- Vehicle-specific design
- CNC machine-cut with pre-drilled holes
- Designed to mount to OE bolt locations for easy installation behind the rear seat

COMPLETE AUDIO KIT **FITS GM**

AMPLIFIED



**INSTALLATION
INSTRUCTIONS**



GM-PPKT-1

FITS GM SIERRA/SILVERADO 2019-2025* (AMPLIFIED)

This complete, all-in-one premium audio kit includes every component required to install a fully integrated aftermarket sound system, eliminating the need to source parts individually. The kit features matched amplifiers, a total of six speakers for the front and rear of the vehicle, and a 10" subwoofer in a ported enclosure, along with Metra's vehicle-specific installation solutions designed to simplify the upgrade process. Integration components such as the plug-n-play T-harness, speaker adapters, amplifier brackets, and mounting solutions ensure seamless compatibility and straightforward installation. Each component in this kit has been engineered and tuned to work together as a unified system, delivering crystal-clear highs, rich midrange, and deep, controlled bass tailored to the truck's interior. Because the system is designed as a complete package, all included components are required for proper performance and are not intended to be sold or installed separately.

Complete All-In-One Kit

The complete premium audio system includes the following part numbers, which together provide all components required for installation:

- **BLK-GM-PPKT-A:** Vehicle-specific installation and integration components
- **GM-SL1-10:** 10" subwoofer enclosure

Plug-n-play audio system includes:

- Pair 400-watt 4-channel 100 x 4 amplifiers
- Pair 2.7" dash speakers
- Pair 6"x9" front door speakers
- Pair 6.5" rear door speakers
- 10" subwoofer
- 10" down-firing ported sub enclosure
- Pre-tuned Metra vehicle-specific interface
- Vehicle-specific amplifier installation harnesses
- Vehicle-specific amp mounting rack
- Detailed step-by-step instructions

PB100.4M-V0 Amplifiers

- Max power: 960W
- Power output @ 2 ohms: 120W x 4
- Power output @ 4 ohms: 100W x 4
- Power output @ 4 ohms bridged: 240W x 2
- System delivers up to 1920 watts of maximum power
- Dimensions: 1.9" H x 9.1" W x 5.3" D
- Class D

CVEN2.7M-V4 2.7" Dash Speakers

- 2.7" speaker size
- Peak: 160W RMS, 80W / Sensitivity: 87dB
- Frequency response: 300Hz – 20kHz
- Impedance: 4 ohms
- Metra 82-3024 dash tweeter adapter plates
- Metra 72-4573 dash tweeter harnesses

CVEN69MW-V4 6"x9" Front Door Speakers

- 6"x9" speaker size
- Peak: 260W RMS, 130W / Sensitivity: 91dB
- Frequency response: 40Hz – 20kHz
- Impedance: 4 ohms
- Metra 82-3004 door speaker adapter plates
- Metra 72-4572 door speaker harnesses

OPT16-V4 6.5" Rear Door Speakers

- 6.5" speaker size
- Peak: 270W RMS, 90W / Sensitivity: 94dB
- Frequency response: 55Hz – 20kHz
- Impedance: 4 ohms
- Metra 82-3006 rear door speaker adapter plates
- Metra 72-4572 rear door speaker harnesses
- Metra IBSBF65 2-piece speaker baffle kit included for enhanced sound directionality and sealing

GM-SL1-10 Subwoofer & Down-Firing Ported Enclosure

- 10" speaker size
- Peak: 900W RMS, 300W / Sensitivity: 85dB
- Frequency response: 30Hz – 1KkHz
- Impedance: Dual 2 ohms

Metra Vehicle-Specific Amplifier Interface

- AXDSPX-ETH1 DSP interface
- Plug-n-play integration harnessing
- Pre-tuned and optimized for the driver's listening position
- Retains factory chimes, including parking sensors with adjustable level
- Retains OnStar® voice prompts
- All chimes and voice prompts go through the aftermarket amp

Metra Amplifier Installation Kit

- Vehicle-specific wiring
- 18.5' 4GA OFC power wire
- 21' 8GA OFC ground wire
- T-Spec MANL water-tight fuse holder
- 100A MANL fuse
- Distribution block
- Mounting hardware

Metra Amplifier Mounting Rack

- Vehicle-specific design
- CNC machine-cut with pre-drilled holes
- Designed to mount to OE bolt locations for easy installation behind the rear seat

NON-AMPLIFIED



INSTALLATION INSTRUCTIONS



JP-PPKT-1

FITS JEEP WRANGLER JL 2024-UP* (NON-AMPLIFIED)

This complete, all-in-one premium audio kit includes every component required to install a fully integrated aftermarket sound system, eliminating the need to source parts individually. The kit features matched amplifiers, a total of eight speakers for the front and rear of the vehicle, and a 12" subwoofer in a sealed enclosure, along with Metra's vehicle-specific installation solutions designed to simplify the upgrade process. Included integration components, such as the plug-n-play T-harness, speaker adapters, amplifier brackets, and mounting solutions, ensure seamless compatibility and straightforward installation. Each component in this kit has been engineered and tuned to work together as a unified system, delivering crystal-clear highs, rich midrange, and deep, controlled bass tailored to the Jeep JL interior. Because the system is designed as a complete package, all included components are required for proper performance and are not intended to be sold or installed separately.

Complete All-in-One Kit

The complete premium audio system includes the following part numbers, which together provide all components required for installation:

- **BLK-JP-PPKT-A:** Vehicle-specific installation and integration components
- **BLK-JP-PPKT-1B:** Generation-specific installation and integration components
- **BAMIT12-V4:** 12" subwoofer enclosure

Plug-n-play audio system includes:

- 650-watt mono-block amplifier
- 6-channel DSP and amplifier combo
- Pair 1" front dash tweeters & 6.5" panel speakers
- Pair 1" soundbar tweeters & 6.5" speakers
- 12" subwoofer with enclosure
- DSP amp with downloadable vehicle-specific tuning
- Vehicle-specific amplifier installation kit
- Vehicle-specific amp mounting racks
- Detailed step-by-step instructions

PB650.1D-V4 Class D Amplifier

- Max power: 1200 W
- Power output @ 4 ohms: 325 W
- Power output @ 2 ohms: 475 W
- Power output @ 1 ohm: 650 W
- Dimensions: 1.85" H x 9.05" W x 5.27" D

PB80.6-8DSP-V3 DSP and Amp Mini Class D Combo

- 6-channel / Max power: 1200W
- RMS @ 4 ohms stereo: 6x80W
- Frequency Response: 20Hz – 20kHz
- Dimensions: 1.9" H x 15.4" W x 5.3" D

- Pre-tuned EQ curve loaded on the DSP via computer-based software for maximum performance

SLICK-V4 1" Front Dash Tweeters

- 1" speaker size
- Peak: 150W RMS, 50W / Sensitivity: 94dB
- Frequency response: 1.5kHz – 25kHz
- Impedance: 4 ohms
- Metra JP-1017 speaker grilles with silver-painted accents and steel grille inserts
- Metra 82-3016 dash tweeter adapter plates
- Metra 72-7902 dash tweeter harnesses

OPTI6-V4 6.5" Front Dash Panel Speakers

- 6.5" speaker size
- Peak: 270W RMS, 90W / Sensitivity: 94dB
- Frequency response: 55Hz – 20KHz
- Impedance: 4 ohms
- Metra JP-1020 lower dash speaker grille cut-ins
- Metra JP-1014 lower dash sealed speaker PODs

SLICK-V4 1" Soundbar Tweeters

- 1" speaker size
- Peak: 150W RMS, 50W / Sensitivity: 94dB
- Frequency response: 1.5kHz – 25kHz
- Impedance: 4 ohms

OPTI6-V4 6.5" Soundbar Speakers

- 6.5" speaker size
- Peak: 270W RMS, 90W / Sensitivity: 94dB
- Frequency response: 55Hz – 20KHz
- Impedance: 4 ohms
- Metra JP-1019 soundbar speaker kit

BAMIT12-V4 12" Subwoofer & Sealed Enclosure

- Peak: 900W, RMS 300W / Sensitivity: 85dB
- Metal speaker grille included
- Vehicle-specific brackets for tailgate mounting
- Impedance: Dual 2 ohm

Metra Vehicle-Specific Amplifier Harness

- Plug-n-play integration harnessing
- Simple behind-the-radio installation
- T-Harness and OE connectors
- Connects via the OE speaker wire to reduce wiring
- Plugs directly into the all-in-one DSP amplifier

Metra Amplifier Installation Kit

- Vehicle-specific wiring
- 9.5' 4GA OFC power wire & 8' 8GA OFC power wire
- 12' 12GA OFC speaker wire
- T-Spec VMANL water-tight fuse holder
- 100A MANL fuse
- Distribution block
- Mounting hardware

Metra Vehicle-specific Amp Mounting Racks

- Vehicle-specific design
- Black powder-coated mounting plates
- Under-the-seat amp racks designed for small form-factor amplifiers

NOTE: Vehicles with power seats may require modification to the height of the amp rack. This kit is not compatible with 4xe models

COMPLETE AUDIO KIT **FITS JEEP**

AMPLIFIED



**INSTALLATION
INSTRUCTIONS**



JP-PPKT-2

FITS JEEP WRANGLER JL 2024-UP* (AMPLIFIED)

This complete, all-in-one premium audio kit includes every component required to install a fully integrated aftermarket sound system, eliminating the need to source parts individually. The kit features matched amplifiers, a total of eight speakers for the front and rear of the vehicle, and a 12" subwoofer in a sealed enclosure, along with Metra's vehicle-specific installation solutions designed to simplify the upgrade process. Included integration components, such as the plug-n-play T-harness, speaker adapters, amplifier brackets, and mounting solutions, ensure seamless compatibility and straightforward installation. Each component in this kit has been engineered and tuned to work together as a unified system, delivering crystal-clear highs, rich midrange, and deep, controlled bass tailored to the Jeep JL interior. Because the system is designed as a complete package, all included components are required for proper performance and are not intended to be sold or installed separately.

Complete All-In-One Kit

The complete premium audio system includes the following part numbers, which together provide all components required for installation:

- **BLK-JP-PPKT-A:** Vehicle-specific installation and integration components
- **BLK-JP-PPKT-2B:** Generation-specific installation and integration components
- **BAMIT12-V4:** 12" subwoofer enclosure

Plug-n-play audio system includes:

- 650-watt mono-block amplifier
- 6-channel DSP and amplifier combo
- Pair 1" front dash tweeters & 6.5" panel speakers
- Pair 1" soundbar tweeters & 6.5" speakers
- 12" subwoofer with enclosure
- DSP amp with downloadable vehicle-specific tuning
- Vehicle-specific amplifier installation kit
- Vehicle-specific amp mounting racks
- Metra amplifier integration interface
- Detailed step-by-step instructions

PB650.1D-V4 Class D Amplifier

- Max power: 1200W
- Power output @ 4 ohms: 325W
- Power output @ 2 ohms: 475W
- Power output @ 1 ohm: 650W
- Dimensions: 1.85" H x 9.05" W x 5.27" D

PB80.6-8DSP-V3 DSP and Mini Class D Amp Combo

- 6-channel / Max power: 1200W
- RMS @ 4 ohms stereo: 6x80W

- Frequency Response: 20Hz – 20kHz
- Dimensions: 1.9" H x 15.4" W x 5.3" D
- Pre-tuned EQ curve loaded on the DSP via computer-based software for maximum performance

SLICK-V4 1" Front Dash Tweeters

- Peak: 150W RMS, 50W / Sensitivity: 94dB
- Frequency response: 1.5kHz – 25kHz
- Impedance: 4 ohms
- Metra JP-1017 speaker grilles with silver-painted accents and steel grille inserts
- Metra 82-3016 dash tweeter adapter plates
- Metra 72-7902 dash tweeter harnesses

OPTI6-V4 6.5" Front Dash Panel Speakers

- Peak: 270W RMS, 90W / Sensitivity: 94dB
- Frequency response: 55Hz – 20KkHz
- Impedance: 4 ohms
- Metra JP-1020 lower dash speaker grille cut-ins
- Metra JP-1014 lower dash sealed speaker PODs

SLICK-V4 1" Soundbar Tweeters

- Peak: 150W RMS, 50W / Sensitivity: 94dB
- Frequency response: 1.5kHz – 25kHz
- Impedance: 4 ohms

OPTI6-V4 6.5" Soundbar Speakers

- Peak: 270W RMS, 90W / Sensitivity: 94dB
- Frequency response: 55Hz – 20KkHz
- Impedance: 4 ohms
- Metra JP-1019 soundbar speaker kit

BAMIT12-V4 12" Subwoofer & Sealed Enclosure

- Peak: 900W, RMS 300W
- Metal speaker grille included
- Vehicle-specific brackets for tailgate mounting
- Sensitivity: 85dB
- Impedance: Dual 2 ohm

Metra AXAMP Vehicle-Specific Amplifier Interface

- Plug-n-play integration harnessing
- Simple behind-the-radio installation
- T-Harness and OE connectors
- RCAs included

Metra Amplifier Installation Kit

- Vehicle-specific wiring
- Amp bypass harness
- 9.5' 4GA OFC power wire & 8' 8GA OFC power wire
- 12' 12GA OFC speaker wire
- T-Spec VMANL water-tight fuse holder
- 100A MANL fuse
- Distribution block
- Mounting hardware

Metra Vehicle-specific Amp Mounting Racks

- Vehicle-specific design
- Black powder-coated mounting plates
- Under-the-seat amp racks designed for small form-factor amplifiers

NOTE: Vehicles with power seats may require modification to the height of the amp rack. This kit is not compatible with 4xe models

NON-AMPLIFIED



INSTALLATION INSTRUCTIONS



JP-PPKT-3

FITS JEEP WRANGLER JL 2018-2023 (NON-AMPLIFIED)

This complete, all-in-one premium audio kit includes every component required to install a fully integrated aftermarket sound system, eliminating the need to source parts individually. The kit features matched amplifiers, a total of eight speakers for the front and rear of the vehicle, and a 12" subwoofer in a sealed enclosure, along with Metra's vehicle-specific installation solutions designed to simplify the upgrade process. Included integration components, such as the plug-n-play T-harness, speaker adapters, amplifier brackets, and mounting solutions, ensure seamless compatibility and straightforward installation. Each component in this kit has been engineered and tuned to work together as a unified system, delivering crystal-clear highs, rich midrange, and deep, controlled bass tailored to the Jeep JL interior. Because the system is designed as a complete package, all included components are required for proper performance and are not intended to be sold or installed separately.

Complete All-In-One Kit

The complete premium audio system includes the following part numbers, which together provide all components required for installation:

- **BLK-JP-PPKT-A:** Vehicle-specific installation and integration components
- **BLK-JP-PPKT-3B:** Generation-specific installation and integration components
- **BAMIT12-V4:** 12" subwoofer enclosure

Plug-n-play audio system includes:

- 650-watt mono-block amplifier
- 6-channel DSP and amplifier combo
- Pair 1" front dash tweeters & 6.5" panel speakers
- Pair 1" soundbar tweeters & 6.5" speakers
- 12" subwoofer with enclosure
- DSP amp with downloadable vehicle-specific tuning
- Vehicle-specific amplifier installation kit
- Vehicle-specific amp mounting racks
- Detailed, step-by-step instructions

PB650.1D-V4 Class D Amplifier

- Max power: 1200W
- Power output @ 4 ohms: 325W
- Power output @ 2 ohms: 475W
- Power output @ 1 ohm: 650W
- Dimensions: 1.85" H x 9.05" W x 5.27" D

PB80.6-8DSP-V3 DSP and Mini Class D Amp Combo

- 6-channel
- Max power: 1200W
- RMS @ 4 ohms stereo: 6x80W

- Frequency Response: 20Hz – 20kHz
- Dimensions: 1.9" H x 15.4" W x 5.3" D
- Pre-tuned EQ curve loaded on the DSP via computer-based software for maximum performance

SLICK-V4 1" Front Dash Tweeters

- Peak: 150W RMS, 50W / Sensitivity: 94dB
- Frequency response: 1.5kHz – 25kHz
- Impedance: 4 ohms
- Metra JP-1017 speaker grilles with silver-painted accents and metal stamped steel grille inserts
- Metra 82-3016 dash tweeter adapter plates
- Metra 72-7902 dash tweeter harnesses

OPTI6-V4 6.5" Front Dash Panel Speakers

- Peak: 270W RMS, 90W / Sensitivity: 94dB
- Frequency response: 55Hz – 20KkHz
- Impedance: 4 ohms
- Metra JP-1018 lower dash speaker grille cut-ins
- Metra JP-1014 lower dash sealed speaker PODs

SLICK-V4 1" Soundbar Tweeters

- Peak: 150W RMS, 50W / Sensitivity: 94dB
- Frequency response: 1.5kHz – 25kHz
- Impedance: 4 ohms

OPTI6-V4 6.5" Soundbar Speakers

- Peak: 270W RMS, 90W / Sensitivity: 94dB
- Frequency response: 55Hz – 20KkHz
- Impedance: 4 ohms
- Metra JP-1015 soundbar speaker kit
- Metra BC-SPG universal speaker grilles

BAMIT12-V4 12" Sealed Enclosure Subwoofer

- Peak: 900W, RMS 300W
- Metal speaker grille
- Vehicle-specific brackets for tailgate mounting
- Sensitivity: 85dB
- Impedance: Dual 2 ohm

Metra Vehicle-Specific Harness

- Plug-n-play integration harnessing
- Simple behind-the-radio installation
- T-Harness and OE connectors
- Connects via the OE speaker wire to reduce wiring
- Plugs directly into the all-in-one DSP amplifier

Metra Amplifier Installation Kit

- Vehicle-specific wiring
- 9.5' 4GA OFC power wire
- 8' 8GA OFC power wire
- 12' 12GA OFC speaker wire
- Water-tight fuse holder
- T-Spec VMANL water-tight fuse holder
- 100A MANL fuse
- Distribution block
- Mounting hardware

Metra Vehicle-specific Amp Mounting Racks

- Vehicle-specific design
- Black powder-coated mounting plates
- Under-the-seat amp racks designed for small form-factor amplifiers

NOTE: This kit is not compatible with 4xe models

COMPLETE AUDIO KIT **FITS JEEP**

AMPLIFIED



**INSTALLATION
INSTRUCTIONS**



JP-PPKT-4

FITS JEEP WRANGLER JL 2018-2023* (AMPLIFIED)

This complete, all-in-one premium audio kit includes every component required to install a fully integrated aftermarket sound system, eliminating the need to source parts individually. The kit features matched amplifiers, a total of eight speakers for the front and rear of the vehicle, and a 12" subwoofer in a sealed enclosure, along with Metra's vehicle-specific installation solutions designed to simplify the upgrade process. Included integration components, such as the plug-n-play T-harness, speaker adapters, amplifier brackets, and mounting solutions, ensure seamless compatibility and straightforward installation. Each component in this kit has been engineered and tuned to work together as a unified system, delivering crystal-clear highs, rich midrange, and deep, controlled bass tailored to the Jeep JL interior. Because the system is designed as a complete package, all included components are required for proper performance and are not intended to be sold or installed separately.

Complete All-In-One Kit

The complete premium audio system includes the following part numbers, which together provide all components required for installation:

- **BLK-JP-PPKT-A:** Vehicle-specific installation and integration components
- **BLK-JP-PPKT-4B:** Generation-specific installation and integration components
- **BAMIT12-V4:** 12" subwoofer enclosure

Plug-n-play audio system includes:

- 650-watt mono-block amplifier
- 6-channel DSP and amplifier combo
- Pair 1" front dash tweeters & 6.5" panel speakers
- Pair 1" soundbar tweeters & 6.5" speakers
- 12" subwoofer with enclosure
- DSP amp with downloadable vehicle-specific tuning
- Vehicle-specific amplifier installation kit
- Vehicle-specific amp mounting racks
- Metra amplifier integration interface
- Detailed step-by-step instructions

PB650.1D-V4 Class D Amplifier

- Max power: 1200W
- Power output @ 4 ohms: 325W
- Power output @ 2 ohms: 475W
- Power output @ 1 ohm: 650W
- Dimensions: 1.85" H x 9.05" W x 5.27" D

PB80.6-8DSP-V3 DSP and Mini Class D Amp Combo

- 6-channel / Max power: 1200W

- RMS @ 4 ohms stereo: 6x80W
- Frequency Response: 20Hz – 20kHz
- Dimensions: 1.9" H x 15.4" W x 5.3" D
- Pre-tuned EQ curve loaded on the DSP via computer-based software for maximum performance

SLICK-V4 1" Front Dash Tweeters

- Peak: 150W RMS, 50W / Sensitivity: 94dB
- Frequency response: 1.5kHz – 25kHz
- Impedance: 4 ohms
- Metra JP-1017 speaker grilles with silver-painted accents and metal stamped steel grille inserts
- Metra 82-3016 dash tweeter adapter plates
- Metra 72-7902 dash tweeter harnesses

OPT16-V4 6.5" Front Dash Panel Speakers

- Peak: 270W RMS, 90W / Sensitivity: 94dB
- Frequency response: 55Hz – 20KHz
- Impedance: 4 ohms
- Metra JP-1018 lower dash speaker grille cut-ins
- Metra JP-1014 lower dash sealed speaker PODs

SLICK-V4 1" Soundbar Tweeters

- Peak: 150W RMS, 50W / Sensitivity: 94dB
- Frequency response: 1.5kHz – 25kHz
- Impedance: 4 ohms

OPT16-V4 6.5" Soundbar Speakers

- Peak: 270W RMS, 90W / Sensitivity: 94dB
- Frequency response: 55Hz – 20KHz
- Impedance: 4 ohms

- Metra JP-1015 soundbar speaker kit
- Metra BC-SPG universal speaker grilles

BAMIT12-V4 12" Sealed Enclosure Subwoofer

- Peak: 900W, RMS 300W
- Metal speaker grille included
- Vehicle-specific brackets for tailgate mounting
- Sensitivity: 85dB / Impedance: Dual 2 ohm

Metra AXAMP Vehicle-Specific Amplifier Interface

- Plug-n-play integration harnessing
- T-Harness and OE connectors
- Pre-programmed interface with RCAs

Metra Amplifier Installation Kit

- Vehicle-specific wiring
- Amp bypass harness
- 9.5' 4GA OFC power wire & 8' 8GA OFC power wire
- 12' 12GA OFC speaker wire
- T-Spec VMANL water-tight fuse holder
- 100A MANL fuse
- Distribution block
- Mounting hardware

Metra Vehicle-specific Amp Mounting Racks

- Vehicle-specific design
- Black powder-coated mounting plates
- Under-the-seat amp racks designed for small form-factor amplifiers

NOTE: This kit is not compatible with 4xe models

NON-AMPLIFIED



INSTALLATION INSTRUCTIONS



JP-PPKT-5

FITS JEEP GLADIATOR JT 2024-2025 (NON-AMPLIFIED)

This complete, all-in-one premium audio kit includes every component required to install a fully integrated aftermarket sound system, eliminating the need to source parts individually. The kit features matched amplifiers, a total of eight speakers for the front and rear of the vehicle, and a 12" subwoofer in a ported enclosure, along with Metra's vehicle-specific installation solutions designed to simplify the upgrade process. Included integration components, such as the plug-n-play T-harness, speaker adapters, amplifier brackets, and mounting solutions, ensure seamless compatibility and straightforward installation. Each component in this kit has been engineered and tuned to work together as a unified system, delivering crystal-clear highs, rich midrange, and deep, controlled bass tailored to the Jeep JT interior. Because the system is designed as a complete package, all included components are required for proper performance and are not intended to be sold or installed separately.

Complete All-In-One Kit

The complete premium audio system includes the following part numbers, which together provide all components required for installation:

- **BLK-JP-PPKT-A:** Vehicle-specific installation and integration components
- **BLK-JP-PPKT-IB:** Generation-specific installation and integration components
- **JP-GL1-12:** 12" subwoofer enclosure

Plug-n-play audio system includes:

- 650-watt mono-block amplifier
- 6-channel DSP and amplifier combo
- Pair 1" front dash tweeters & 6.5" panel speakers
- Pair 1" soundbar tweeters & 6.5" speakers
- 12" subwoofer with ported enclosure
- DSP amp with downloadable vehicle-specific tuning
- Vehicle-specific amplifier installation kit
- Vehicle-specific amp mounting racks
- Detailed step-by-step instructions

PB650.1D-V4 Class D Amplifier

- Max power: 1200 W
- Power output @ 4 ohms: 325 W
- Power output @ 2 ohms: 475 W
- Power output @ 1 ohm: 650 W
- Dimensions: 1.85" H x 9.05" W x 5.27" D

PB80.6-8DSP-V3 DSP and Amplifier Combo

- 6-channel / Max power: 1200W
- RMS @ 4 ohms stereo: 6x80W
- Frequency Response: 20Hz – 20kHz
- Dimensions: 1.9" H x 15.4" W x 5.3" D

- Mini class D
- Pre-tuned EQ curve loaded on the DSP via computer-based software for maximum performance

SLICK-V4 1" Front Dash Tweeters

- Peak: 150W RMS, 50W / Sensitivity: 94dB
- Frequency response: 1.5kHz - 25kHz
- Impedance: 4 ohms
- Metra JP-1017 speaker grilles with silver-painted accents and metal stamped steel grille inserts
- Metra 82-3016 dash tweeter adapter plates
- Metra 72-7902 dash tweeter harnesses

OPTI6-V4 6.5" Front Dash Panel Speakers

- Peak: 270W RMS, 90W / Sensitivity: 94dB
- Frequency response: 55Hz – 20KHz
- Impedance: 4 ohms
- Metra JP-1020 lower dash speaker grille cut-ins
- Metra JP-1014 lower dash sealed speaker PODs

SLICK-V4 1" Soundbar Tweeters

- Peak: 150W RMS, 50W / Sensitivity: 94dB
- Frequency response: 1.5kHz - 25kHz
- Impedance: 4 ohms

OPTI6-V4 6.5" Soundbar Speakers

- Peak: 270W RMS, 90W
- Sensitivity: 94dB
- Frequency response: 55Hz – 20KHz
- Impedance: 4 ohms
- Metra JP-1019 soundbar speaker kit

JP-GL1-12 12" Subwoofer & Ported Enclosure

- Peak: 900W, RMS 300W
- Fits under rear seat
- Up firing design
- Sensitivity: 85dB
- Impedance: Dual 2 ohm

Metra Vehicle-Specific Amplifier Harness

- Plug-n-play integration harnessing
- Simple behind-the-radio installation
- T-Harness and OE connectors
- Connects via the OE speaker wire to reduce wiring
- Plugs directly into the all-in-one DSP amplifier

Metra Amplifier Installation Kit

- Vehicle-specific wiring
- 9.5' 4GA OFC power wire
- 8' 8GA OFC power wire
- 12' 12GA OFC speaker wire
- T-Spec VMANL water-tight fuse holder
- 100A MANL fuse
- Distribution block
- Mounting hardware

Metra Vehicle-specific Amp Mounting Racks

- Vehicle-specific design
- Black powder-coated mounting plates
- Under-the-seat amp racks designed for small form-factor amplifiers
- **NOTE:** Vehicles with power seats may require modification to the height of the amp rack

COMPLETE AUDIO KIT **FITS JEEP**

AMPLIFIED



**INSTALLATION
INSTRUCTIONS**



JP-PPKT-6

FITS JEEP GLADIATOR JT 2024-2025* (AMPLIFIED)

This complete, all-in-one premium audio kit includes every component required to install a fully integrated aftermarket sound system, eliminating the need to source parts individually. The kit features matched amplifiers, a total of eight speakers for the front and rear of the vehicle, and a 12" subwoofer in a ported enclosure, along with Metra's vehicle-specific installation solutions designed to simplify the upgrade process. Included integration components, such as the plug-n-play T-harness, speaker adapters, amplifier brackets, and mounting solutions, ensure seamless compatibility and straightforward installation. Each component in this kit has been engineered and tuned to work together as a unified system, delivering crystal-clear highs, rich midrange, and deep, controlled bass tailored to the Jeep JT interior. Because the system is designed as a complete package, all included components are required for proper performance and are not intended to be sold or installed separately.

Complete All-In-One Kit

The complete premium audio system includes the following part numbers, which together provide all components required for installation:

- **BLK-JP-PPKT-A:** Vehicle-specific installation and integration components
- **BLK-JP-PPKT-2B:** Generation-specific installation and integration components
- **JP-GL1-12:** 12" subwoofer enclosure

Plug-n-play audio system includes:

- 650-watt mono-block amplifier
- 6-channel DSP and amplifier combo
- Pair 1" front dash tweeters & 6.5" panel speakers
- Pair 1" soundbar tweeters & 6.5" speakers
- 12" subwoofer with ported enclosure
- DSP amp with downloadable vehicle-specific tuning
- Vehicle-specific amplifier installation kit
- Vehicle-specific amp mounting racks
- Detailed step-by-step instructions

PB650.1D-V4 Class D Amplifier

- Max power: 1200 W
- Power output @ 4 ohms: 325 W
- Power output @ 2 ohms: 475 W
- Power output @ 1 ohm: 650 W
- Dimensions: 1.85" H x 9.05" W x 5.27" D

PB80.6-8DSP-V3 DSP and Mini Class D Amp Combo

- 6-channel / Max power: 1200W
- RMS @ 4 ohms stereo: 6x80W
- Frequency Response: 20Hz – 20kHz

- Dimensions: 1.9" H x 15.4" W x 5.3" D
- Pre-tuned EQ curve loaded on the DSP via computer-based software for maximum performance

SLICK-V4 1" Front Dash Tweeters

- Peak: 150W RMS, 50W / Sensitivity: 94dB
- Frequency response: 1.5kHz – 25kHz
- Impedance: 4 ohms
- Metra JP-1017 speaker grilles with silver-painted accents and metal stamped steel grille inserts
- Metra 82-3016 dash tweeter adapter plates
- Metra 72-7902 dash tweeter harnesses

OPTI6-V4 6.5" Front Dash Panel Speakers

- Peak: 270W RMS, 90W / Sensitivity: 94dB
- Frequency response: 55Hz – 20KkHz
- Impedance: 4 ohms
- Metra JP-1020 lower dash speaker grille cut-ins
- Metra JP-1014 lower dash sealed speaker PODs

SLICK-V4 1" Soundbar Tweeters

- Peak: 150W RMS, 50W / Sensitivity: 94dB
- Frequency response: 1.5kHz – 25kHz
- Impedance: 4 ohms

OPTI6-V4 6.5" Soundbar Speakers

- Peak: 270W RMS, 90W / Sensitivity: 94dB
- Frequency response: 55Hz – 20KkHz
- Impedance: 4 ohms
- Metra JP-1019 soundbar speaker kit

JP-GL1-12 12" Subwoofer & Ported Enclosure

- Peak: 900W, RMS 300W
- Fits under rear seat
- Up firing design
- Sensitivity: 85dB
- Impedance: Dual 2 ohm

Metra Vehicle-Specific Amplifier Harness

- Plug-n-play integration harnessing
- Simple behind-the-radio installation
- T-Harness and OE connectors
- Connects via the OE speaker wire to reduce wiring
- Plugs directly into the all-in-one DSP amplifier

Metra Amplifier Installation Kit

- Vehicle-specific wiring
- 9.5' 4GA OFC power wire
- 8' 8GA OFC power wire
- 12' 12GA OFC speaker wire
- T-Spec VMANL water-tight fuse holder
- 100A MANL fuse
- Distribution block
- Mounting hardware

Metra Vehicle-specific Amp Mounting Racks

- Vehicle-specific design
- Black powder-coated mounting plates
- Under-the-seat amp racks designed for small form-factor amplifiers
- **NOTE:** Vehicles with power seats may require modification to the height of the amp rack

NON-AMPLIFIED



INSTALLATION INSTRUCTIONS



JP-PPKT-7

FITS JEEP GLADIATOR JT 2020-2023* (NON-AMPLIFIED)

This complete, all-in-one premium audio kit includes every component required to install a fully integrated aftermarket sound system, eliminating the need to source parts individually. The kit features matched amplifiers, a total of eight speakers for the front and rear of the vehicle, and a 12" subwoofer in a ported enclosure, along with Metra's vehicle-specific installation solutions designed to simplify the upgrade process. Included integration components, such as the plug-n-play T-harness, speaker adapters, amplifier brackets, and mounting solutions, ensure seamless compatibility and straightforward installation. Each component in this kit has been engineered and tuned to work together as a unified system, delivering crystal-clear highs, rich midrange, and deep, controlled bass tailored to the Jeep JT interior. Because the system is designed as a complete package, all included components are required for proper performance and are not intended to be sold or installed separately.

Complete All-In-One Kit

The complete premium audio system includes the following part numbers, which together provide all components required for installation:

- **BLK-JP-PPKT-A:** Vehicle-specific installation and integration components
- **BLK-JP-PPKT-3B:** Generation-specific installation and integration components
- **JP-GL1-12:** 12" subwoofer enclosure

Plug-n-play audio system includes:

- 650-watt mono-block amplifier
- 6-channel DSP and amplifier combo
- Pair 1" front dash tweeters & 6.5" panel speakers
- Pair 1" soundbar tweeters & 6.5" speakers
- 12" subwoofer with ported enclosure
- DSP amp with downloadable vehicle-specific tuning
- Vehicle-specific amplifier installation kit
- Vehicle-specific amp mounting racks
- Detailed step-by-step instructions

PB650.1D-V4 Class D Amplifier

- Max power: 1200W
- Power output @ 4 ohms: 325W
- Power output @ 2 ohms: 475W
- Power output @ 1 ohm: 650W
- Dimensions: 1.85" H x 9.05" W x 5.27" D

PB80.6-8DSP-V3 DSP and Amplifier Combo

- 6-channel
- Max power: 1200W
- RMS @ 4 ohms stereo: 6x80W
- Frequency Response: 20Hz - 20kHz

- Dimensions: 1.9" H x 15.4" W x 5.3" D
- Mini class D
- Pre-tuned EQ curve loaded on the DSP via computer-based software for maximum performance

SLICK-V4 1" Front Dash Tweeters

- Peak: 150W RMS, 50W / Sensitivity: 94dB
- Frequency response: 1.5kHz - 25kHz
- Impedance: 4 ohms
- Metra JP-1017 speaker grilles with silver-painted accents and metal stamped steel grille inserts
- Metra 82-3016 dash tweeter adapter plates
- Metra 72-7902 dash tweeter harnesses

OPT16-V4 6.5" Front Dash Panel Speakers

- Peak: 270W RMS, 90W / Sensitivity: 94dB
- Frequency response: 55Hz - 20kHz
- Impedance: 4 ohms
- Metra JP-1018 lower dash speaker grille cut-ins
- Metra JP-1014 lower dash sealed speaker PODs

SLICK-V4 1" Soundbar Tweeters

- Peak: 150W RMS, 50W / Sensitivity: 94dB
- Frequency response: 1.5kHz - 25kHz
- Impedance: 4 ohms

OPT16-V4 6.5" Soundbar Speakers

- Peak: 270W RMS, 90W / Sensitivity: 94dB
- Frequency response: 55Hz - 20kHz
- Impedance: 4 ohms
- Metra JP-1015 soundbar speaker kit
- Metra BC-SPG universal speaker grilles

JP-GL1-12 12" Ported Subwoofer Enclosure

- Peak: 900W, RMS 300W
- Fits under rear seat
- Up-firing design
- Sensitivity: 85dB
- Impedance: Dual 2 ohm

Metra Vehicle-Specific Amplifier Harness

- Plug-n-play integration harnessing
- Simple behind-the-radio installation
- T-Harness and OE connectors
- Connects via the OE speaker wire to reduce wiring
- Plugs directly into the all-in-one DSP amplifier

Metra Amplifier Installation Kit

- Vehicle-specific wiring
- 9.5' 4GA OFC power wire
- 8' 8GA OFC power wire
- 12' 12GA OFC speaker wire
- T-Spec VMANL water-tight fuse holder
- 100A MANL fuse
- Distribution block
- Mounting hardware

Metra Vehicle-specific Amp Mounting Racks

- Vehicle-specific design
- Black powder-coated mounting plates
- Under-the-seat amp racks designed for small form-factor amplifiers

COMPLETE AUDIO KIT **FITS JEEP**

AMPLIFIED



**INSTALLATION
INSTRUCTIONS**



JP-PPKT-8

FITS JEEP GLADIATOR JT 2020-2023* (AMPLIFIED)

This complete, all-in-one premium audio kit includes every component required to install a fully integrated aftermarket sound system, eliminating the need to source parts individually. The kit features matched amplifiers, a total of eight speakers for the front and rear of the vehicle, and a 12" subwoofer in a ported enclosure, along with Metra's vehicle-specific installation solutions designed to simplify the upgrade process. Included integration components, such as the plug-n-play T-harness, speaker adapters, amplifier brackets, and mounting solutions, ensure seamless compatibility and straightforward installation. Each component in this kit has been engineered and tuned to work together as a unified system, delivering crystal-clear highs, rich midrange, and deep, controlled bass tailored to the Jeep JT interior. Because the system is designed as a complete package, all included components are required for proper performance and are not intended to be sold or installed separately.

Complete All-In-One Kit

The complete premium audio system includes the following part numbers, which together provide all components required for installation:

- **BLK-JP-PPKT-A:** Vehicle-specific installation and integration components
- **BLK-JP-PPKT-4B:** Generation-specific installation and integration components
- **JP-GL1-12:** 12" subwoofer enclosure

Plug-n-play audio system includes:

- 650-watt mono-block amplifier
- 6-channel DSP and amplifier combo
- Pair 1" front dash tweeters & 6.5" panel speakers
- Pair 1" soundbar tweeters & 6.5" speakers
- 12" subwoofer with enclosure
- DSP amp with downloadable vehicle-specific tuning
- Vehicle-specific amplifier installation kit
- Vehicle-specific amp mounting racks
- Metra amplifier integration interface
- Detailed step-by-step instructions

PB650.1D-V4 Class D Amplifier

- Max power: 1200W
- Power output @ 4 ohms: 325W
- Power output @ 2 ohms: 475W
- Power output @ 1 ohm: 650W
- Dimensions: 1.85" H x 9.05" W x 5.27" D

PB80.6-8DSP-V3 DSP and Mini Class D Amp Combo

- 6-channel / Max power: 1200W
- RMS @ 4 ohms stereo: 6x80W

- Frequency Response: 20Hz – 20kHz
- Dimensions: 1.9" H x 15.4" W x 5.3" D
- Pre-tuned EQ curve loaded on the DSP via computer-based software for maximum performance

SLICK-V4 1" Front Dash Tweeters

- Peak: 150W RMS, 50W / Sensitivity: 94dB
- Frequency response: 1.5kHz – 25kHz
- Impedance: 4 ohms
- Metra JP-1017 speaker grilles with silver-painted accents and metal stamped steel grille inserts
- Metra 82-3016 dash tweeter adapter plates
- Metra 72-7902 dash tweeter harnesses

OPTI6-V4 6.5" Front Dash Panel Speakers

- Peak: 270W RMS, 90W / Sensitivity: 94dB
- Frequency response: 55Hz – 20kHz
- Impedance: 4 ohms
- Metra JP-1018 lower dash speaker grille cut-ins
- Metra JP-1014 lower dash sealed speaker PODs

SLICK-V4 1" Soundbar Tweeters

- Peak: 150W RMS, 50W / Sensitivity: 94dB
- Frequency response: 1.5kHz – 25kHz
- Impedance: 4 ohms

OPTI6-V4 6.5" Soundbar Speakers

- Peak: 270W RMS, 90W / Sensitivity: 94dB
- Frequency response: 55Hz – 20kHz
- Impedance: 4 ohms
- Metra JP-1015 soundbar speaker kit
- Metra BC-SPG universal speaker grilles

JP-GL1-12 12" Ported Subwoofer Enclosure

- Peak: 900W, RMS 300W
- Fits under rear seat
- Up-firing design
- Sensitivity: 85dB
- Impedance: Dual 2 ohm

Metra AXAMP Vehicle-Specific Amplifier Interface

- Plug-n-play integration harnessing
- Simple behind-the-radio installation
- T-Harness and OE connectors
- RCAs included

Metra Amplifier Installation Kit

- Vehicle-specific wiring
- Amp bypass harness
- 9.5' 4GA OFC power wire
- 8' 8GA OFC power wire
- 12' 12GA OFC speaker wire
- T-Spec VMANL water-tight fuse holder
- 100A MANL fuse
- Distribution block
- Mounting hardware

Metra Vehicle-specific Amp Mounting Racks

- Vehicle-specific design
- Black powder-coated mounting plates
- Under-the-seat amp racks designed for small form-factor amplifiers

NON-AMPLIFIED



INSTALLATION INSTRUCTIONS



TY-PPKT-1

FITS TOYOTA TACOMA DOUBLE CAB 2016-2023* (NON-AMPLIFIED)

This complete, all-in-one premium audio kit includes every component required to install a fully integrated aftermarket sound system, eliminating the need to source parts individually. The kit features matched amplifiers, a total of six speakers for the front and rear of the vehicle, and a 10" subwoofer in a ported enclosure, along with Metra's vehicle-specific installation solutions designed to simplify the upgrade process. Integration components such as the plug-n-play T-harness, speaker adapters, amplifier brackets, and mounting solutions ensure seamless compatibility and straightforward installation. Each component in this kit has been engineered and tuned to work together as a unified system, delivering crystal-clear highs, rich midrange, and deep, controlled bass tailored to the truck's interior. Because the system is designed as a complete package, all included components are required for proper performance and are not intended to be sold or installed separately.

Complete All-In-One Kit

The complete premium audio system includes the following part numbers, which together provide all components required for installation:

- **BLK-TY-PPKT-1:** Vehicle-specific installation and integration components
- **TY-TAC1-10:** 10" subwoofer enclosure

Plug-n-play audio system includes:

- Pair 400-watt 4 channel 100 x 4 amplifiers
- Pair 2.7" dash speakers
- Pair 6.5" front door speakers
- Pair 6.5" rear door speakers
- 10" subwoofer with a ported enclosure
- DSP is pre-tuned, no downloading required
- Vehicle-specific amplifier installation harnesses
- Vehicle-specific amp mounting rack
- Detailed step-by-step instructions

PB100.4M-V0 Class D Amplifiers

- Max power: 960W
- Power output @ 2 ohms: 120W x 4
- Power output @ 4 ohms: 100W x 4
- Power output @ 4 ohms bridged: 240W x 2
- System delivers up to 1920 watts of maximum power
- Dimensions: 1.9" H x 9.1" W x 5.3" D

CVEN2.7M-V4 2.7" Dash Speakers

- 2.7" speaker size
- Peak: 160W RMS, 80W

- Sensitivity: 87dB
- Frequency response: 300Hz – 20kHz
- Impedance: 4 ohms
- Metra 72-8110 dash tweeter harnesses

SLICKSQ6 6.5" Front Door Speakers

- 6.5" speaker size
- Peak: 270W RMS, 90W
- Sensitivity: 94dB
- Frequency response: 55Hz – 20KkHz
- Impedance: 4 ohms
- Metra 82-8147 front door speaker adapter plates
- Metra 72-8104 front door speaker harnesses
- Metra IBFSR65 2-piece speaker baffle kit included for enhanced sound directionality and sealing
- Ballistic sound damping material (vehicle-specific pattern downloadable in instructions)

OPTI6-V4 6.5" Rear Door Speakers

- 6.5" speaker size
- Peak: 270W RMS, 90W
- Sensitivity: 94dB
- Frequency response: 55Hz – 20KkHz
- Impedance: 4 ohms
- Metra 82-8148 rear door speaker adapter plates
- Metra 72-8109 rear door speaker harnesses
- Metra IBFSR65 2-piece speaker baffle kit included for enhanced sound directionality and sealing
- Ballistic sound damping material (vehicle-specific pattern downloadable in instructions)

TY-TAC1-10" Subwoofer and Ported Enclosure

- Peak: 900W, RMS 300W
- Fits behind rear seat
- Sensitivity: 85dB
- Impedance: Dual 2 ohm

Metra Vehicle-Specific Amplifier Interface

- Axxess DSP Interface
- Plug-n-play integration harnessing
- Simple behind-the-radio installation
- T-Harness and OE connectors
- Retains factory chimes, including parking sensors with adjustable level
- DSP is pre-tuned, no downloading required

Metra Amplifier Installation Kit

- 18.5' 4GA OFC power wire
- 21' 8GA OFC ground wire
- 12' 12GA OFC speaker wire
- T-Spec MANL water-tight fuse holder
- 100A MANL fuse
- Distribution block
- Mounting hardware

Metra Vehicle-specific Amp Mounting Racks

- Vehicle-specific design
- Mounts using OEM Locations and bolts
- Behind-the-seat mounting rack specifically designed for amplifiers

TOYOTA TACOMA DOUBLE CAB 2016-2020 AMPLIFIED KIT COMING SOON!

AUDIO KIT INSTALLATION VIDEOS More coming soon!


FD-PPKT-2 INSTALL

PLUG-N-PLAY AUDIO KIT - FITS FORD F-150 2018-2024* (B&O® OEM AMPLIFIED)




GM-PPKT-1 INSTALL

PLUG-N-PLAY AUDIO KIT - FITS GM SIERRA/SILVERADO 2019-2025* (AMPLIFIED)



JP-PPKT-1 INSTALL

PLUG-N-PLAY AUDIO KIT - FITS JEEP WRANGLER JL 2024-UP* (NON-AMPLIFIED)



JP-PPKT-2 INSTALL

PLUG-N-PLAY AUDIO KIT - FITS JEEP WRANGLER JL 2024-UP* (AMPLIFIED)



JP-PPKT-5 INSTALL

PLUG-N-PLAY AUDIO KIT - FITS JEEP GLADIATOR JT 2024-2025 (NON-AMPLIFIED)





TUNING & PROGRAMMING

DSP TUNING FOR PLUG-N-PLAY AUDIO KITS




PROGRAMING DSP AMP FOR JEEP PLUG-N-PLAY AUDIO KITS



BE AN EXCLUSIVE METRA DEALER

MetraOnline.com

Register online today!



- ▶ Order at anytime. Day or Night!
- ▶ Always up to date with all the latest products!
- ▶ All the Metra Brands in one location for your ordering convenience.



LOADED SUB ENCLOSURE **FITS FORD/CHEVY/GMC**

FD-F150-10

OEM-FIT SUB ENCLOSURE

FITS FORD F-150 SUPERCREW 2015-2025*

This custom-fit, single 10-inch ported subwoofer enclosure is designed to mount cleanly under the rear cab seat in the 2015-2025 Ford F-150 SuperCrew*. Developed by Metra's Master Technicians, this down-firing enclosure delivers a precise OEM-style fit while maximizing performance and space efficiency. If you want powerful, hard-hitting bass in your truck, this vented 10-inch enclosure is an ideal solution. The enclosure comes preloaded with a VIBE Audio Blackair 10-inch shallow-mount subwoofer featuring a purpose-built motor assembly capable of handling up to 300 watts RMS and 900 watts peak power. Dual 2-ohm voice coils provide flexible wiring options and are easily configured at the enclosure's terminal connector. The enclosure's ported design produces deep, thunderous low-end bass, while the premium MDF construction ensures durability and acoustic accuracy. Every detail is engineered to work seamlessly with the included VIBE subwoofer, delivering exceptional bass performance tailored specifically for the F-150 SuperCrew.

Features:

- Mounts under the rear cab seat
- OEM-style fit
- Exceptional bass performance

Includes:

- 10" VIBE BLACKAIR10D2S-V3 subwoofer
- Down-firing ported sub enclosure

Subwoofer Specifications:

- 10" speaker size
- RMS power: 300W
- Peak: 900W RMS, 300W
- Sensitivity: 85dB
- Frequency response: 30Hz - 1KkHz
- Impedance: dual 2 ohms

Enclosure Specifications:

- Single port design
- Down-firing style
- Black carpet finish
- 5/8" diameter medium-density fiberboard construction
- Single subwoofer chamber
- Internal air space: 1.8 ft³
- Tuning frequency: 36Hz

Dimensions:

- H: 13.13"
- W: 35.125"
- D: 9.07"



**PRODUCT
VIDEO**



GM-SL1-10

OEM-FIT SUB ENCLOSURE

FITS CHEVY SILVERADO/GMC SIERRA CREW CAB 2019-2026*

This custom-fit, single 10-inch ported subwoofer enclosure is designed to mount cleanly under the rear cab seat in the 2019-2026 Chevrolet Silverado and GMC Sierra*. Developed by Metra's Master Technicians, this down-firing enclosure delivers a precise OEM-style fit while maximizing performance and space efficiency. If you want powerful, hard-hitting bass in your truck, this vented 10-inch enclosure is an ideal solution. The enclosure comes preloaded with a VIBE Audio Blackair 10-inch shallow-mount subwoofer featuring a purpose-built motor assembly capable of handling up to 300 watts RMS and 900 watts peak power. Dual 2-ohm voice coils provide flexible wiring options and are easily configured at the enclosure's terminal connector. The enclosure's ported design produces deep, thunderous low-end bass, while the premium MDF construction ensures durability and acoustic accuracy. Every detail is engineered to work seamlessly with the included VIBE subwoofer, delivering exceptional bass performance tailored specifically for the Silverado and Sierra trucks.

Features:

- Mounts under the rear cab seat
- OEM-style fit
- Exceptional bass performance

Includes:

- 10" VIBE BLACKAIR10D2S-V3 subwoofer
- Down-firing ported sub enclosure

Subwoofer Specifications:

- 10" speaker size
- Peak 900W, RMS 300W
- Sensitivity: 85dB
- Frequency response: 30Hz - 1KkHz
- Impedance: dual 2 ohms

Enclosure Specifications:

- Single port design
- Down-firing style
- Black carpet finish
- 5/8" diameter medium-density fiberboard construction
- Single subwoofer chamber
- Internal air space: 1.8 ft³
- Tuning frequency: 36Hz

Dimensions:

- H: 11"
- W: 27"
- D: 15"



**PRODUCT
VIDEO**



LOADED SUB ENCLOSURE **FITS JEEP**

BAMIT12-V4

SUB ENCLOSURE

FITS JEEP WRANGLER JK 2007-2018 AND JL 2018-2026*

This custom-fit, 12-inch sealed subwoofer enclosure is designed to mount securely to the tailgate of the 2007-2018 Jeep Wrangler JK and 2018-2026 Jeep Wrangler JL*. Developed with VIBE Audio's Multi-Installation Technology, this enclosure utilizes the tailgate for mounting, saving valuable space in the cargo area. If you want powerful, hard-hitting bass in your Jeep, this 12-inch enclosure is an ideal solution. The enclosure comes preloaded with a VIBE BlackAir 12-inch shallow-mount subwoofer featuring a purpose-built motor assembly capable of handling up to 300 watts RMS and 900 watts peak power. Dual 2-ohm voice coils provide flexible wiring options and are easily configured at the enclosure's terminal connector. The enclosure's sealed design produces deep, thunderous low-end bass, while the premium MDF construction ensures durability and acoustic accuracy. Every detail is engineered to work seamlessly with the included VIBE subwoofer, delivering exceptional bass performance tailored specifically for the Jeep® Wrangler.

Features:

- Mounts directly to the tailgate
- Exceptional bass performance

Includes:

- 12" VIBE BLACKAIR12D2S-V3 subwoofer
- Sealed sub enclosure
- Mounting hardware

Subwoofer Specifications:

- 12" speaker size
- Peak: 900W, RMS 300W
- Sensitivity: 85dB
- Frequency response: 30Hz - 1KkHz
- Impedance: dual 2 ohms

Enclosure Specifications:

- Sealed design
- Front-firing style
- Black/gold vinyl finish
- 5/8" diameter medium-density fiberboard construction
- Single subwoofer chamber
- Internal air space: 1.5 ft³
- Tuning frequency: 25Hz - 850Hz

Dimensions:

H: 14"
W: 25 1/2"
D: 5 1/4"



**PRODUCT
VIDEO**



JP-GL1-12

OEM-FIT SUB ENCLOSURE

FITS JEEP GLADIATOR JT 2020-2026*

This custom-fit, single 12-inch ported subwoofer enclosure is designed to mount cleanly under the rear cab seat in the 2020-2026 Jeep Gladiator JT*. Developed by Metra's Master Technicians, this up-firing enclosure delivers a precise OEM-style fit while maximizing performance and space efficiency. If you want powerful, hard-hitting bass in your Jeep®, this vented 12-inch enclosure is an ideal solution. The enclosure comes preloaded with a VIBE Audio Blackair 12-inch shallow-mount subwoofer featuring a purpose-built motor assembly capable of handling up to 300 watts RMS and 900 watts peak power. Dual 2-ohm voice coils provide flexible wiring options and are easily configured at the enclosure's terminal connector. The enclosure's ported design produces deep, thunderous low-end bass, while the premium MDF construction ensures durability and acoustic accuracy. Every detail is engineered to work seamlessly with the included VIBE subwoofer, delivering exceptional bass performance tailored specifically for the Jeep® Gladiator.

Features:

- Mounts under the rear cab seat
- OEM-style fit
- Exceptional bass performance

Includes:

- 12" VIBE BLACKAIR12D2S-V3 subwoofer
- Up-firing ported sub enclosure

Subwoofer Specifications:

- 12" speaker size
- RMS power: 300W
- Peak: 900W RMS, 300W
- Sensitivity: 85dB
- Frequency response: 25Hz - 850Hz
- Impedance: dual 2 ohms

Enclosure Specifications:

- Single port design
- Up-firing style
- Black carpet finish
- 5/8" diameter medium-density fiberboard construction
- Single subwoofer chamber
- Internal air space: 1.5 ft³
- Tuning frequency: 35Hz

Dimensions:

H: 15.58"
W: 44.187"
D: 7.75"



**PRODUCT
VIDEO**



LOADED SUB ENCLOSURE **FITS TOYOTA**

TY-TAC1-10

OEM-FIT SUB ENCLOSURE

FITS TOYOTA TACOMA DOUBLE CAB 2016-2023*

This custom-fit, single 10-inch ported subwoofer enclosure is designed to mount cleanly behind the rear cab seat of the 2016-2023 Toyota Tacoma Double Cab. Developed by Metra's Master Technicians, this front-firing enclosure delivers a precise OEM-style fit while maximizing performance and space efficiency. If you want powerful, hard-hitting bass in your truck, this vented 10-inch enclosure is an ideal solution. The enclosure comes preloaded with a VIBE Audio Blackair 10-inch shallow-mount subwoofer featuring a purpose-built motor assembly capable of handling up to 300 watts RMS and 900 watts peak power. Dual 2-ohm voice coils provide flexible wiring options and are easily configured at the enclosure's terminal connector. The enclosure's ported design produces deep, thunderous low-end bass, while the premium MDF construction ensures durability and acoustic accuracy. Every detail is engineered to work seamlessly with the included VIBE subwoofer, delivering exceptional bass performance tailored specifically for the Tacoma Double Cab.

Features:

- Mounts behind the rear cab seat
- OEM-style fit
- Exceptional bass performance

Includes:

- 10" VIBE BLACKAIR10D2S-V3 subwoofer
- Front-firing ported sub enclosure

Subwoofer Specifications:

- 10" speaker size
- RMS power: 300W
- Peak: 900W RMS, 300W
- Sensitivity: 85dB
- Frequency response: 30Hz - 1KkHz
- Impedance: dual 2 ohms

Enclosure Specifications:

- Single port design
- Front-firing style
- Black carpet finish
- 5/8" diameter medium-density fiberboard construction
- Single subwoofer chamber
- Internal air space: 1.5 ft³
- Tuning frequency: 36Hz

Dimensions:

H: 16.875"
W: 29.5"
D: 8.5"



**PRODUCT
VIDEO**



CALL TO ORDER 1.386.257.2956 | [METRAONLINE.COM](https://www.METRAONLINE.COM)



OS-BMW82V3

8" UNDER-SEAT REPLACEMENT 2 OHM SUBWOOFER FITS SELECT BMW MODELS 2000-2016*

This direct-replacement under-seat subwoofer from VIBE Audio is designed to fit select BMW models*. It is engineered to fit perfectly into the vehicle with no modifications required. All brackets and wiring connectors are included for easy plug-n-play installation. This premium subwoofer is lightweight and provides an enhanced bass response over factory speakers.

- Speaker size: 8" (200mm)
- Peak: 345W
- RMS Power: 115W
- Impedance: 2 ohms
- Sold in pairs



OS-BMW84V3

8" UNDER-SEAT REPLACEMENT 2 OHM SUBWOOFER FITS SELECT BMW MODELS 2000-2016*

This direct-replacement under-seat subwoofer from VIBE Audio is designed to fit select BMW models*. It is engineered to fit perfectly into the vehicle with no modifications required. All brackets and wiring connectors are included for easy plug-n-play installation. This premium subwoofer is lightweight and provides an enhanced bass response over factory speakers.

- Speaker size: 8" (200mm)
- Peak: 345W
- RMS Power: 115W
- Impedance: 4 ohms
- Sold in pairs



OS-BMW4V4

4" PLUG-N-PLAY FRONT DOOR SPEAKER SET FITS SELECT BMW MODELS 2000-2016*

This direct-replacement front door component speaker set from VIBE Audio is designed to fit select BMW models*. These speakers offer easy plug-n-play installation with vehicle-specific baskets and harnesses, and all required adapters and cables included.

- Speaker size: 4" (100mm), 1" silk dome tweeter
- 2-way configuration
- Peak: 345W
- RMS Power: 115W
- Minimum input: 55W
- Sensitivity: 90dB
- Frequency response 55Hz – 25kHz
- Impedance: 4 ohms
- Sold in pairs



OS-BMW4RV2

4" COAXIAL UPGRADE SPEAKER FITS SELECT BMW MODELS 2000-2016*

These direct-replacement coaxial upgrade speakers from VIBE Audio are designed to fit select BMW models*. These speakers offer easy plug-n-play installation and are designed to fit exactly in place of factory speakers to upgrade the audio system for enhanced sound quality.

- Direct fit basket - Speaker size: 4" (100mm)
- 2-way configuration
- Peak: 180W
- RMS Power: 60W
- Minimum input: 55W
- Sensitivity: 89dB
- Frequency response 90Hz – 25kHz
- Impedance: 4 ohms Sold in pairs
- Sold in pairs

**INSTALLATION
INSTRUCTIONS**



DIRECT SPEAKER REPLACEMENT **FITS MERCEDES**



OS-MERC4

PLUG-N-PLAY COAXIAL SPEAKER KIT FITS SELECT MERCEDES MODELS 2013-2025*

These direct-replacement coaxial upgrade speakers are designed to fit select Mercedes C-Class, E-Class, GLC, and S-Class models. These speakers are designed to fit exactly in place of factory speakers to upgrade the audio system for enhanced sound quality. All brackets and wiring connectors are included for easy plug-n-play installation.

- Direct fit plugs and basket
- Lightweight, rigid composite paper and wood fiber cone design for a natural vocal reproduction
- Premium neodymium motors and precision soft-parts
- Configuration: 2-way
- Speaker Size: 4"
- Peak/RMA Power: 180W/60W
- Sensitivity: 89dB
- Frequency Response: 90Hz-25kHz
- Impedance: 4 Ohms



OS-MERC4C

PLUG-N-PLAY COMPONENT SPEAKER KIT FITS SELECT MERCEDES MODELS 2013-2025*

These direct-replacement component upgrade speakers are designed to fit select Mercedes C-Class, E-Class, GLC, and S-Class models. These speakers are designed to fit exactly in place of factory speakers to upgrade the audio system for enhanced sound quality. All brackets, wiring connectors, and crossovers are included for easy plug-n-play installation.

- Direct fit plugs and basket
- Lightweight, rigid composite paper and wood fiber cone design for a natural vocal reproduction
- Premium neodymium motors and precision soft-parts
- Configuration: 2-way
- Speaker Size: 4"
- Peak/RMA Power: 180W/60W
- Sensitivity: 89dB
- Frequency Response: 90Hz-25kHz
- Impedance: 4 Ohms



OS-MERC8WL

PLUG-N-PLAY 8" SUBWOOFER KIT FITS SELECT MERCEDES MODELS 2013-2025*

This direct-replacement subwoofer kit is designed to fit select Mercedes C-Class, E-Class, GLC, and S-Class models. It is engineered to fit perfectly into the vehicle with no modifications required. All brackets and wiring connectors are included for easy plug-n-play installation. This premium subwoofer is lightweight and provides an enhanced bass response over factory speakers.

- Custom-tooled subwoofer basket
- Lightweight, rigid composite paper and wood fiber cone design for a natural vocal reproduction
- Premium neodymium motors and precision soft-parts
- Type: Subwoofer (left hand drive)
- Configuration: 1-way
- Speaker Size: 8"
- Peak/RMA Power: 300W/100W
- Sensitivity: 88dB
- Frequency Response: 25Hz-250Hz
- Impedance: 2 Ohms

**INSTALLATION
INSTRUCTIONS**



**PRODUCT
VIDEO**



DIRECT SPEAKER REPLACEMENT **FITS TESLA**



OS-TESLA1T

PLUG-N-PLAY 1" TWEETER SPEAKER KIT FITS SELECT TESLA MODELS 2017-2024*

These direct-replacement 1" tweeters are designed to fit select Tesla Model 3 and Model Y models. These speakers offer easy plug-n-play installation and are designed to fit exactly in place of factory speakers to upgrade the audio system for enhanced sound quality.

- Direct fit plugs and looms
- Precision-engineered silk dome tweeters
- Neodymium magnets deliver immense motor force while maintaining compact size and lightweight design
- Configuration: 1-way
- Speaker Size: 1"
- Peak/RMS Power: 120W/40W
- Sensitivity: 92dB
- Frequency Response: 4.5kHz-25kHz
- Impedance: 4 Ohms



OS-TESLACTR

PLUG-N-PLAY CENTER CHANNEL SPEAKER KIT FITS SELECT TESLA MODELS 2017-2024*

These direct-replacement 1" tweeter & 4" midrange speakers are designed to fit select Tesla Model 3 and Model Y models' center channels. These speakers offer easy plug-n-play installation and are designed to fit exactly in place of the factory center channel speaker location for enhanced sound quality.

- Direct fit plugs
- Lightweight, rigid composite paper and wood fiber cone design for a natural vocal reproduction
- Precision-engineered silk dome tweeters
- Configuration: 2-way
- Speaker Size: 1" Tweeter & 4" Midrange
- Neodymium magnets deliver immense motor force while maintaining compact size and lightweight design
- Peak/RMS Power: 180W/60W
- Sensitivity: 86dB
- Frequency Response: 100Hz-22kHz
- Impedance: 4 Ohms



OS-TESLA8W

PLUG-N-PLAY 8" MIDWOOFER SPEAKER KIT FITS SELECT TESLA MODELS 2017-2024*

These direct-replacement 8" midwoofer speakers are designed to fit select Tesla Model 3 and Model Y models. These speakers offer easy plug-n-play installation and are designed to fit exactly in place of factory speakers to upgrade the audio system for enhanced sound quality.

- Direct fit plugs
- Custom torsion basket fits directly into factory speaker location
- Lightweight, rigid composite paper and wood fiber cone design for a natural vocal reproduction
- Carbon fiber dust cap
- Dynamic foam surround offers a wide frequency response and excellent excursion
- Neodymium magnets deliver immense motor force while maintaining compact size and lightweight design
- Configuration: 1-way
- Speaker Size: 8"
- Peak/RMS Power: 400W/200W
- Sensitivity: 88dB
- Frequency Response: 55Hz – 3kHz
- Impedance: 4 Ohms



OS-TESLA4M

PLUG-N-PLAY 4" MIDWOOFER SPEAKER KIT FITS SELECT TESLA MODELS 2017-2024*

These direct-replacement 4" midwoofer speakers are designed to fit select Tesla Model 3 and Model Y models. These speakers offer easy plug-n-play installation and are designed to fit exactly in place of factory speakers to upgrade the audio system for enhanced sound quality.

- Direct fit plugs
- Custom torsion basket fits directly into factory speaker location
- Lightweight, rigid composite paper and wood fiber cone design for a natural vocal reproduction
- Carbon fiber dust cap
- Dynamic foam surround offers a wide frequency response and excellent excursion
- Neodymium magnets deliver immense motor force while maintaining compact size and lightweight design
- Configuration: 1-way
- Speaker Size: 4"
- Peak/RMS Power: 180W/60W
- Sensitivity: 86dB
- Frequency Response: 100Hz – 10kHz
- Impedance: 4 Ohms

**INSTALLATION
INSTRUCTIONS**



**PRODUCT
VIDEO**





facebook.com/MetraElectronics



instagram.com/MetraElectronics



youtube.com/user/MetraElectronics



www.linkedin.com/company/Metra-Electronics



Order Anytime Day or Night at MetraDealer.com



Download all our New Catalogs at MetraOnline.com



THE INSTALLER'S CHOICE

MetraOnline.com

MetraDealer.com

ORDERS: 386.257.2956

CORPORATE HEADQUARTERS

Metra Electronics Corporation

460 Walker Street

Holly Hill, FL 32117-2699

Metra Corporate: 386.257.1186

Metra 12volt & International Sales:

386.257.2956

Sales Fax: 386.258.3940