



Stop/Start Override Interface

Fits Select Ford Models **2019-UP**

Visit [AxxessInterfaces.com](https://www.AxxessInterfaces.com) for more detailed information about the product and up-to-date vehicle specific applications

INTERFACE FEATURES

- Allows the override of the STOP/START engine feature
- The factory STOP/START button can resume the STOP/START feature
- Can be used with either a factory or aftermarket radio
- Vehicle type configured through the Axxess Updater app, available for smartphones and tablets
- Simple Plug-n-play installation, no wiring required
- U.S. Patent 10,844,821, U.S. Patent 11,686,281

INTRODUCTION

This patented AXSSO interface is designed to automatically disengage the STOP/START engine feature on select Ford, Chrysler, and GM vehicles, which may be bothersome to some people. Installers can now offer drivers the option to override or re-engage this feature automatically, whether they have a factory or aftermarket radio. The vehicle type is configured through the Axxess Updater app. Don't forget to check our Vehicle Fit Guide to see if an AXSSO package is available for your vehicle, as these products are dependent on the vehicle application.

APPLICATIONS

Ford	
Bronco Sport	2021-2023
Maverick	2022-2023
Ranger XL / XLT	2019-2022
Transit 150/250/350	2019-Up
Transit Connect	2019-Up

Product Info



TABLE OF CONTENTS

Programming.....	2
Connections.....	3
Operation.....	4

INTERFACE COMPONENTS

- AXSSO-FD2 interface
- AXSSO-FD2 harness

TOOLS & INSTALLATION ACCESSORIES REQUIRED


- Zip ties • Cutters (for zip ties)
- USB Micro-B cable
(Axxess part number **AXUSB-MCBL**)

ATTENTION: With the key out of the ignition, disconnect the negative battery terminal before installing this product. Ensure that all installation connections are secure before cycling the ignition to test this product.
NOTE: Refer to the instructions included with the aftermarket radio.


PROGRAMMING





(Figure A)



(Figure B)



(Figure C)

-  Download and install the **Axxess Updater** software program from: axxessinterfaces.com/resources/updater-software
-  Connect the micro-B USB cable (sold separately) to the computer and **AXSSO-FD2** interface. Open the **Axxess Updater** software program and wait until the word **Ready** is shown in the bottom left of the screen. Select **Stop / Start**. (Figure A)

-  On the next screen that opens, select the year, make, and model of the vehicle, then press **Program Interface**. (Figure B)
-  When the **Configuration Successful** box pops up, the programming process is complete. (Figure C)

Continue to Installation

INSTALLATION


These vehicles will connect at the OBD2 connector, located under the driver's side dashboard:

Ford

Bronco Sport	2021-2023
Maverick	2022-2023
Ranger XL / XLT	2019-2022
Transit 150/250/350	2019-Up
Transit Connect	2019-Up

From the OBD2 connector in the dash:

1. Disconnect the factory OBD2 connector from under the dash. (Figure A)
2. Plug the AXSSO-FD2 harness into the OBD2 connector.
3. Connect the AXSSO-FD2 to the wiring harness in the dash.
4. Plug the AXSSO-FD2 harness into the AXSSO-FD2 interface.
5. Zip tie the harness securely under the dash to avoid it from sagging. (Figure B)



(Figure A)



(Figure B)



OPERATION

Re-engaging the STOP/START feature

1.



Press the factory STOP/START button to re-engage the STOP/START feature.

Having difficulties? We're here to help.



Contact our Tech Support line at:

386-257-1187



Or via email at:

techsupport@metra-autosound.com

Tech Support Hours (Eastern Standard Time)

Monday - Friday: 9:00 AM - 7:00 PM

Saturday: 10:00 AM - 5:00 PM

Sunday: 10:00 AM - 4:00 PM



**Metra recommends MECP
certified technicians**



INTRODUCCIÓN

La interfaz patentada AXSSO desactiva automáticamente la función de arranque/parada (STOP/START) en ciertos vehículos Ford, Chrysler y GM, que algunos conductores podrían encontrar molesta. Los instaladores pueden ofrecer la opción de anular o reactivar esta función automáticamente, con radios de fábrica o de posventa. El tipo de vehículo se configura mediante la app Axxess Updater.

Consulte nuestra Guía de Compatibilidad de Vehículos para verificar si un paquete AXSSO está disponible para su modelo, ya que depende de la aplicación específica del vehículo.

APLICACIONES

Ford	
Bronco Sport	2021-2023
Maverick	2022-2023
Ranger XL / XLT	2019-2022
Transit 150/250/350	2019-y Más
Transit Connect	2019-y Más

Interfaz para anular el sistema Stop/Start Compatible con Modelos Selectos de Ford 2019-y Más

Para consultar información más detallada acerca del producto y aplicaciones específicas actuales del vehículo, visite la página AxxessInterfaces.com

CARACTERÍSTICAS DE LA INTERFAZ

- Permite anular la función de arranque/parada (STOP/START) del motor
- El botón de STOP/START de fábrica puede reactivar la función
- Compatible con radios de fábrica o de posventa
- Tipo de vehículo configurado mediante la app Axxess Updater, disponible para smartphones y tablets
- Instalación sencilla Plug-n-Play, sin necesidad de cableado

Información del producto



ÍNDICE

Programación	2
Instalación	3
Operación	4

COMPONENTES DE LA INTERFAZ

- AXSSO-FD2 Interfaz
- AXSSO-FD2 Arnés

HERRAMIENTAS Y ACCESORIOS DE INSTALACIÓN REQUERIDOS

- Bridas (zip ties)
 - Cortadores (para bridas)
 - Cable USB Micro-B
- (Número de parte Axxess: AXUSB-MCBL)


ATENCIÓN: Con la llave fuera de la marcha, desconecte la terminal negativa de la batería antes de instalar este producto. Asegúrese de que todas las conexiones de la instalación, en especial las luces indicadoras de las bolsas de aire, estén conectadas antes de volver a conectar la batería o dar vuelta a la marcha para probar este producto.

NOTA: También consulte las instrucciones incluidas con el radio genérico.


PROGRAMACIÓN




(Figura A)




(Figura B)



(Figura C)

- 

1. Descargue e instale el programa **Axxess Updater** desde: axxessinterfaces.com/resources/updater-software
- 

2. Conecte el cable USB Micro-B (se vende por separado) a la computadora y a la interfaz **AXSS0-FD2**. Abra el programa **Axxess Updater** y espere a que la palabra **Ready** aparezca en la parte inferior izquierda de la pantalla. Seleccione **Stop / Start**. (Figura A)

- 

3. En la siguiente pantalla que se abra, seleccione el año, marca y modelo del vehículo, luego presione **Program Interface**.

- 

4. Cuando aparezca la ventana **Configuration Successful**, el proceso de programación habrá finalizado. (Figura C)

Continuar a la instalación

INSTALACIÓN


Estos vehículos se conectarán en el conector OBD2, ubicado debajo del tablero del lado del conductor:

Ford

Bronco Sport	2021-2023
Maverick	2022-2023
Ranger XL / XLT	2019-2022
Transit 150/250/350	2019-y Más
Transit Connect	2019-y Más

Desde el conector OBD2 en el tablero:

1. Desconecte el conector OBD2 de fábrica que está debajo del tablero. (Figura A)
2. Conecte el arnés AXSSO-FD2 al conector OBD2.
3. Conecte el AXSSO-FD2 al arnés de cableado en el tablero.
4. Conecte el arnés AXSSO-FD2 a la interfaz AXSSO-FD2.
5. Asegure el arnés con bridas (zip ties) debajo del tablero para evitar que cuelgue. (Figura B)



(Figura A)



(Figura B)

OPERACIÓN

Reactivar la función STOP/START

1.



Presione el botón STOP/START de fábrica para reactivar la función STOP/START.

¿Tiene algún problema? Estamos aquí para ayudarle.



Llame a nuestra línea de
Soporte Técnico al número:
386-257-1187



O escribanos al correo electrónico:
techsupport@metra-autosound.com

Horario de atención de Soporte Técnico (hora estándar del este)

Lunes a viernes: 9:00 AM - 7:00 PM

Sábados: 10:00 AM - 5:00 PM

Domingos: 10:00 AM - 4:00 PM



**Metra recomienda a los técnicos
con certificación MECP**